


WHOLESALE  
CATALOG 159

# MORGAN • WIGHTMAN

... america's most  
complete building  
supply house



Lambert/St. Louis Airport Terminal Building  
Hellmuth, Yamasaki & Leinweber, St. Louis



MIAMI • CAREY  
• LOGAN  
HEATILATOR  
FILON  
HALLMACK  
• SKIL  
KWIKSET  
MENGEL  
STANLEY  
HOTPOINT

WINDSOR  
YALE  
SUN VALLEY  
WHITEHALL  
NUTONE  
LEIGH  
SCHLAGE  
LUPTON  
MAJESTIC  
PROGRESS

ST. LOUIS  
•  
CHICAGO






**ECONO-SLIDE and TOWN  
and COUNTRY WINDOWS**  
Pages 14 and 15

## WINDSOR PREFINISHED PANELING

PAGE 19

## STRYPANEL WALL PANELING

PAGE 40



**BARNES PUMPS**  
Pages 102, 103 and 182

## WASHINGTON PLASTIC DRAWERS

PAGE 170



**WESTERN  
HEATING EQUIPMENT**  
Pages 138, 139 and 140

A FEW  
OF THE MANY  
**NEW PRODUCTS**  
IN OUR 1959  
CATALOG

## MORRISON OVERHEAD DOORS

PAGE 126

## HARDBOARDS

PAGE 35



**PREWAY GAS OVENS**  
Page 109



**GLISSADE MODERN  
LAVANITIES**  
Page 95

## BONDEX


PAGE 182



**WINDSOR WOOD FENCING**  
Page 39



Page 4




**ARROW CARPORTS**  
Page 130

## WINDSOR ALUMINUM SIDING


PAGE 38

## STEEL or WOOD E-Z HUNG DOORS

PAGE 25



**EVERSHARPE**  
Page 65



**WINDSOR SLIDING  
GLASS DOORS**  
Page 42

## ROOM AIR CONDITIONER

PAGE 104

## GENERAL INFORMATION

**SHIPPING CHARGES**—We pay all shipping charges on a large percentage of the items in this catalog—if your order totals \$150.00 or more—or when a certain number of units are purchased. The remaining items are F.O.B. our warehouses or factories as listed. Note at the bottom of each page for full details pertaining to items shown on that page.

**TERMS**—Net cash with order; check, bank draft or money order. If you would rather remit when your order is ready for delivery, so advise, in which case a deposit of 20% must accompany your order, and we will send you acknowledgement showing amount due and hold merchandise for delivery until your check for the balance is received.—Monthly Charge accounts are available to customers who are satisfactorily rated with Dun and Bradstreet or supply us with three business references with whom they are regularly doing business. However, terms are net and payable within 30 days from date of invoice.—Orders may be shipped on a C.O.D. basis, but are net on delivery with the consignee paying all C.O.D. Collection Fees. C.O.D. orders must include a 20% deposit.

**TAXES**—2% Sales tax added to Missouri orders only, unless tax exemption number is given. Any Federal or State sales or use tax which may now, or hereafter, become effective on the sale or shipment of our goods shall be paid by the buyer

**MINIMUM ORDER**—Net \$25.00, if you desire a smaller order, please authorize us to add a \$1.00 packing and handling charge—\$5.00 minimum invoice.

**CLAIMS**—All shipments are insured by us. Do not accept shipments which are damaged or have shortages without first noting same on Transportation Companies freight bills, if damage is found after opening shipment, immediately call carrier and have concealed damage claim report written. Filing of claims with carrier must

be done by person receiving shipment. However, we will supply shipping proof and facts to aid you. All claims for shortages in our packing must be made within 5 days after receipt of goods.

**PRICES**—All prices prior to this date are hereby cancelled. All prices are subject to change without notice.

**BACK ORDERS**—All merchandise listed in this catalog and on subsequent mailings is stock merchandise, unless otherwise stated. There are times however, when due to circumstances beyond our control, certain items will be out of stock. These items, when ordered, will be held on back order and forwarded to you when received unless we are otherwise instructed.

**MATERIAL TO BE RETURNED**—Write first, advising invoice number and reason for the return. Do not return any material until you have authority from us. Certain items that are assembled or worked to order cannot be returned and for returnable material it is necessary that we give you correct shipping instructions. Any stock material returned with our authority and received in good condition will be credited at invoice price less return freight and a 10% handling charge.

**CANCELLATION OF ORDERS**—Orders for special 'made-to-order' items are NOT cancellable after production has started. Stock material cancelled AFTER shipment has been made, must be considered as returned goods and will be penalized 10%, plus any freight charges incurred.

**SERVICE**—When this catalog was issued, all items were in stock for immediate shipment and we endeavor to keep a supply on hand. However, our stock is subject to prior sale and due to Government regulations on all basic metals we reserve the right to reject any order in full or in part.

**REFERENCES**—DUN AND BRADSTREET; MERCANTILE TRUST CO., ST. LOUIS, MO.  
HARRIS TRUST AND SAVINGS BANK, CHICAGO, ILL.

COPYRIGHT 1959 BY MORGAN-WIGHTMAN. ALL RIGHTS RESERVED

Printed in U. S. A.



# MOULDINGS of PONDEROSA PINE - WHITE FIR - PHILIPPINE MAHOGANY

ALL PRICES PER 100 FT. FOR RANDOM LENGTHS - FOR SPECIFIED LENGTHS ADD 20% FOR 7 FT. AND OVER  
ALL SHORTER LENGTHS NO EXTRA CHARGE - ALL JAMBS AND MOULDING BEARS A.F. OF L. UNION LABEL

ALL MOULDINGS CARDBOARD WRAPPED  
FOR DAMAGE-FREE SHIPMENT AT  
NO EXTRA CHARGE TO YOU

## MOULDING PRICES

Number	PATTERN	White Fir	W.P. Pine	Phil. Mahog.
99M-100-S	Tile Scotia	--	\$2.75	--
99M-110-S	Cove	--	--	\$3.75
99M-120-S	Tile Casing	--	8.25	--
99M-150-S	Colonial Base	--	10.50	--
99M-160-S	Ranch Base	5.50	6.50	10.50
99M-170-S	Ranch Base	8.00	10.50	13.00
99M-220-S	Base Shoe	2.00	2.00	3.75
99M-230-S	Ranch Casing	4.25	5.00	--
99M-250-S	Closet Pole	7.50	--	--
99M-270-S	Ranch Stop	--	3.00	--
99M-280-S	Ranch Stop	--	3.50	4.75
99M-290-S	Colonial Casing	--	7.25	--
99M-300-S	Ranch Casing	5.00	6.50	9.00
99M-310-S	Colonial Apron	--	6.50	--
99M-320-S	Ranch Apron	5.25	6.50	9.00
99M-330-S	Window Stool	7.00	10.25	12.75
99M-380-S	Window Stool	14.20	20.50	--
99M-400-S	Cove	--	--	9.50
99M-410-S	R.E. Door Stop	3.00	3.50	4.75
99M-500-S	Batten	--	--	3.00
99M-700-S	Hook Strip	8.00	--	--
99M-740-S	Shelf Cleat	4.25	--	--
99M-750-S	Base and Shoe	5.00	6.50	--
99M-800-S	Shingle Mould	5.75	--	--
99M-810-S	Bed Mould	4.25	--	--
99M-900-S	Hand Rail	10.00	--	--
99M-940-S	Kitchen Shoe	4.25	--	--
99M-960-S	O.G. Stop	--	3.75	--
99M-970-S	O.G. Stop	--	3.25	--
99M-980-S	O.G. Stop	--	2.00	--

Note: 99M-2200-F also carried in oak . . . \$3.75

99M-3068-S DOOR TRIM SETS. W.P.P. \$1.32 per set  
Set consists of two side members and one head member of No. 99M-300-S Ranch Casing for any opening up to 3-0 x 6-8.

99M-960-S O.G. Stop 7/16" x 1-3/8"	99M-970-S O.G. Stop 7/16" x 1-1/8"	99M-980-S O.G. Stop 3/8" x 3/4"	99M-500-S Batten 1/4" x 3/4"	99M-110-S Cove 3/4" x 3/4"	99M-810-S Bed Mould 11/16" x 1-3/4"	99M-270-S Hollywood Stop 7/16" x 1-1/8"	Not Shown 99M-280-S Hollywood Stop 7/16" x 1-3/8"
--	--	---------------------------------------	---------------------------------	-------------------------------	--	--	---

"VOLUME DISCOUNTS" LESS 5% ON 1000 FT. OF A SIZE - LESS 10% ON 5000 FT. OF A SIZE

## INTERIOR DOOR JAMBS

- CLEAR WESTERN PONDEROSA PINE
- SIDE MEMBERS DADOED TO RECEIVE HEAD MEMBERS
- "A" GRADE PHILIPPINE MAHOGANY
- MADE WITH 1" ALLOWANCE IN HEIGHT
- FOR WET OR DRY WALL CONSTRUCTION

### W.P.P. DOUBLE RABBETED JAMBS

NO.	SIZES	RABT.	DIMENSION	PRICE
17M-1458-S	2-8x6-8	1-3/8"	1-5/16" x 4-5/8"	\$4.65
17M-1514-S	2-8x6-8	1-3/8"	1-5/16" x 5-1/4"	5.60
17M-1340-S	3-0x6-8	1-3/4"	1-5/16" x 5-1/4"	5.90

Average Weight 14 lbs.

### FLAT JAMB NO STOPS

NO.	SIZES	DIMENSION	W.P.P. Pine	Phil. Mahog.
17M-2840-S	2-8x6-8	3/4" x 4-5/8"	\$2.85	\$4.90
17M-6040-S	6-0x6-8	3/4" x 4-5/8"	3.45	5.80
17M-2850-S	2-8x6-8	3/4" x 5-3/8"	3.40	5.60
17M-6050-S	6-0x6-8	3/4" x 5-3/8"	4.10	6.75

Average Weight 11 lbs.

### FLAT JAMB WITH STOPS

NO.	SIZES	DIMENSION	W.P.P. Pine	Phil. Mahog.
17M-2844-S	2-8x6-8	3/4" x 4-5/8"	\$4.05	\$5.75
17M-6044-S	6-0x6-8	3/4" x 4-5/8"	4.75	6.75
17M-2855-S	2-8x6-8	3/4" x 5-3/8"	4.65	6.65
17M-6055-S	6-0x6-8	3/4" x 5-3/8"	5.75	7.65

Average Weight 12 lbs.

ALL ITEMS ON THIS PAGE SHIPPED OUR F.O.B. ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor LINE OF INTERIOR FLUSH DOORS •

...built with balanced construction for dimensional stability, resistance to warping, longer lasting beauty...

FULLY GUARANTEED - ALL WOOD CORE CONSTRUCTION - FINEST SELECTED VENEERS

NOW! S.S.S. SUPER SATIN - SURFACE DOORS AVAILABLE

Face veneer used in the manufacture of our flush door are produced from the first quality woods and bonded together by hot plate presses under extreme pressure. Air vents at top and bottom of door allows free air circulation eliminat-

ing the usual cause of warpage. Double lock blocks 4 $\frac{3}{4}$ "x24". Stiles are 2 $\frac{3}{4}$ " wide with top and bottom rails 2 $\frac{1}{2}$ " wide. These doors carry the standard Door Guarantee adopted by the National Door Manufacturers Association.

## PHILIPPINE MAHOGANY "A" GRADE



High quality doors at the lowest possible price. All one piece veneers. Manufactured with A.F.L. union label by West Coast's top producer.

No. 24M-5038-I

Size	Thickness	Price
1-4x6-8	1-3/8"	\$6.60
1-6x6-8	1-3/8"	6.60
1-8x6-8	1-3/8"	6.90
2-0x6-8	1-3/8"	7.10
2-2x6-8	1-3/8"	7.70
2-4x6-8	1-3/8"	7.70
2-6x6-8	1-3/8"	7.90
2-8x6-8	1-3/8"	8.40
2-10x6-8	1-3/8"	8.90
3-0x6-8	1-3/8"	8.90

## NO. 1 UNSELECTED BIRCH



Today's most popular door at a competitive price. Recommended for "Natural" or any other type of finish.

No. 28M-3038-N

Size	Thickness	Price
1-4x6-8	1-3/8"	\$6.50
1-6x6-8	1-3/8"	6.50
1-8x6-8	1-3/8"	6.80
2-0x6-8	1-3/8"	7.60
2-4x6-8	1-3/8"	8.80
2-6x6-8	1-3/8"	8.80
2-8x6-8	1-3/8"	9.00
3-0x6-8	1-3/8"	9.80

## DOUBLE "AA" GRADE SELECT BIRCH



Our "Blue Ribbon" door - Has all one piece veneered faces or perfectly book matched faces. This door has no equal on today's market.

No. 30M-4438-N

Size	Thickness	Price
1-4x6-8	1-3/8"	\$8.80
1-6x6-8	1-3/8"	8.80
1-8x6-8	1-3/8"	9.10
2-0x6-8	1-3/8"	10.20
2-4x6-8	1-3/8"	11.30
2-6x6-8	1-3/8"	11.80
2-8x6-8	1-3/8"	12.50
3-0x6-8	1-3/8"	14.30

## "A" GRADE BIRCH



The Color of this birch door is uniform and the figure or grain is attractive select quality. All core material in these doors are accurately machined for uniform thickness and perfect face smoothness.

No. 28M-4038-N

No. 28M-4034-N

Size	Thickness	Price	Thickness	Price
1-4x6-8	1-3/8"	\$6.80	1-3/4"	--
1-6x6-8	1-3/8"	6.80	1-3/4"	\$7.50
1-8x6-8	1-3/8"	7.20	1-3/4"	--
2-0x6-8	1-3/8"	8.10	1-3/4"	8.70
2-2x6-8	1-3/8"	9.30	1-3/4"	--
2-4x6-8	1-3/8"	9.30	1-3/4"	9.90
2-6x6-8	1-3/8"	9.30	1-3/4"	9.90
2-8x6-8	1-3/8"	9.70	1-3/4"	10.30
2-10x6-8	1-3/8"	10.60	1-3/4"	--
3-0x6-8	1-3/8"	10.60	1-3/4"	11.30



## SUPER SATIN-SURFACE FLUSH DOORS

SURFACED BY THE PATENTED SUPER MICROSEAL PROCESS

Super Microseal processed wood surface is "pre-sealed" in depth normally extending through the face veneer and has a uniform texture that is hand rubbed in appearance and "satin-smooth" to the touch. To preserve this fine finish merely apply wax and buff. The saving in finishing costs (usually 75% or more) are all yours.

- NEVER APPLY A SEALER TO SURFACE
- DO NOT SAND SURFACE
- WIPE SURFACE CLEAN WITH CLOTH

NOTE: If other than wax is desired for door finish, lacquer or varnish can readily be used.

## The Qualitybilt I-BEAM HOLLOW FLUSH DOOR

Unique wood core construction provides strong, rigid, true-surface doors. Vented wood core allows continuous air circulation. 7-ply construction, high quality 3-ply faces resin bonded to rigid I-Beam core members set horizontally with highly water-resistant resin adhesive. Ample size lock blocks and hinge anchorage on both edges. Top and bottom rails of sufficient widths to permit trimming 1" off each end.

1-3/8" Thick Size	Philippine Mahogany 15M-538-I	Premium Birch 15M-438-N
1-4x6-8	\$6.70	\$9.15
1-6x6-8	6.70	9.15
1-8x6-8	7.60	9.95
2-0x6-8	7.60	9.95
2-4x6-8	8.20	11.20
2-6x6-8	8.50	11.35
2-8x6-8	9.00	12.15
3-0x6-8	9.65	13.50

For 1 $\frac{1}{4}$ " Doors See Top of Opposite Page

"VOLUME DISCOUNT" 5% on 50 Door Orders. 10% on 100 Door Orders.  
\$1.50 Crating Charge on Orders of less than 6 Doors. Average Weight per Door, 25 pounds.  
ALL DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor LINE OF EXTERIOR FLUSH DOORS •

... solid or hollow core doors for modern entrances

NOW! AVAILABLE WITH S.S.S. SUPER SATIN SURFACE- NO SEALING OR SANDING

A solid core 7-ply Flush Door of outstanding quality. Softwood rails and edge strips. Top and bottom rails permit trimming 1" off each end of door. Core material machined to uniform thickness and stabilized by proper drying. 3-ply faces are resin bonded to core in hot plate presses.

Selected face veneer, double belt sanded to a smooth surface for finishing. Hollow core doors have wood ladder cross rails equally spaced. Av. wt. -solid, 85 lbs. hollow, 40 lbs.

SOLID CORE  
CONSTRUCTION


SELECT "A" GRADE BIRCH			"A" GRADE PHIL. MAHOGANY		
SOLID CORE	15M-4534-N	15M-4934-N	SOLID CORE	15M-5534-I	15M-5934-I
Size	Price	Price	Size	Price	Price
2-6x6-8x1½	\$17.15	\$18.25*	2-6x6-8x1½	\$14.80	\$15.90*
2-8x6-8x1½	18.00	19.10*	2-8x6-8x1½	15.50	16.60*
3-0x6-8x1½	19.65	20.75*	3-0x6-8x1½	16.90	17.95*
3-0x7-0x1½	20.50	21.55*	3-0x7-0x1½	17.60	18.65*
HOLLOW CORE	28M-4634-N	15M-4834-N	HOLLOW CORE	28M-5634-I	15M-5834-I
Size	Price	Price	Size	Price	Price
2-6x6-8x1½	\$11.45	\$12.50*	2-6x6-8x1½	\$8.90	\$9.70*
2-8x6-8x1½	11.80	13.30*	2-8x6-8x1½	9.45	10.15*
3-0x6-8x1½	12.75	14.60*	3-0x6-8x1½	10.10	10.80*
3-0x7-0x1½	14.00	15.50*	3-0x7-0x1½	11.00	11.75*

\* PRICES FOR SUPER SATIN SURFACE DOORS - No. 15M-4834-N AND No. 15M-5834-I HAVE I-BEAM CORE CONSTRUCTION.

## • CUT OUT DOOR LITE DESIGNS - FOR ALL DOORS LISTED ABOVE •

Type	No.	Size Lite	Price to Add
A	20M-1001-F	8x10	\$4.40
B	20M-2003-F	6x12-18-24	8.90
C	20M-3001-F	6x48	5.70
D	20M-4001-F	12x12	3.30
E	20M-4003-F	12x12	8.20
F	20M-5003-F	6x12	8.50
G	20M-6001-F	20x16	14.30
H	20M-7001-F	24x30	7.10
I	20M-8001-F	13 Dia.	12.10
J	20M-9001-F	8x11½	4.10
K	20M-1102-F	16x8	7.10
L	20M-1204-F	25x25	20.40

All designs are glazed with clear glass.



## • WINDSOR GLAMOR® DOORS •

With Birch or Mahogany planted on Moulding - firmly secured with waterproof glue and steel pinned. Available on all doors listed above - Add price of door and plant together.

PROFILE OF PLANT MOULD	21M-1601-I	21M-1602-I	21M-1603-I	21M-1604-I	21M-1605-I	21M-1606-I	21M-1607-I
Size	18½"x18½"	18½"x18½"	12½"x24½"	12½"x24½"	16½"x16½"	12" Diameter	12½"x12½"
Plant Size							
Price to Add	\$10.80	\$10.80	\$20.00	\$15.50	\$18.80	\$8.50	\$11.50

ALL DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • Windsor DOUGLAS FIR ENTRANCE DOORS •

## SOLID CLEAR VERTICAL GRAIN DOUGLAS FIR paneled doors


A type to suit any architectural style carefully manufactured by the most modern methods from the finest selected Fir. Extra heavy raised panels eliminates any chance of grain raise after finishing..OVOLO Sticking on all doors. All doors glazed with clear glass.

No.	Size	Price
No. 24M-6652-N	2-8x6-8x1-3/4	\$15.15
	3-0x6-8x1-3/4	16.75
No. 24M-6602-M	2-8x6-8x1-3/4	\$16.15
	3-0x6-8x1-3/4	17.75
No. 24M-2122-M	2-8x6-8x1-3/4	\$27.25
	3-0x6-8x1-3/4	27.40
No. 24M-2032-M	2-8x6-8x1-3/4	\$26.60
	3-0x6-8x1-3/4	26.80
No. 24M-2062-M	3-0x6-8x1-3/4	\$24.65


Average wt. 65 lbs.




24M-6652-N




24M-6602-M



24M-2122-M




24M-2032-M




24M-2062-M


## FIR SASH DOORS FOR MODERN ENTRANCES



24M-1182-M



24M-3182-M



24M-3142-M



24M-4162-M

These are top quality doors, made from thoroughly kiln-dried stock - well machined - smoothly sanded. Our fir door prices are the very lowest. 4-9/16" Stiles and Top Rail, 9-3/8" Bottom Rail. All panels are flat exterior grade plywood.

DOORS ARE GLAZED WITH CLEAR GLASS.

### • SIZES AND PRICES •

SIZES	Wts.	24M-1182-M	24M-3182-M	24M-3142-M	24M-4162-M
2-6x6-8-1-3/8	41 lbs.	\$10.10	\$10.60	-	-
2-8x6-8	48 lbs.	10.40	11.00	-	-
2-10x6-10	52 lbs.	-	12.35	-	-
2-6x6-8-1-3/4	54 lbs.	13.75	14.20	-	14.60
2-8x6-8	60 lbs.	14.20	14.80	15.00	15.00
2-10x6-10	64 lbs.	-	17.10	-	-
3-0x6-8	67 lbs.	16.45	16.65	16.90	16.80

## FIR INTERIOR DOORS - "A" GRADE

### 2 PANEL DOORS

Solid Vertical Grain Stiles and Top Rails are 4 1/2". Lock Rails 8" and Bottom Rails 9-3/8" wide. Panels 3-ply laminated.

### NO. 24M-2002-N

SIZES	PRICE
2-0x6-8-1 3/8	\$7.50
2-4x6-8-1 3/8	7.75
2-6x6-8-1 3/8	7.85
2-8x6-8-1 3/8	7.95
3-0x6-8-1 3/8	8.70

24M-2002-N

AVERAGE WT. 35 LBS.


### 5 PANEL DOORS

Heavy 1/2" vertical Grain Raised Panels, Stiles and Top Rails are 4 1/2". Bottom Rails 9-3/8" and Cross Rails 4 1/2".

### NO. 24M-5552-N

SIZES	PRICE
2-0x6-8x1 3/8	\$9.75
2-4x6-8x1 3/8	10.00
2-6x6-8x1 3/8	10.15
2-8x6-8x1 3/8	10.25
3-0x6-8x1 3/8	10.95

AVERAGE WT. 40 LBS.



24M-5552-N

## RIM or STORE DOORS

These doors are made from solid, vertical grain, all heart Douglas fir. Stiles are 5-3/8", top rail 6-3/8" - bottom rail 18-3/8". Glass bead mitred and tacked in place if unglazed.

### 24M-1002-M

Sizes	Open	Glazed 7/32"
2-8x6-8-1 1/4	\$14.00	\$20.60
3-0x6-8-1 1/4	15.55	23.10
3-0x7-0-1 1/4	16.55	24.65
3-6x7-0-1 1/4	19.35	29.80

24M-1002-M

Average Wts., 50 lbs. 75 lbs.

## TRUE COLONIAL DOORS


### PONDEROSA PINE

Interior doors with solid raised panels 7/16" thickness, stiles and top rail 4 1/4", lock rail 8", mullions 3-7/8", bottom rail 9-5/8", height of top panel 7-1/8". Note - 1-6 doors one panel wide.

### NO. 26M-2081-N

SIZE	PRICE
1-6x6-8x1 3/8	\$10.45
2-0x6-8x1 3/8	11.00
2-4x6-8x1 3/8	12.00
2-6x6-8x1 3/8	12.45
2-8x6-8x1 3/8	13.00
3-0x6-8x1 3/8	13.95

AVERAGE WT. 40 LBS.



NOTE - All our Fir Doors are made by A.F. of L. Carpenters and Joiners, and as a result bear the A.F. of L. Union Label produced by the West Coast's largest manufacturer of Fir Doors to the exact specifications of the "FIR DOOR INSTITUTE". You are guaranteed Top Quality

ALL DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • Windsor PONDEROSA PINE ENTRANCE DOORS •

## DECORATOR DOORS FOR TODAY'S CONTEMPORARY ARCHITECTURE


All "Decorator Doors" are 1 1/4" thick of clear Ponderosa Pine and feature 1/8" face sawn veneer and 1/16" cross band. The five-ply construction is luxuriously heavy, and panels are ornamented on one side. Glass lites are bedded in glazing compound. Decorator Door panels are surrounded by an insert frame which is set into accurately machined stiles and rails providing the finest precision in construction detail. In addition, ornamentation lines permit an expression of a contrasting color scheme of your choice.



26M-3201-N  
\$25.90



26M-3251-M  
\$25.90



26M-3301-N  
\$26.20



26M-3351-M  
\$27.90



15M-3451-M  
\$29.90

DECORATOR DOORS  
AVAILABLE IN ONE  
SIZE ONLY  
3-0 x 6-8 x 1 1/4

PRICES AS  
LOW - AS

**\$25.90**

AVERAGE WEIGHT 75 lbs.  
Model No. 26M-3251-M,  
15M-3451-M and 26M-3351-M  
ARE GLAZED WITH CLEAR  
GLASS IN TOP PANEL


## COLONIAL DOORS FOR EARLY AMERICAN ARCHITECTURE

Accurately manufactured doors, machine sanded, of clear ponderosa pine with heavy raised panels. Sash doors are glazed with clear glass and bedded in putty. Solid stiles and Top Rails 5 1/2", Lock Rails 8", Cross Rails and Mullion 5-3/8", and Bottom Rails 9-5/8".  
Average Weight 60 lbs.

2-8x6-8x1 1/4	No. 26M-6071-M	\$36.80
3-0x6-8x1 1/4		37.70
2-8x6-8x1 1/4		\$17.60
3-0x6-8x1 1/4	No. 26M-1081-N	18.90
3-0x7-0x1 1/4		20.20
2-8x6-8x1 1/4		\$36.20
3-0x6-8x1 1/4	No. 26M-6121-M	36.70
3-0x6-8x1 1/4		\$23.20
3-0x7-0x1 1/4	No. 26M-5961-M	24.50
2-8x6-8x1 1/4		\$30.80
3-0x6-8x1 1/4	No. 26M-6001-M	32.10




26M-6071-M




26M-1081-N



26M-6121-M



26M-5961-M




26M-6001-M

## PINE ENTRANCE DOORS


Glass is carefully bedded in putty which eliminates any possibility of water leakage and is firmly held in place with Wood Glazing Beads. Solid Stiles and Top Rails are 4-3/4", Cross Rails 4-5/8", and Bottom Rails 9-5/8". Raised Panels two sides, bars 1/2" between glass.




26M-5371-M



26M-5381-M



26M-5361-M




26M-5611-M


Size	Wt.	26M-5371-M	26M-5381-M	26M-5361-M	26M-5611-M
2-6x6-8x1 1/4	54 lbs.	—	—	\$18.10	—
2-8x6-8x1 1/4	60 lbs.	16.90	18.70	18.60	19.50
3-0x6-8x1 1/4	66 lbs.	18.00	19.80	19.60	20.50

## PINE FRENCH DOORS


French Doors are sturdily built and durable. They can be used as single doors or in pairs. An astragal should be used on pairs. Solid stiles 4-3/4", Top Rail 4-3/4", Bottom Rail 9-5/8", Bars between glass 1/2". Hardwood Dowels and waterproof glue are used in assembling.



26M-6251-M



26M-6271-M



26M-6301-M



26M-6201-N

Size	Wt.	26M-6251-M	26M-6271-M	26M-6301-M	26M-6201-N
2'0x6'8x1-3/8	30 lbs.	—	—	\$11.80	—
2'6x6'8x1-3/8	33 lbs.	—	—	12.90	—
2'8x6'8x1-3/8	34 lbs.	—	—	13.20	—
2'0x6'8x1-3/4	35 lbs.	\$17.00	—	15.10	—
2'6x6'8x1-3/4	40 lbs.	17.90	20.50	16.40	11.40
2'8x6'8x1-3/4	43 lbs.	18.30	20.60	16.80	11.50
3'0x6'8x1-3/4	48 lbs.	—	—	17.50	—

"T" Astragal for pairs of doors can be supplied at \$1.50 each.  
Note 26M-6201-N is not glazed.

ALL DOORS THIS PAGE ARE GLAZED WITH WOOD STOPS AND BEDDED IN PUTTY EXCEPT No. 26M-6201-N

ALL DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor LOUVER DOORS •

**SKILLED CRAFTSMENSHIP AND SELECT PONDEROSA PINE ASSURE THE FINEST QUALITY**

Louver Doors add charm to even the smallest hall and are especially attractive when used in pairs between halls — living rooms — dining rooms — etc. Used as by-folding doors they can be hinged together to fill almost any size opening or doorway. Louver Doors are the only answer to closets or rooms that require ventilation. Our Louver Doors are the finest quality-made by one of the largest millwork manufacturers.



## the Windsor No. 26M-7301-N

The Windsor 26M-7301-N Louver Door is made of beautiful, clear Western Ponderosa Pine. Doors 2-0 and wider are made with 4½-inch stiles; doors under 2-0 in width have 3-inch stiles. All 26M-7301-N's have top rails of 4⅞ inches and bottom rails of 7⅞ inches with pine slat louvers.

Door Size	Price
1-4 x 6-8 x 1-3/8" . . . . .	\$8.60
1-6 x 6-8 x 1-3/8" . . . . .	8.95
1-8 x 6-8 x 1-3/8" . . . . .	9.25
2-0 x 6-8 x 1-3/8" . . . . .	9.85
2-4 x 6-8 x 1-3/8" . . . . .	10.20
2-6 x 6-8 x 1-3/8" . . . . .	10.35
2-8 x 6-8 x 1-3/8" . . . . .	10.50
3-0 x 6-8 x 1-3/8" . . . . .	10.80

Average Wt. 30 Lbs.



## the Windsor No. 26M-7351-N Raised Panel Louver Doors

This fine door is made of clear Western Ponderosa Pine and has a raised bottom panel.

Doors 2-0 and wider are made with 4½-inch stiles. Doors under 2-0 in width have 3-inch stiles, all top rails are 4⅞-inch and bottom rails of 7⅞-inch with Pine slot louvers in upper section and Raised Panel in bottom section.

Door Size	Price
1-4 x 6-8 x 1-3/8" . . . . .	\$9.75
1-6 x 6-8 x 1-3/8" . . . . .	10.05
1-8 x 6-8 x 1-3/8" . . . . .	10.40
2-0 x 6-8 x 1-3/8" . . . . .	11.10
2-4 x 6-8 x 1-3/8" . . . . .	11.45
2-6 x 6-8 x 1-3/8" . . . . .	11.60
2-8 x 6-8 x 1-3/8" . . . . .	11.80
3-0 x 6-8 x 1-3/8" . . . . .	12.20

Average Wt. 32 Lbs.



## the Windsor No. 26M-2031-N Pairs of Louver Doors

Louver doors made of clear soft pine with 2½-inch stiles and top rail; 2⅞-inch lock rail and a 8⅞ bottom rail. The top of the lock rail is located 28¼ inches from the bottom of the door. Doors have an attractive raised bottom panel, lending the decorator's touch wherever used.

Size of Opening in pairs	Price per pair
2-0 x 6-8 x 1-3/8" . . . . .	\$14.50
2-4 x 6-8 x 1-3/8" . . . . .	15.40
2-6 x 6-8 x 1-3/8" . . . . .	15.50
2-8 x 6-8 x 1-3/8" . . . . .	15.90
3-0 x 6-8 x 1-3/8" . . . . .	17.50
3-4 x 6-8 x 1-3/8" . . . . .	18.20

Average Wt. 32 Lbs.



## the Windsor No. 26M-2041-N Pairs of Louver Doors

These beautiful louver doors are constructed of clear Western Ponderosa Pine. The stiles and top rail are 2½ inches wide, the lock rail is 2⅞ inches wide and located 36 inches from the bottom of the door. The bottom rail is 8⅞ inches in width. Louvers are ⅝ x 1¼ inches.

Size of Opening in pairs	Price per pair
2-0 x 6-8 x 1-3/8" . . . . .	\$11.85
2-4 x 6-8 x 1-3/8" . . . . .	12.50
2-6 x 6-8 x 1-3/8" . . . . .	13.10
2-8 x 6-8 x 1-3/8" . . . . .	13.35
3-0 x 6-8 x 1-3/8" . . . . .	15.05

Average Wt. 30 Lbs.




## the Windsor No. 26M-2061-N Swinging Door

Our Swinging Doors are made of clear Western Ponderosa Pine. The 26M-2061-N has 2½-inch stiles and center rails, 4½-inch bottom and top rails with two equal panels of ⅞ x 1¼ inch louvers.

Size of Opening in pairs	Price per pair
2-4 x 4-6 x 1-3/8" . . . . .	\$11.55
2-4 x 5-0 x 1-3/8" . . . . .	12.10
2-8 x 4-6 x 1-3/8" . . . . .	13.10
2-8 x 5-0 x 1-3/8" . . . . .	13.65
3-0 x 4-6 x 1-3/8" . . . . .	14.10
3-0 x 5-0 x 1-3/8" . . . . .	14.75
3-4 x 4-6 x 1-3/8" . . . . .	14.95
3-4 x 5-0 x 1-3/8" . . . . .	15.85
3-8 x 4-6 x 1-3/8" . . . . .	16.30
3-8 x 5-0 x 1-3/8" . . . . .	17.00
4-0 x 4-6 x 1-3/8" . . . . .	17.15
4-0 x 5-0 x 1-3/8" . . . . .	18.25

Average Wt. 20 Lbs.



## the Windsor No. 18M-3646-N Bar Doors

Distinctively styled Bar Doors made of clear 3/4" Sugar Pine. Simulated movable louvers. Price includes double-acting spring hinges. Can be finished natural, stained or painted to meet any decorating theme. Top and bottom rails are 6" in width. Stiles are 1-15/16" wide. Slatting is movable type material, but fixed.

Size of Opening in pairs	Price per pair
30" x 36" . . . . .	\$8.35
32" x 36" . . . . .	9.00
36" x 36" . . . . .	9.65
30" x 46" . . . . .	10.90
32" x 46" . . . . .	11.60
36" x 46" . . . . .	12.20

Average Wt. 11 lbs.

### "VOLUME DISCOUNT"

LESS 5% ON ORDERS FOR 25 TO 49 DOORS \* LESS 10% ON ORDERS FOR 50 OR MORE DOORS \*  
\*STYLES MAY BE MIXED TO MAKE VOLUME DISCOUNT — BUT PAIRS OF DOORS COUNT ONLY AS ONE DOOR  
ALL WINDSOR LOUVER DOORS SHIPPED F.O.B. OUR ST. LOUIS, OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor LOUVER DOOR PANELS

SELECT PONDEROSA PINE OR PHILIPINE MAHOGANY


Louver doors provide the very newest decorative touch, accentuating the horizontal and hence the room width. Louver doors permit constant air circulation between rooms and into all parts of a closet or heater room.

Windsor Louver Door Panels are full 6'8" door height, 1-1/8" thick, with 1-3/4" stiles, 2-1/4" top rail, 3-1/2" center rail, and 7-1/2" bottom rail. Design No. 20M-205-MD has 4" Rosette on one side only. Sanded smooth for natural or painted finish.


Style No.	Size	Price Ea. White Pine	Price Ea. Phil. Mahog.
20M-204-MD	8" x 80"	\$7.15	\$8.20
	9" x 80"	7.25	8.35
	10" x 80"	7.85	9.05
	12" x 80"	8.15	9.40
	15" x 80"	8.70	10.00
	16" x 80"	9.15	10.50
	18" x 80"	9.50	10.90
20M-205-MD	8" x 80"	8.45	9.75
	9" x 80"	8.60	9.90
	10" x 80"	9.20	10.60
	12" x 80"	9.50	10.95
	15" x 80"	10.05	11.55
	16" x 80"	10.45	12.05
	18" x 80"	10.85	12.45

Weight Packed: Pine 1 1/2 lbs. Lbs. Per Sq. Ft. - Mahogany 2 lbs. Per Sq. Ft.

FREIGHT PREPAID ON ORDERS FOR 150 LBS. OR MORE OR F.O.B. AMARILLO, TEXAS FACTORY




20M-204-MD



20M-205-MD

## NORDCO CHEVRON "Capri" LOUVER DOOR





2 PANEL 1 PANEL  
24M-302-N 24M-301-N  
Average Wt. 35 lbs.

The Chevron Louver Door is manufactured from V. G. Douglas Fir and is a new and unusual type door. It is different from the slat type Louver Door in appearance and offers complete privacy. The Louver Slat is stronger because of its shape. Each end of the Chevron slat has a tenon that fits directly into a mortise in the solid stile.

Door Size	Price
1-4 x 6-8 x 1-3/8"	\$10.15
1-6 x 6-8 x 1-3/8"	10.80
1-8 x 6-8 x 1-3/8"	11.15
2-0 x 6-8 x 1-3/8"	11.50
2-4 x 6-8 x 1-3/8"	11.70
2-6 x 6-8 x 1-3/8"	11.85
2-8 x 6-8 x 1-3/8"	12.00
3-0 x 6-8 x 1-3/8"	12.45

Top Rails 4 1/2" Bottom  
Rails 9-3/8", Lock-  
rail 8", Stiles 4 1/2",  
except 1-6 and 1-8  
3 1/2" Stiles and 1-4  
2 1/2".



Louvers V-Shaped  
1/4" Thick

## LIFETIME ALUMINUM SHUTTERS



No. 12T-1600-FD

The ideal way to improve the appearance of any house - new or old. Made of heavy-gauge rust proof aluminum - look like wood but won't warp, crack or rot. The full depth louvers are integral parts of the shutter - won't rattle or fall out. They're easy to install, fasten in place with 4 screws provided. Finished in gloss GREEN, WHITE or RED enamel, ready to install. Specify size and color when ordering.

Size Of Shutter	Pair Size of Shutters	Glass Size	Wt. Per Pr.	Price Per Pr.
14" x 35 1/2"	2'4" x 2 11 1/2"	24x14	5 1/2 lbs.	\$5.15
14" x 39 1/2"	2'4" x 3 3/8"	24x16	5 3/4 lbs.	5.57
14" x 43 1/2"	3'7 1/2"	18	6 1/4 lbs.	6.00
14" x 47 1/2"	3'11 1/2"	20	7 lbs.	6.41
14" x 51 1/2"	4'3 1/2"	22	7 1/2 lbs.	6.85
14" x 55 1/2"	4'7 1/2"	24	8 lbs.	7.28
14" x 59 1/2"	4'11 1/2"	26	8 1/2 lbs.	7.76
14" x 63 1/2"	5'3 1/2"	28	9 1/4 lbs.	8.27
14" x 67 1/2"	2'4" x 5 7/8"	24x30	9 3/4 lbs.	8.90
17" x 51 1/2"	2'10" x 4 3/8"	30x22	8 1/4 lbs.	7.80
17" x 55 1/2"	4'7 1/2"	24	9 lbs.	8.23
17" x 59 1/2"	4'11 1/2"	26	9 3/4 lbs.	8.75
17" x 63 1/2"	5'3 1/2"	28	10 1/4 lbs.	9.24
17" x 67 1/2"	5'7 1/2"	30	11 lbs.	9.88
17" x 79 1/2"	2'10" x 6 7/8"	6'6" or 6'8"	13 lbs.	11.54

Alum. Shutters shipped F.O.B. Michigan Factory  
VOLUME DISCOUNT - Less 10% when order totals  
\$60.00 or more of Aluminum shutters ONLY.

ALL ITEMS ABOVE SHIPPED OUR F.O.B. ST. LOUIS OR CHICAGO WAREHOUSE EXCEPT AS NOTED

## OUTSIDE BLINDS OR SHUTTERS OF CLEAR WESTERN PONDEROSA PINE

Manufactured from kiln dried ponderosa pine and toxic treated. Profiled sticking with hardwood dowel construction. True stationary 1/4" slats. 2-1/8" stiles and top rails. 3" center rail. 4-3/8" bottom rail. 1-1/8" thick not rabbetted.

Average Weight 18 lbs. per pair  
No. 26M-2201-M - Prices per Pair.



Size of Pair	Corresponding 2 Lt. Glass Size	Price
2-0 x 3-3 1/2"	20x16	\$5.20
2-0 x 3-11 1/2"	20x20	5.90
2-0 x 4-7 1/2"	20x24	6.90
2-0 x 4-11 1/2"	20x26	7.40
2-4 x 3-3 1/2"	24x16	5.20
2-4 x 3-7 1/2"	24x18	5.40
2-4 x 3-11 1/2"	24x20	5.90
2-4 x 4-3 1/2"	24x22	6.40
2-4 x 4-7 1/2"	24x24	6.90
2-4 x 4-11 1/2"	24x26	7.40
2-6 x 4-7 1/2"	26x24	7.00
2-6 x 4-11 1/2"	26x26	7.50
2-8 x 3-3 1/2"	28x16	5.40
2-8 x 3-7 1/2"	28x18	5.70
2-8 x 3-11 1/2"	28x20	6.20
2-8 x 4-3 1/2"	28x22	6.60
2-8 x 4-7 1/2"	28x24	7.20
2-8 x 4-11 1/2"	28x26	7.70
2-8 x 5-3 1/2"	28x28	7.80
3-0 x 3-3 1/2"	32x16	5.60
3-0 x 3-11 1/2"	32x20	6.40

Size of Pair	Corresponding 2 Lt. Glass Size	Price
3-0 x 4-3 1/2"	32x22	\$6.90
3-0 x 4-7 1/2"	32x24	7.40
3-0 x 4-11 1/2"	32x26	8.00
3-0 x 5-3 1/2"	32x28	8.50
3-0 x 5-7 1/2"	32x30	9.00
3-4 x 3-3 1/2"	36x16	5.80
3-4 x 3-11 1/2"	36x20	6.10
3-4 x 4-7 1/2"	36x24	7.70
3-4 x 4-11 1/2"	36x26	8.20
3-4 x 5-3 1/2"	36x28	8.80
3-4 x 5-7 1/2"	36x30	9.40
3-8 x 4-7 1/2"	40x24	8.00
3-8 x 5-3 1/2"	40x28	9.10

### Door Blinds

Size of Pair	Price
2-0 x 6-9 1/2"	\$10.10
2-6 x 6-9 1/2"	10.30
2-8 x 6-9 1/2"	10.50
3-0 x 6-9 1/2"	10.90

### VOLUME DISCOUNT

On orders for 20 to 49 Pair deduct 5%  
On orders for 50 or more Pair deduct 10%

Materials Wholesale from **MORGAN - WIGHTMAN**



# THE NEW...WINDSOR ECONOMY WOOD WINDOW UNIT

## COMPLETELY ASSEMBLED FOR QUICK INSTALLATION

Fully setup unit is made of clear western ponderosa pine. Anodized aluminum weatherstrip with spring balances that need no adjustment. Sash are toxic treated and glazed with clear S.S.B. glass with permaglaze compound. Standard unit fits 4-7/8" wall thickness.

Units bear A.F.L. union label as they are manufactured in Morgan-Wightman's own union shop to provide you with a high quality unit at the lowest possible price.


### PRICES AND SPECIFICATIONS

Glass Size	Sash Opening	Wt. (lbs.)	No. 29M-2020-I	No. 29M-1010-I	Rough Stud Opp.
20 x 16	2-0x3-2	40	\$13.10	\$12.30	2'-2"x3'-6"
20 x 20	2-0x3-10	46	14.30	13.60	2'-2"x4'-2"
20 x 24	2-0x4-6	50	15.40	14.70	2'-2"x4'-10"
24 x 16	2-4x3-2	45	13.60	13.00	2'-6"x3'-6"
24 x 20	2-4x3-10	51	14.90	14.30	2'-6"x4'-2"
24 x 24	2-4x4-6	55	16.00	15.40	2'-6"x4'-10"
24 x 28	2-4x5-2	60	17.00	16.50	2'-6"x5'-6"
28 x 16	2-8x3-2	50	14.30	13.60	2'-10"x3'-6"
28 x 20	2-8x3-10	56	15.50	14.60	2'-10"x4'-2"
28 x 24	2-8x4-6	60	16.70	16.10	2'-10"x4'-10"
28 x 28	2-8x5-2	65	17.90	17.30	2'-10"x5'-6"
32 x 16	3-0x3-2	55	15.30	14.50	3'-2"x3'-6"
32 x 20	3-0x3-10	65	16.70	15.90	3'-2"x4'-2"
32 x 24	3-0x4-6	70	18.10	17.20	3'-2"x4'-10"
32 x 28	3-0x5-2	75	19.50	18.60	3'-2"x5'-6"
36 x 16	3-4x3-2	60	16.00	15.10	3'-6"x3'-6"
36 x 20	3-4x3-10	71	17.40	16.50	3'-6"x4'-2"
36 x 24	3-4x4-6	75	18.80	18.20	3'-6"x4'-10"
36 x 28	3-4x5-2	80	20.40	19.50	3'-6"x5'-6"
40 x 24	3-8x4-6	80	19.80	18.80	3'-10"x4'-10"


### • EXTRAS •

TWIN UNITS - DOUBLE PRICE OF SINGLE UNIT PLUS \$1.10  
 TRIPLE UNITS - TRIPLE PRICE OF SINGLE UNIT PLUS \$2.70  
 OBSCURE GLASS - SIZES 20 x 16, 24 x 16, and 28 x 16 - ADD \$2.50  
 ALL OTHER SIZES - ADD \$4.00


NOTE - SET SHEATHING ON SIDES FLUSH WITH STUDS  
 FOR DELIVERY FROM OUR CHICAGO WAREHOUSE  
 ADD \$1.50 PER UNIT TO ABOVE PRICES



TYPE 29M-2020-I



TYPE 29M-1010-I



TYPE 29M-2222-I PICTURE WINDOW UNIT



TYPE 29M-1111-I PICTURE WINDOW UNIT

### PRICES AND "SPECS" FOR ECONOMY PICTURE WINDOW UNITS - SETUP

Side Windows	Center Sash Opening	Rough Stud Opening	Wt. (Lbs.)	No. 29M-2222-I	No. 29M-1111-I	ADD FOR CENTER GLASS 1 3/4" Sash Glazed with 7/32" Crystal Sheet	1" Thermopane And 2 1/4" Sash- Unglazed
16x24	4-4x4-6	8'-2 1/2"x4'-10"	86	\$39.20	\$38.40	\$22.50	\$62.90
16x24	5-0x4-6	8'-10 1/2"x4'-10"	91	40.50	39.70	25.80	70.30
16x24	5-8x4-6	9'-6 1/2"x4'-10"	96	40.90	40.10	33.80	78.10
16x24	6-4x4-6	10'-2 1/2"x4'-10"	101	41.80	41.00	37.60	105.70
20x24	4-4x4-6	8'-10 1/2"x4'-10"	102	41.80	41.00	22.50	\$62.90
20x24	5-0x4-6	9'-6 1/2"x4'-10"	107	43.10	42.30	25.80	70.30
20x24	5-8x4-6	10'-2 1/2"x4'-10"	112	43.50	42.70	33.80	78.10
20x24	6-4x4-6	10'-10 1/2"x4'-10"	117	44.40	43.60	37.60	105.70

AVERAGE WEIGHTS OF CENTER PICTURE UNIT ADD - 7/32" GLASS 90 LBS. - 1" THERMOPANE 285 LBS.

## WINDSOR "COTTAGE" SASH UNIT

AN ECONOMICAL UNIT FOR BARNs, CABINS, COTTAGES, GARAGES

Made of Western Ponderosa Pine, toxic treated. All glass is 18"x12" - SSB wood bead glazed and bedded. Completely assembled and easily installed between studs on 24" centers. A 1-1/8" thick screen is available as a separate item, wired with 18x14 mesh galvanized wire (prefit). When either unit is used as an outswinging casement, screen may be placed in sash run.

No.	Lights High	Stud Opening	Wt.	1-9	PRICES 10 or more	Screens
26M-2000-I	2	1'10 1/4"x2'7"	16 lbs.	\$5.60	\$5.35	\$2.30
26M-3000-I	3	1'10 1/4"x3'7 1/2"	20 lbs.	7.05	6.70	2.70

Write for quantity prices on 30 or more units

2 LITES HIGH

COTTAGE SASH UNITS SHIPPED F.O.B. ST. LOUIS OR CHICAGO  
 ECONOMY WINDOW UNITS SHIPPED F.O.B. OUR ST. LOUIS WAREHOUSE

FOR OUTSWINGING  
 CASEMENTS

Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor-VENT & Windsor-VIEW •

## PANEL WINDOW UNITS

### THE GREATEST IMPROVEMENT IN PANEL WINDOW UNITS TO DATE

Whether its new building or remodeling, a wide variety of window arrangements can be made with these versatile units. A modern way to take the cramped feeling out of a small room or to make a large room more inviting. The picture window beauty of Windsor-View combines with the many features of Windsor Vent — providing a maximum of light and air.

ALL UNITS HAVE THE QUALITY "SEAL OF APPROVAL" OF THE AMERICAN WOOD WINDOW INSTITUTE

#### WINDSOR-VENT

OVERALL UNIT SIZE	2-8	3-4	3-8	4-0
ROUGH STUD OPG.	2-8½	3-4½	3-8½	4-0½
SASH OPG.	2-6½	3-2½	3-6½	3-10½
GLASS SIZE	27"	35"	39"	43"
1-7½"	1-8½"	1-5½"	1-4"	
1-11½"	2-0½"	1-9½"	18"	
2-3½"	2-4½"	2-1½"	22"	
26M-2714-I	26M-3514-I	26M-3914-I	26M-4314-I	
26M-2718-I	26M-3518-I	26M-3918-I	26M-4318-I	
26M-2722-I	26M-3522-I	26M-3922-I	26M-4322-I	

#### WINDSOR-VIEW

3-10 5/16"	3-11 5/16"	3-8 5/16"	4-0 7/8"	
4-6 5/16"	4-7 5/16"	4-4 5/16"	4-8 7/8"	
26M-3541-I	26M-3941-I	26M-4341-I		
26M-3549-I	26M-3949-I	26M-4349-I		

\*PROVIDES OPG. FOR 2 UNITS WITH 18" HIGH GLASS AT EITHER SIDE

†PROVIDES OPG. FOR 2 UNITS WITH 22" HIGH GLASS AT EITHER SIDE

#### PRICES BELOW INCLUDES STORM PANEL AND SCREEN

##### - WINDSOR-VENT PRICES -

UNIT No.	AWNING	STATIONARY
26M-2714-I	\$11.70	\$7.55
26M-2718-I	12.65	8.20
26M-2722-I	14.30	9.50
26M-3514-I	14.00	9.35
26M-3518-I	15.50	10.35
26M-3522-I	16.85	11.25
26M-3914-I	15.40	10.20
26M-3918-I	17.05	11.15
26M-3922-I	18.50	12.25
26M-4314-I	16.95	11.10
26M-4318-I	18.60	12.20
26M-4322-I	20.10	13.20

Average Wt. 33 Lbs.

##### - WINDSOR-VIEW PRICES -

UNIT No.	PRICE
26M-3541-I	\$23.70
26M-3549-I	26.30
26M-3941-I	24.55
26M-3939-I	28.00
26M-4341-I	25.30
26M-4349-I	29.15

Average Wt. 62 Lbs


#### NOTE

##### VOLUME DISCOUNTS

50 to 99 Units Deduct 5%  
100 or more Units Deduct 10%  
from above prices

#### • PARTS FOR STACKING and ASSEMBLING UNITS •

No.	Item	Size	Per 100 Lin. Ft.
26M-2101-S	Sub-Sill	1-1/16" x 3-5/8"	\$26.00
26M-8801-S	Exterior Casing (Brick Mould)	1-11/32" x 2"	17.00
26M-1901-S	Vert. I.S. & O.S. Mull Casing	3/4" x 1-1/4"	5.00
26M-2001-S	Horz. I.S. & O.S. Mull Casing	5/8" x 1-1/4"	5.00
26M-7701-S	Extension Jamb	3/4" x 7/8"	4.50



#### • TYPICAL GROUP ARRANGEMENT •

Use WINDSOR-VENTS as Singles ... in Ribbons ... in Stacks ... in Groups ... with other windows.

#### - SPECIFICATIONS -

- No. 1 Ponderosa Pine — Toxic Water-Repellent Treated.
- Anodized Aluminum Weatherstrip Applied.
- Hardware Installed.
- Sash Glazed with Permaglaze Compound.
- "WINDSOR-VENT" Sash and Storm Panel - S.S. Glass.
- "WINDSOR-VIEW" Sash and Storm Panel - D.S. Glass.
- Wood Screens — Wired with Aluminum Wire Cloth, Installed on All Operating Units.
- Aluminum Framed Storm Panel Installed on All Units.
- Bar Operator Allows Awning Unit to Open and Close Without Lifting or Removing Screen.
- Packaging — 1 Complete Unit in Each Carton.

#### - ROUGH OPENING SCHEDULES -

##### ROUGH STUD OPENING:

For More Than 1 Unit Wide (RIBBON) ADD Combined Overall Units Widths, PLUS 1/2".

For More Than 1 Unit High (STACK):

2 Units High — ADD Combined O.A. Unit Heights, PLUS 5/16".

3 Units High — ADD Combined O.A. Unit Heights, MINUS 3/8".

4 Units High — ADD Combined O.A. Unit Heights, MINUS 1-1/16".

5 Units High — ADD Combined O.A. Unit Heights, MINUS 1-3/4".

##### MASONRY or BRICK OPENING:

FOR SINGLE UNIT —

Use Overall Unit Width, PLUS 2-3/4".

Use Overall Unit Height, PLUS 1-3/4".

For More Than 1 Unit Wide, (RIBBON) — ADD Combined O.A. Units Widths, PLUS 2-3/4".

For More Than 1 Unit High (STACK):

2 Units High — ADD Combined O.A. Unit Heights, PLUS 1-1/16".

3 Units High — ADD Combined O.A. Unit Heights, PLUS 3/8".

4 Units High — ADD Combined O.A. Unit Heights, MINUS 5/16".

5 Units High — ADD Combined O.A. Unit Heights, MINUS 1".

(All Above Height Openings

Provide for Use of SUB-SILL No. 26M-2101-I)

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# NEW! • Windsor REMOVABLE WINDOW UNITS • COMPLETELY SET-UP FOR INSTANT INSTALLATION

Fully assembled with Monarch anodized aluminum weatherstrip and factory installed sash balances. Toxic treated sash and frame of clear W.P.P.—5-1/4" jamb—outside casing 1-11/32"x2" —Mullion casing 1-3/32"x2". Sash glazed and bedded with Permaglaze compound. New three piece removable inner liner makes this unit adaptable for all wall construction.


Windsor-Removable window units are manufactured in Morgan-Wightman's own union shop to insure quality control. Every unit is carefully inspected before they are packed and shipped to provide you with the finest double hung window unit on the market today. **And remember ... every unit is stamped with the A.F.L. union label.**

## QUALITY "SEAL OF APPROVAL" AMERICAN WOOD WINDOW INSTITUTE


THE WINDSOR "REMOVABLE" Weather-Stripped Wood Window Unit conforms to the Commercial Standard CS190-53, as developed by the Trade under the procedure of the Commodity Standards Division, and issued by the U.S. Department of Commerce.



TYPE 26M-2200-I



TYPE 26M-6600-I



TYPE 26M-8800-I



TYPE 26M-2202 I PICTURE WINDOW UNIT

Glass Size	Sash Opg.	Wt.	Type 26M-2200-I	Type 26M-6600-I	Type 26M-8800-I
20 x 16	2-0x3- 2	42 lbs.	\$17.10	\$18.05	
20 x 20	2-0x3-10	48 lbs.	18.45	19.25	
20 x 24	2-0x4- 6	54 lbs.	19.65	20.45	
24 x 16	2-4x3- 2	49 lbs.	17.80	18.35	
24 x 20	2-4x3-10	55 lbs.	19.15	19.65	
24 x 24	2-4x4- 6	59 lbs.	20.35	20.95	
24 x 28	2-4x5- 2	65 lbs.	21.60	22.05	
28 x 16	2-8x3-10	54 lbs.	18.45	19.15	
28 x 20	2-8x3-10	60 lbs.	19.75	20.50	
28 x 24	2-8x4-6	65 lbs.	21.10	21.85	

Glass Size	Sash Opg.	Wt.	Type 26M-2200-I	Type 26M-6600-I	Type 26M-8800-I
28 x 28	2-8x5-2	70 lbs.	\$22.50	\$23.30	
32 x 16	3-0x3-2	59 lbs.	19.65	21.15	
32 x 20	3-0x3-10	70 lbs.	21.10	22.10	
32 x 24	3-0x4-6	75 lbs.	22.55	23.35	
32 x 28	3-0x5-2	80 lbs.	24.35	24.95	
36 x 16	3-4x3-2	65 lbs.	20.35		\$21.65
36 x 20	3-4x3-10	76 lbs.	21.90		23.00
36 x 24	3-4x4-6	80 lbs.	23.45		24.10
36 x 28	3-4x5-2	85 lbs.	25.30		25.65
40 x 24	3-8x4-6	85 lbs.	24.50		25.10

TWIN UNITS ... double price of single unit PLUS \$1.10 \* TRIPLE UNITS ... triple price of single unit PLUS \$2.70

NOTE - 20 x 16, 24 x 16, 28 x 16 Type 26M-2200-I Units also carried in stock glazed obscure - Add \$2.50 to above prices

## WINDSOR PICTURE WINDOW UNITS . . ADD FOR CENTER GLASS

Type 26M-2202-I	Center Sash Opg.	Sash Opgs.	Wt.	Center Open
16 x 24	4-4x4-6	1-8x4-4x1-8	86 lbs.	\$49.00
16 x 24	5-0x4-6	1-8x5-0x1-8	91 lbs.	49.95
16 x 24	5-8x4-6	1-8x5-8x1-8	96 lbs.	50.85
16 x 24	6-4x4-6	1-8x6-4x1-8	101 lbs.	51.50
20 x 24	4-4x4-6	2-0x4-4x2-0	102 lbs.	52.65
20 x 24	5-0x4-6	2-0x5-0x2-0	107 lbs.	53.60
20 x 24	5-8x4-6	2-0x5-8x2-0	112 lbs.	54.45
20 x 24	6-4x4-6	2-0x6-4x2-0	117 lbs.	55.10

1-3/4" Sash-Glazed With 7/32" Crystal Sheet	1" Thermopane & 2 1/4" Sash-Unglazed
\$22.50	\$64.25
25.80	71.65
33.80	79.45
37.60	107.05
22.50	64.25
25.80	71.65
33.80	79.45
37.60	107.05

Average Weight of center picture unit add - 7/32" Glass 90 lbs. - 1" Thermopane 285 lbs.

## WINDSOR REMOVABLE WINDOW UNIT Schedule of "Rough Openings" and "Masonry Openings"

WIDTH Glass Sash Size Opg.	WIDTH Rough Stud Opening			WIDTH Masonry or Brick Opg.			HEIGHT 2-LT Glass Size		HEIGHT Sash Opg.		HEIGHT Rough Stud Opg.		HEIGHT Masonry or Brick Opg.	
	Sing.	Mull.	Trip.	Sing.	Mull.	Trip.	Size	Opg.	Opg.	Opg.	Opg.	Opg.	Opg.	Opg.
20" 2'0"	2'2"	4'3 3/4"	6'5 1/2"	2'4"	4'5 3/4"	6'7 1/2"	16"	3'2"	3'6"	3'6 1/2"				
24" 2'4"	2'6"	4'11 1/4"	7'5 1/2"	2'8"	5'1 1/4"	7'7 1/2"	20"	3'10"	4'2"	4'2 1/2"				
28" 2'8"	2'10"	5'7 3/4"	8'5 1/2"	3'0"	5'9 3/4"	8'7 1/2"	24"	4'6"	4'10"	4'10 1/2"				
32" 3'0"	3'2"	6'3 3/4"	9'5 1/2"	3'4"	6'5 3/4"	9'7 1/2"	28"	5'2"	5'6"	5'6 1/2"				
36" 3'4"	3'6"	6'11 1/4"	10'5 1/2"	3'8"	7'1 1/4"	10'7 1/2"								
40" 3'8"	3'10"	7'7 3/4"	11'5 1/2"	4'0"	7'9 3/4"	11'7 1/2"								

## Windsor Picture Window Units List of Rough Opg. Widths

Unit Side Wds. 16 x 24	Rough Stud Opg.	Masonry or Brick Opg.
1-8x4-4x1-8	8'1 1/4"	8'3 3/4"
1-8x5-0x1-8	8'9 3/4"	8'11 1/4"
1-8x5-8x1-8	9'5 3/4"	9'7 3/4"
1-8x6-4x1-8	10'1 1/4"	10'3 3/4"
20x24		
2-0x4-4x2-0	8'9 3/4"	8'11 1/4"
2-0x5-0x2-0	9'5 3/4"	9'7 3/4"
2-0x5-8x2-0	10'1 1/4"	10'3 3/4"
2-0x6-4x2-0	10'9 3/4"	10'11 1/4"

DEDUCT \$1.50  
FROM ANY OF  
THE ABOVE  
PRICES IF UNIT  
IS FURNISHED K.D.

SHEATHING NOTE: Set Sheathing Even with Stud Opening at the Sides, and Header and 5/8" above Plate at Bottom  
WINDSOR REMOVABLE WINDOW UNITS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor "SLIDE" •

## REMOVABLE HORIZONTAL SLIDING WOOD WINDOW UNIT

ALL SET UP - READY TO INSTALL WITH NEW THREE PIECE REMOVABLE INNER LINER, MAKES THIS UNIT ADAPTABLE TO ANY TYPE WALL CONSTRUCTION. EVERY UNIT HAS A.F.L. UNION LABEL AND QUALITY "SEAL OF APPROVAL"

Architecturally correct - providing the utmost in every desirable feature - everlastingly efficient - economical - Available in a wide size-range, from frame house single openings of 2'-10" x 2'-4" to 5'-10" x 4'-8", and masonry single openings from 3'-0" x 2'-4 1/2" to 6'-0" x 4'-8 1/4". Multiple unit openings are accomplished by placing single units side-by-side. Insulating panels chrome plated sash locks and finger pulls installed on all sash - Screen is prefit, hardware kit furnished, and is machined to receive an additional insulating panel, thus, the home owner may accomplish triple glazing, if desired, to further assist in preventing heat-loss from within, or heat-penetration from without.




Move sash to center of opening. Simply push up, on one sash at a time, and pull inward to remove. Sash is easily, instantly reinstalled by reversing the procedure.

### WEATHER TIGHT -

Anodized Aluminum Weatherstrip, with its hard glass-like surface and frictionless satin finish, protects against infiltration of moisture, wind and dirt.

### EFFICIENT OPERATION -

Heavy Extruded Aluminum Sill Track, Plus the compensating compression head strip, combine to provide almost effort-less operation.



Full width jamb strip with built-in parting stop and rib to fit into groove in sash.



Storm Panel installed on each sash.

### SPECIFICATIONS


All sash, screen and frame wood parts are made of thoroughly seasoned, kiln-dried ponderosa pine - toxic treated.

Frames - Feature 3 piece jamb and sill inside liners. Anodized aluminum weatherstrip and sill track applied.


Sash - Compound Wood Bead glazed and bedded. Aluminum edged storm panel installed on each sash. Chrome plated sash lock installed on each sash (2 on 40" and 48" high glass) and two chrome plated finger pulls installed on each sash.

Screens - W.P.P. 1-1/8" thick, 2 lights wide, prefit. Wired with fine mesh Aluminum Wire. Machined on inside to receive insulating panels, if triple glazing is desired. Hardware kit with installation instructions supplied. Includes - pair inside adjusters, two handles for inside on Bottom Rails, and three outside hangers, all hardware cadmium plated with screws supplied.

### A. SASH OPENING



### B. GLASS SIZE (Each Sash)



PRICES BELOW INCLUDE STORM PANELS AND ALL HARDWARE FACTORY INSTALLED.

Number	Unit Wt.	Unit Price	Screen Wt.	Screen Price
26M-1420-F	39 lbs.	\$20.15	5 lbs.	\$4.60
26M-1424-F	44 lbs.	21.20	6 lbs.	4.75
26M-1432-F	52 lbs.	23.00	7 lbs.	5.45
26M-1440-F	61 lbs.	26.65	8 lbs.	6.60
26M-1448-F	78 lbs.	31.65	9 lbs.	7.65
26M-1820-F	45 lbs.	23.80	6 lbs.	5.05
26M-1824-F	51 lbs.	24.90	7 lbs.	5.15
26M-1832-F	61 lbs.	27.15	8 lbs.	5.95
26M-1840-F	69 lbs.	30.05	9 lbs.	6.65
26M-1848-F	90 lbs.	37.90	10 lbs.	7.70
26M-2420-F	54 lbs.	26.45	7 lbs.	5.65
26M-2424-F	59 lbs.	27.60	7 lbs.	5.85
26M-2432-F	70 lbs.	30.20	8 lbs.	6.70
26M-2440-F	81 lbs.	33.60	9 lbs.	7.60
26M-2448-F	109 lbs.	43.55	11 lbs.	8.85
26M-2820-F	63 lbs.	28.95	8 lbs.	6.00
26M-2824-F	69 lbs.	30.10	9 lbs.	6.30
26M-2832-F	79 lbs.	33.60	10 lbs.	7.25
26M-2840-F	91 lbs.	37.25	11 lbs.	8.20
26M-2448-F	122 lbs.	47.75	13 lbs.	9.55
26M-3220-F	71 lbs.	31.50	9 lbs.	6.40
26M-3224-F	77 lbs.	32.90	9 lbs.	6.70
26M-3232-F	89 lbs.	36.05	10 lbs.	7.75
26M-3240-F	103 lbs.	40.70	12 lbs.	8.80
26M-3248-F	134 lbs.	51.20	14 lbs.	10.30

### FRAME PART SPECIFICATIONS

DRIP CAP	1-3/32" x 2"
OUTSIDE CASING	1-11/32" x 2"
HEAD BLIND STOP	3/4" x 1-3/4"
HEAD JAMB LINER (3 Pieces)	1-1/16" x 1-3/8"
SIDE BLIND STOPS	3/4" x 1-1/4"
JAMBS	3/4" x 3-11/16"
SIDE JAMB AND SILL LINER (3 Pieces)	3/4" x 13/16"
SILL	1-5/16" x 6-3/4"

UNIT HEIGHT			UNIT WIDTHS								
Glass Size	Rough Stud Opening	Masonry Opening	Glass Size	Rough Stud Opening	Single	Twin	Opening Triple	Masonry Opening	Single	Twin	Triple
20"	2'4"	2'4 1/4"	14"	2'10"	5'10"	8'10"	3'0"	6'0"	9'0"		
24"	2'8"	2'8 1/4"	18"	3'7 1/2"	7'5"	11'2 1/2"	3'9 1/2"	7'7"	11'4 1/2"		
32"	3'4"	3'4 1/4"	24"	4'6"	9'2"	13'10"	4'8"	9'4"	14'0"		
40"	4'0"	4'0 1/4"	28"	5'2"	10'6"	15'10"	5'4"	10'8"	16'0"		
48"	4'8"	4'8 1/4"	32"	5'10"	11'10"	17'10"	6'0"	12'0"	18'0"		

WINDSOR "SLIDE" UNITS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# Econo - Glide

HORIZONTAL SLIDING UNITS

WITH REMOVABLE SASH

Easy operating • weathertight • ideal for picture window combinations • all sash closures fully weatherstripped • positive water-tight sill eliminates drafts and heat loss • sash can be removed in seconds for cleaning or painting • all wood parts chemically treated for water repellency and better painting base • precision milled from select Ponderosa pine • adaptable to walls of varying thickness.



Removable sash is more convenient for builder and home buyer. Installation is easier, faster. Home buyers love the simplicity of ECONO-GLIDE takeout windows — clean the outside, inside!


## • SPECIFICATIONS •

All wood members of sash and frame are kiln dried Ponderosa Pine, toxic and water-repellant treated in accordance with the requirements of the N.W.M.A. All glass is select quality, vision-tested, bedded and glazed with highest quality elastic glazing compound. The window is completely weatherstripped with aluminum tension type strip on the parting stops, adjustable by means of spring screw assembly. The friction pressure action of the aluminum sash guide acts as a positive horizontal contact and weather seal. The sill sash guide is of extruded aluminum alloy .050" thick, with weep holes capable of dissipating water equal to that of 20 gallons an hour in the case of a 3'1" sash size.

## SIZE OF PARTS

Jamb	3/4"	x 3-3/4"
Sill	1-3/8"	x 6-1/8"
Blind Stop (head only)	3/4"	x 1-3/4"
Blind Stop (sides)	3/4"	x 1-1/4"
Casing	1-5/16"	x 2"
Mull Casing	1-1/16"	x 2"
Drip Cap	3/4"	x 1-3/4"
Inside Liner (head)	1-1/4"	x 23/32"
Outside Liner (head)	1-1/4"	x 3/8"
Inside Liner	3/4"	x 3/8"
Outside Liner	3/4"	x 3/8"
Inside Sill Liner	1-1/16"	x 3/8"
Outside Sill Liner	1-1/16"	x 3/8"

Easy-to-remove Econo jamb extensions let you adapt the frame to walls of varying thicknesses—from 4 1/2" to 5 1/4". For wider walls, thicker extensions are available.



A. Masonry Opening

B. Rough Stud Opening

C. Sash Size

D. Glass Size (each sash)

 2'4 3/4" x 2'0"	 3'5" x 2'0"	 4'1" x 2'0"	 4'9" x 2'0"	 5'5" x 2'0"
25M-1620-I	25M-2020-I	25M-2420-I	25M-2820-I	25M-3220-I
 2'8 3/4" x 2'4"	 3'11 1/2" x 2'4"	 4'7 1/2" x 2'4"	 5'3 1/2" x 2'4"	 5'11 1/2" x 2'4"
25M-1624-I	25M-2024-I	25M-2424-I	25M-2824-I	25M-3224-I
 3'4 3/4" x 3'2"	 4'5" x 3'2"	 5'1" x 3'2"	 5'1" x 3'2"	 5'9" x 3'2"
25M-1632-I	25M-2032-I	25M-2432-I	25M-2832-I	25M-3232-I
 4'0 3/4" x 4'0"	 4'10" x 4'0"	 4'10" x 4'0"	 4'10" x 4'0"	 4'10" x 4'0"
25M-1640-I	25M-2040-I	25M-2440-I	25M-2840-I	25M-3240-I
 4'4 3/4" x 4'4"	 4'4" x 4'4"	 4'4" x 4'4"	 4'4" x 4'4"	 4'4" x 4'4"
25M-1644-I	25M-2044-I	25M-2444-I	25M-2844-I	25M-3244-I

## • PRICES •

No.	Unit Wt.	Unit Price	Screen Price
25M-1620-I	29 lbs.	\$14.85	\$2.95
25M-1624-I	31 lbs.	15.45	3.15
25M-1632-I	37 lbs.	16.55	3.65
25M-1640-I	44 lbs.	18.05	4.20
25M-1644-I	57 lbs.	19.05	4.60
25M-2020-I	33 lbs.	16.45	3.20
25M-2024-I	37 lbs.	17.20	3.30
25M-2032-I	45 lbs.	18.25	3.85
25M-2040-I	50 lbs.	20.00	4.80
25M-2044-I	60 lbs.	20.85	5.10
25M-2420-I	39 lbs.	17.95	3.50
25M-2424-I	44 lbs.	18.70	3.80
25M-2432-I	50 lbs.	20.10	4.40
25M-2440-I	59 lbs.	22.00	5.40
25M-2444-I	72 lbs.	22.90	5.80
25M-2820-I	45 lbs.	21.00	4.00
25M-2824-I	50 lbs.	21.75	4.30
25M-2832-I	57 lbs.	23.40	5.00
25M-2840-I	66 lbs.	25.60	5.90
25M-2844-I	80 lbs.	26.80	6.25
25M-3220-I	50 lbs.	26.00	4.25
25M-3224-I	57 lbs.	26.60	4.60
25M-3232-I	66 lbs.	27.55	5.35
25M-3240-I	74 lbs.	30.15	6.55
25M-3244-I	88 lbs.	31.40	6.90

Average Screen Weight 3 lbs.

Storm Panels Available

How to figure MULTIPLE OPENINGS:

FOR TWINS: On widths, add 16 1/2" to combined glass size for stud opening, 18" for masonry opening. Heights are same as for singles, FOR TRIPLES: On widths, add 25 1/2" to combined glass size for stud opening, 27" for masonry opening.

ALL WINDOWS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor "TOWN and COUNTRY"

## SINGLE AWNING WOOD WINDOW UNITS



ALL SETUP -  
READY TO INSTALL

### SCREENS AND STORM PANELS

Screens and storm panels are aluminum framed complete with all hardware for quick installation. Average screen weight 3 lbs., storm panels 13 lbs.


This exciting, new window unit is designed to fill today's need for more economical construction and versatility in building. Quality throughout, it offers greater values and appeal to builders and home buyers alike.

The "Town and Country" unit is of modular construction, and features fully weather-stripped, vent-type, sash to permit any degree of ventilation. Units have fixed upper sash and operating lower sash with locking handles furnished. Units may be easily combined for twin and triple installations for unusual window effects. A continuous casing around the inside of units eliminates the need for a stop or stool, thus reducing costs and finish work time.

Precision-milled of first quality Ponderosa Pine, "Town and Country" units are chemically treated for long life and are available with every modern feature that gives a lifetime of window satisfaction.



"Town and Country" units may be used for either single, twin or triple windows. When combined, narrow mullions give neater, more modern appearance. Variety of window light divisions make "Town and Country" units equally "at home" in either traditional or contemporary designs.



No. 25M-660-I  
Traditional  
Six Light Sash  
Available To  
Order—Add  
\$2.30 Per Unit  
To Prices Below

### SIZE OF PARTS:

Jamb . . . . . 3/4"x4-1/2"  
Sill . . . . . 1-3/8"x5-31/32"  
Casing . . . . . 1-5/16"x2"  
Mull Casing . . . 1-1/16"x1-1/4"  
Head Stop . . . 1/2"x3/4"  
Side Stop . . . . 3/4"x3/4"  
Sill Stop . . . . 1-1/4"x1-1/16"

### No. 25M-220-I WITH TWO HORIZONTAL LIGHT SASH (as illustrated)

#### • PRICES AND SPECIFICATIONS •

Glass Size	Rough Opening	Masonry Opening	Unit Price	Alum. Screen	Storm Panels	Unit Wt.
16x24	1-10x4-9 3/4	2-0 1/4 x4-10 7/16	\$15.85	\$3.05	\$5.30	31 lbs.
20x16	2-2x3-5 3/4	2-4 1/4 x3-6 7/16	14.50	2.70	4.75	29 lbs.
20x20	2-2x4-1 3/4	2-4 1/4 x4-2 7/16	15.65	3.00	5.30	32 lbs.
20x24	2-2x4-9 3/4	2-4 1/4 x4-10 7/16	16.75	3.25	5.80	36 lbs.
24x16	2-6x3-5 3/4	2-8 1/4 x3-6 7/16	15.15	2.95	5.30	31 lbs.
24x20	2-6x4-1 3/4	2-8 1/4 x4-2 7/16	16.35	3.20	5.80	36 lbs.
24x24	2-6x4-9 3/4	2-8 1/4 x4-10 7/16	17.60	3.50	6.35	41 lbs.
28x16	2-10x3-5 3/4	3-0 1/4 x3-6 7/16	15.85	3.10	5.80	33 lbs.

Glass Size	Rough Opening	Masonry Opening	Unit Price	Alum. Screen	Storm Panels	Unit Wt.
28x20	2-10x4-1 3/4	3-0 1/4 x4-2 7/16	\$17.00	\$3.45	\$6.35	38 lbs.
28x24	2-10x4-9 3/4	3-0 1/4 x4-10 7/16	18.30	3.70	6.90	43 lbs.
32x16	3-2x3-5 3/4	3-4 1/4 x3-6 7/16	17.35	3.35	6.35	36 lbs.
32x20	3-2x4-1 3/4	3-4 1/4 x4-2 7/16	18.75	3.65	6.90	41 lbs.
32x24	3-2x4-9 3/4	3-4 1/4 x4-10 7/16	20.20	3.95	7.40	47 lbs.
36x16	3-6x3-5 3/4	3-8 1/4 x3-6 7/16	18.05	3.55	6.90	41 lbs.
36x20	3-6x4-1 3/4	3-8 1/4 x4-2 7/16	19.40	3.85	7.40	46 lbs.
36x24	3-6x4-9 3/4	3-8 1/4 x4-10 7/16	20.95	4.20	7.95	52 lbs.

For Twin or Triple Window Units - Double or Triple Single Price Above

FOR MULTIPLE UNITS—Twins: On widths, add 1 1/2" to combined glass size for rough stud opening, 1 3/4" for masonry opening. Heights are same as for singles. TRIPLES or PICTURE WINDOW UNITS: On widths, add 1 7/8" to combined glass size for rough stud opening, 1 9/4" for masonry opening.

NOTE: - When Ordering Specify Jamb Thickness desired - 4-1/2" - 4-7/8" - 5-1/4"

## WOOD CASEMENT UNITS

### FEATURING THE ALL-PURPOSE FRAME \* FULLY SET UP AND CARTON PACKED

The only window unit for installation over a kitchen sink or any wide counter top. Easy operation of the hardware permits opening and closing the window without undue strain or bending. Extension hinges permit easy washing of windows from inside the building. Aluminum screen for each sash included with unit. Narrow mullions are reinforced with heavy, cross-shaped aluminum extrusion for greater strength... improved appearance. Cam-action type locks and worm and gear operators are finished in Statuary Bronze. Extension hinges are heavy cadmium or zinc plated and have brass stud bolts and and nylon washers. All-purpose frame enables unit to be used with frame, masonry veneer, or masonry construction.

Unit includes frame set up with both sash operative and hardware attached. Two aluminum screens, Ponderosa Pine inside stops, mullion casing, jamb liners and stool for 5 1/4" wall are included. All exposed wood parts are treated with toxic and water repellent wood preservative. White metal compression type weather-strip is completely factory applied.

No.	Stud Opening	Glazed	Wt.	PRICES
15M-3200-F	3'-5 1/4" x3'-6"	S.S.	68 lbs.	\$50.60
15M-3232-F	3'-5 1/4" x3'-6"	1/2" Thermopane	88 lbs.	66.80
15M-4200-F	4'-2 1/4" x3'-6"	S.S.	77 lbs.	54.90
15M-4242-F	4'-2 1/4" x3'-6"	1/2" Thermopane	87 lbs.	74.70

ALL WINDOWS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE




Materials Wholesale from **MORGAN - WIGHTMAN**



**NEW LOW PRICES!****• STORM SASH AND SCREENS •****STORM SASH AND FULL SCREENS OF CLEAR PONDEROSA PINE 1-1/8" THICK**

STORM SASH of clear W.P. Pine 1-1/8" thick - Toxic Treated, Glazed with clear glass bedded in putty, with Wood Beads - 2" stiles and Top Rails - 4 1/2" Bottom Rails - 1" Cross Rails.

FULL LENGTH WINDOW SCREENS of clear W.P. Pine 1-1/8" thick, Toxic Treated, 18x14 Mesh Wire. Flush mitred Moulding, Mortise and Tenon Construction, 2" Stiles and Top Rails - 3 1/2" Bottom Rails.



NUMBER		32M-1000-I	32M-2000-I	32M-3000-I
Glass Size	Opening Size	Storm Sash	Galv. Screen	Alum. Screen
16x16	1-8x3-3	2.75	2.50	2.70
16x20	3-11	2.95	2.65	2.95
16x24	4-7	3.20	2.80	3.10
18x16	1-10x3-3	2.80	2.55	2.80
18x18	3-7	2.95	2.65	2.95
18x20	3-11	3.15	2.75	3.00
18x24	4-7	3.40	2.95	3.25
20x16	2-0x3-3	2.95	2.60	2.85
20x18	3-7	3.15	2.75	3.00
20x20	3-11	3.25	2.85	3.15
20x24	4-7	3.50	3.00	3.30
20x26	4-11	3.65	3.15	3.45
20x28	5-3	3.80	3.25	3.60
20x30	5-7	3.90	3.30	3.65
24x16	2-4x3-3	3.20	2.80	3.10
24x18	3-7	3.30	2.95	3.25
24x20	3-11	3.50	3.00	3.30
24x24	4-7	3.85	3.25	3.60
24x26	4-11	3.90	3.30	3.65
24x28	5-3	4.10	3.45	3.80
24x30	5-7	4.30	3.60	3.95

NUMBER		32M-1000-I	32M-2000-I	32M-3000-I
Glass Size	Opening Size	Storm Sash	Galv. Screen	Alum. Screen
26x16	2-6x3-3	3.30	2.85	3.15
26x18	3-7	3.50	3.00	3.30
26x20	3-11	3.60	3.15	3.45
26x24	4-7	3.90	3.40	3.70
26x26	4-11	4.10	3.45	3.80
26x28	5-3	4.30	3.60	3.95
26x30	5-7	4.50	3.70	4.10
28x16	2-8x3-3	3.45	3.00	3.30
28x18	3-7	3.60	3.05	3.40
28x20	3-11	3.70	3.20	3.50
28x24	4-7	4.10	3.45	3.80
28x26	4-11	4.30	3.50	3.85
28x28	5-3	4.55	3.65	4.00
28x30	5-7	4.60	3.80	4.15
30x16	2-10x3-3	3.50	3.05	3.35
30x18	3-7	3.70	3.20	3.50
30x20	3-11	3.90	3.30	3.65
30x24	4-7	4.30	3.50	3.85
30x26	4-11	4.50	3.65	4.00
30x28	5-3	4.60	3.80	4.15
30x30	5-7	4.80	3.90	4.30

NUMBER		32M-1000-I	32M-2000-I	32M-3000-I
Glass Size	Opening Size	Storm Sash	Galv. Screen	Alum. Screen
32x16	3-0x3-3	3.65	3.15	3.45
32x18	3-7	3.80	3.25	3.60
32x20	3-11	4.10	3.40	3.70
32x24	4-7	4.50	3.65	4.00
32x26	4-11	4.55	3.80	4.15
32x28	5-3	4.80	3.90	4.30
32x30	5-7	5.00	4.05	4.45
34x20	3-2x3-11	4.15	3.50	3.85
34x24	4-7	4.55	3.80	4.15
34x26	4-11	4.80	3.90	4.30
34x28	5-3	5.10	4.05	4.45
34x30	5-7	5.40	4.15	4.60
36x16	3-4x3-3	3.90	3.30	3.65
36x20	3-11	4.30	3.60	3.95
36x24	4-7	4.80	3.90	4.30
36x26	4-11	5.10	3.95	4.35
36x28	5-3	5.40	4.10	4.50
36x30	5-7	5.45	4.25	4.65
40x24	3-8x4-7	5.10	4.05	4.45
40x26	4-11	5.45	4.25	4.65
40x28	5-3	5.85	4.35	4.80

NOTE - Every Glass Height From 14" to 36" In 2" Multiples Available - Write For Prices.

All units above bear A.F.L. Union Label. 25¢ per unit packing charge on screens - 50¢ on Storm Sash - Minimum of \$2.50.  
Storm Sash Av. Wt. 20 lbs. One week delivery F.O.B. our Milwaukee Factory. Screen Av. Wt. 10 lbs.

**FULL LENGTH ALUMINUM RIGID FRAME SCREENS**

FOR WOOD WINDOWS - NO FITTING  
THEY'RE ADJUSTABLE

Standard sizes for Double-Hung Windows with 18x14 Mesh Aluminum wire, 7/16"x13/16"x.025 Aluminum section. Screens are made 3/16" less in Width than shown, Heights are plus 1/2" with self-adjusting bar at Bottom to fit sill. Quickie Brackets for easy installation.

**NO. 19M-2000-I**

GLASS SIZE	SASH OPG. SIZE	PRICES	GLASS SIZE	SASH OPG. SIZE	PRICES
16x24	20x54	\$2.95	28x24	32x54	\$3.70
20x16	24x38	2.65	28x28	32x62	4.15
20x20	24x46	2.90	32x16	36x38	3.30
20x24	24x54	3.15	32x20	36x46	3.65
24x16	28x38	2.80	32x24	36x54	4.00
24x20	28x46	3.15	36x16	40x38	3.50
24x24	28x54	3.50	36x20	40x46	3.90
28x16	32x38	3.10	36x24	40x54	4.35
28x20	32x46	3.40	40x24	44x54	4.65


Packaged 12 Screens to the carton.  
Average Wt. 3 lbs.

SCREEN DOOR with IRIDITED WIRE No. 1 Pine. 1-1/8" thick with 2-5/8" Toprail. 2-9/16" stiles, 2-5/8" Top Cross Rails. 5-3/8" Bottom Rails. IRIDITED WIRE will not stain, woodwork, this screening is guaranteed to conform with U.S. Standard CS-138-49. Iridited wire lasts six times longer than Galvanized.

**NO. 26M-3051-I**

Size	Wts.	Prices
2-6 x 6-9-1/2	14 lbs.	\$7.50
2-8 x 6-9-1/2	15 lbs.	7.50
2-10 x 6-11-1/2	16 lbs.	7.75
3-0 x 6-9-1/2	16 lbs.	7.80

NO PAINTING • NO UPKEEP  
RUST-PROOF

**WINDSOR TENSION SCREENS**

RUSTPROOF ALUMINUM

Glass Size No.	Sash Opg. Size	Price in Carton	Broken Carton
19M-1624-F	20 x 54	\$2.50	\$2.60
19M-2016-F	24 x 38	2.40	2.55
19M-2020-F	24 x 46	2.60	2.70
19M-2024-F	24 x 54	2.75	2.85
19M-2416-F	28 x 38	2.65	2.70
19M-2420-F	28 x 46	2.80	2.90
19M-2424-F	28 x 54	2.95	3.10
19M-2816-F	32 x 38	2.80	2.90
19M-2820-F	32 x 46	3.00	3.15
19M-2824-F	32 x 54	3.25	3.35
19M-2828-F	32 x 62	3.45	3.60
19M-3216-F	36 x 38	3.10	3.20
19M-3220-F	36 x 46	3.35	3.45
19M-3224-F	36 x 54	3.60	3.70
19M-3616-F	40 x 38	3.35	3.45
19M-3620-F	40 x 46	3.60	3.70
19M-3624-F	40 x 54	3.85	4.00
19M-4024-F	44 x 54	4.10	4.25

BUNDLED SIX OF A SIZE TO A CARTON

ITEMS ABOVE SHIPPED F.O.B OUR ST. LOUIS OR CHICAGO WAREHOUSE EXCEPT AS NOTED

Materials Wholesale from **MORGAN - WIGHTMAN**



# • REDWOOD ORNAMENTAL WINDOWS and LOUVERS •

## \*ROUGH STUD OPENING

Made of clear all heart Redwood for permanent protection against weather, termites and rot.

Windows have leaded dividers, and double strength glass pre-fitted to frame and bedded in putty.

Splined construction means windows and louvers are durable and leak-proof.

Price includes complete unit ready for installation.



All frames are square on inside for easy installation

Outside casing 1-3/8" x 2".

Jamb width windows 5-1/4"

Louvers 4-3/4"

Louvers have 1/2" bevelled slats and are backed with 16 mesh galvanized screen.



FULL CIRCLE WINDOWS		GLASS SIZE 1'6"x1'6" R.S.O. * 1'9½"x1'9½"	GLASS SIZE 2'0"x2'0" R.S.O. * 2'5½"x2'5½"	FULL CIRCLE VENTILATING *		GLASS SIZE 1'6"x1'6" R.S.O. * 1'9½"x1'9½"	GLASS SIZE 2'0"x2'0" R.S.O. * 2'5½"x2'5½"
	STYLE NO. 37M-9900-I "WAGON WHEEL"  <b>\$12.10</b> EACH WT. 16 LBS.	STYLE NO. 37M-1090-I "WAGON WHEEL"  <b>\$21.50</b> EACH WT. 25 LBS.			STYLE NO. 37M-6800-I 6 LITE  <b>\$25.50</b> EACH WT. 18 LBS.	STYLE NO. 37M-8800-I 6 LITE  <b>\$35.00</b> EACH WT. 25 LBS.	
	STYLE NO. 37M-9800-I 9 LITE  <b>\$12.10</b> EACH WT. 16 LBS.	STYLE NO. 37M-1080-I 9 LITE  <b>\$21.50</b> EACH WT. 25 LBS.		*Lower sash is fixed. Upper sash is a complete circle, with screen in upper half. This half rotates for ventilating purposes. 2 or 4 lite units available at the same price.			
FULL CIRCLE LOUVRE							
	STYLE NO. 37M-9050-M  <b>\$12.10</b> EACH WT. 16 LBS.	STYLE NO. 37M-1005-M  <b>\$21.50</b> EACH WT. 25 LBS.			GLASS SIZE 2'0"x1'0" R.S.O. * 2'5½"x1'5"	STYLE NO. 37M-2020-I 4 LITE  <b>\$17.45</b> EACH WT. 18 LBS.	STYLE NO. 37M-2070-I 4 LITE  <b>\$20.10</b> EACH WT. 22 LBS.
HALF CIRCLE LOUVRE							
	STYLE NO. 37M-1300-M  <b>\$12.75</b> EACH WT. 16 LBS.	STYLE NO. 37M-1305-M  <b>\$15.45</b> EACH WT. 20 LBS.			R.S.O. * 2'5½"x1'5"	STYLE NO. 37M-1100-M  <b>\$17.45</b> EACH WT. 18 LBS.	STYLE NO. 37M-1105-M  <b>\$20.10</b> EACH WT. 22 LBS.
QUARTER CIRCLE LOUVRE							
	STYLE NO. 37M-1200-M  <b>\$12.10</b> EACH WT. 22 LBS.	STYLE NO. 37M-1205-M  <b>\$13.40</b> EACH WT. 24 LBS.		 	R.S.O. * 1'5" x 1'4"	STYLE NO. 37M-1200-M  <b>\$12.10</b> EACH WT. 22 LBS.	STYLE NO. 37M-1205-M  <b>\$13.40</b> EACH WT. 24 LBS.

## OCTAGON WINDOW UNITS

CLEAR GLAZED WITH WOOD STOPS  
AND BEDDING COMPOUND

These units can be used to provide needed light and add a final decorative touch to any architectural style. Made of clear W.P. PINE and Toxic treated. Individually carton packed, -in stock for immediate shipment.

Strongly made with heavy jambs. Outside moulded casing 1'-5/16" x 2". Can be set in any type wall, frame or masonry. Size 1'-9", across jambs. Rough opening 1'-10". Jamb 5/4" weight 15 lbs.




MAYBE USED ON 45° ANGLE  
No. 15M-1284-I \$13.20

MAYBE USED VERTICAL  
No. 15M-1283-I \$12.50

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

## WINDSOR "WOOD GABLE LOUVER"




All sizes fit standard 16" O.C. Stud framing. Western Ponderosa Pine toxic treated. 18x14 galvanized wire, flush moulded and completely set up for quick installation.

Furnished in the following sizes only. Write for quantity prices on 30 or more units.

SPECIFICATIONS			PRICES	
No.	Stud Opening	Wts.	1-9	10 or More
26M-1421-M	1'-2-3/8"x1'-9"	12 lbs.	\$4.15	\$4.00
26M-1427-M	1'-2-3/8"x2'-3"	14 lbs.	5.20	5.05
26M-1433-M	1'-2-3/8"x2'-9"	16 lbs.	5.75	5.55

Materials Wholesale from **MORGAN - WIGHTMAN**






# CLOSET WALLS

Mengel "Space Saver" Wall Closets  
provide **25%-40% MORE**


**USABLE STORAGE SPACE AT** *Less Cost*

All units have a single fixed shelf and wood clothes rod full width. Every inch is used, and there is easy accessibility to all closet space. Rooms appear larger because doors don't swing out, providing more living space. And because of Mengel's tremendous raw material and production facilities, you can offer smart "Space-Saver" sliding door beauty and increased storage space as a major feature.






BIRCH BACKS  
AND SIDES OPTIONAL

BIRCH  
OR GUM  
DOORS



• SPECIFICATIONS •



Front Frame KD Magnolia or Poplar lumber with all joints glued and doweled. Vertical Stiles: 1-5/8" wide x 1-3/16" thick. Top Rail: 3" wide x 2-1/4" thick. Bottom Rail: 3-3/16" x 1-1/2" thick.

Doors: Flush gum or birch by-passing type with front panel glued to lumber frame and vertical edges encased in steel channels. Stiles: 7/8" wide x 11/16" thick. Top, bottom and center cross rails 3-1/4" x 11/16" thick. Intermediate cross rails 1-3/4" x 11/16" thick.

The framing is faced with 3/16", unselected gum plywood, and encased in steel edge channels 1-0" wide x .048" thick, 18 gauge cold rolled steel.

Overhead track: Cold rolled steel attached to top cross rail.

Hangers: Nylon, patented adjustable type attached to top of door.

Guide Pins: Steel, inserted in bottom of each door and encased in grooves in door threshold.

End Panels: 1/4" fir or birch plywood, glued and nailed to end frame.

Back, Top and Bottom Panels: 3/8" fir or birch plywood.


Shelf: 3/4" fir plywood.

Wood Rod: 1-3/8" White Pine.

## COMPLETE CLOSET WALLS

Type	No.	Width	Wts.	* Gum Doors	Birch Doors	Birch Back
A	22M-2600-ID	26 1/4"	140 lbs.	\$56.75	\$58.40	\$66.70
B	22M-3600-ID	36"	160 lbs.	69.70	72.20	82.00
C	22M-3636-ID	36"	165 lbs.	73.70	76.20	86.00
B	22M-4800-ID	48"	195 lbs.	75.90	79.15	93.30
C	22M-4848-ID	48"	200 lbs.	80.40	83.65	96.80
B	22M-6000-ID	60"	230 lbs.	83.75	87.90	104.30
D	22M-6060-ID	60"	235 lbs.	92.25	96.40	112.80
E	22M-7200-ID	72"	275 lbs.	96.75	102.65	122.30
F	22M-7272-ID	72"	280 lbs.	108.15	113.15	132.80

Note: All Wall Closets 91-1/2" High and 26-1/4" Deep.  
If Birch instead of Fir side panels are desired add \$5.20 per side.



## CLOSET FRONTS

- ★ Low Installation Cost-All Hardware Included
- ★ Unselected Gum - For Painting
- ★ Unselected Birch - For Natural Finish

### MODEL 68 - 84" High Closet Fronts Without Upper Doors

No.	Width	Wts.	Gum Fronts	Birch Fronts
22M-6836-ID	3'-0"	60 lbs.	\$36.50	\$38.95
22M-6848-ID	4'-0"	70 lbs.	39.70	42.90
22M-6860-ID	5'-0"	85 lbs.	42.30	46.45
22M-6872-ID	6'-0"	110 lbs.	51.80	58.45

### MODEL 76 - 91-7/8" High Closet Fronts With Upper Doors

No.	Width	Wts.	Gum Fronts	Birch Fronts
22M-7636-ID	3'-0"	65 lbs.	41.90	43.80
22M-7648-ID	4'-0"	85 lbs.	45.65	48.25
22M-7660-ID	5'-0"	105 lbs.	52.70	56.80
22M-7672-ID	6'-0"	125 lbs.	64.75	69.70

### ROUGH OPENING DIMENSIONS

In all models, width of rough opening should be 7/8" narrower than the width of closet front. On 6'8" series, height of rough opening should be 83". On units with upper doors, rough opening height should be 91-1/2".

ABOVE SHIPPED F.O.B. WINSTON SALEM, NORTH CAROLINA FACTORY

Materials Wholesale from

MORGAN - WIGHTMAN



WINDSOR

GREYMIST ASH

BLOND CATIVO

### PRE • FINISHED PANELING

*New invisible topcoat gives permanent protection to the fine-furniture glow of WINDSOR Hardwood Paneling. The new finish looks like hand-rubbed wax, yet lipstick, alcohol, most common stains can't penetrate the tough topcoat. Protected on both face and back, this new paneling is practical for bath, powder, laundry rooms—even bathroom steam can't damage this exciting new finish!*

WINDSOR paneling is made of the highest quality plywood, a full 1/4" thick! Constructed with flat sliced face veneers and balanced figures selected for uniformity... ideal for paneling and fine cabinet work. Each panel is pre-finished and lacquer sealed, hand sanded and hand rubbed with furniture finishing wax.

AMERICAN CHERRY

FLAME GUM

#### No. 23M-100-S 48" x 96" PANELS

SPECIES	Per Panel	Per Sq. Ft.	SPECIES	Per Panel	Per Sq. Ft.
Greymist Ash.....	\$13.12	\$0.41	Adirondack Birch.....	12.16	.38
Blond Cativo.....	10.88	.34	Blond Oak.....	12.48	.39
American Cherry.....	15.68	.49	Honeytone Oak.....	11.84	.37
Flame Gum.....	10.24	.32	Philippine Mahogany.....	8.64	.27
Black Walnut.....	15.68	.49			

A COMPLETE SET OF 8" X 12" SAMPLES WILL BE SENT FOR \$2.50 POSTPAID.

Average Weight Per Panel 30 Lbs. • \$1.50 Packing Charge on orders of less than 5 Sheets

PANELING SHIPPED F. O. B. ST. LOUIS, CHICAGO OR SAVANNAH

BLACK WALNUT

ADIRONDACK BIRCH

HONEYCOMB OAK

BLOND OAK

PHILIPPINE MAHOGANY



# Leigh "Full-Vu"

## STEEL FOLDING DOORS

- FEATHER TOUCH OPERATION . . .
- FITS ANY STANDARD DOOR FRAME . . .
- ALL STEEL, BACKED BY SOUND-DEADENER .
- EASILY INSTALLED, REQUIRES NO ATTENTION

Here's the ultimate in convenience and glamor for closets, wardrobes, storage walls . . . Full-Vu Steel Folding Doors. Women love them for their beauty and convenience. Salesmen and wise builders install them for the extra sales appeal they give a home. And with all their advantages, they cost less installed than any kind of wood by-passing or folding doors.




### LOUVER STYLE DOORS

A completely louvered door that provides more than enough ventilation for closets, wardrobes, furnace rooms, wash-rooms, etc. Special recessed louvers have squared ends, giving the same shadow effect as the most expensive wood door. Available in beige prime coat only. May be painted to match room interior.



### FLUSH PANEL DOORS

Decorative styling and functional design are combined to make this the finest folding door on the market. Doors are flush when closed and open to completely expose interior of closet. Folding feature of door takes up almost no space in the room. Finished in beautiful beige prime coat or rich birch grain.



### BASIC SET CAN BE USED WITH OR WITHOUT BOTTOM TRACK\*

**BASIC SETS**—For installations without a floor track, contain everything for a complete installation. Insulated doors, pivot and guide rods, PLUS Extruded Aluminum Top Track, Floor Pivot Plates, Door Closing Aligner. This installation gives the home owner the benefit of smooth operating folding doors at lowest possible cost.

\*Note: For smooth operation, larger size doors have Bottom Track included. Not available without Bottom Track.

### EXTRA BOTTOM TRACK

To make an installation using full-length floor track, simply add the proper length of Bottom Track, in place of the pivot plates and door closing aligner furnished in the Basic Set. The nylon-tipped center panel guides slide in the groove of the threshold-type floor track, keeping doors in positive alignment.

### HOW TO ORDER

1. Determine opening size. 2. If full-length Bottom Track is desired, order for width of opening in addition to Basic Set. 3. Two-Door Sets furnished for right-hand pivot unless otherwise specified.

### PRICES AND SPECIFICATIONS

Model Number	Size Opening	No. of Panels	Ship Wt.	Prices			Bottom Track Kits
				Prime Coat	Birch Grain	Louver Style	
12T-6620-H	2-0x6-8	2	29	11.85	12.30	12.40	1.05
12T-6625-H	2-6x6-8	2	34	13.25	13.75	13.75	1.20
12T-6630-H	3-0x6-8	4	42	19.40	20.30	20.65	1.40
12T-6640-H	4-0x6-8	4	51	21.90	22.90	23.05	1.70
12T-6650-H	5-0x6-8	4	60	24.60	25.65	25.60	2.03
12T-6660-H	6-0x6-8	4	69	29.10	30.30	30.35	2.35
12T-6830-H	3-0x8-0	4	48	21.00	21.90	22.60	1.40
12T-6840-H	4-0x8-0	4	59	23.80	24.85	25.35	1.70
12T-6850-H	5-0x8-0	4	70	28.05	29.25	29.35	Incl.
12T-6860-H	6-0x8-0	4	81	32.80	34.35	34.60	Incl.

### VOLUME DISCOUNT

Less 5% on orders of 6 to 24 units; Less 10% on orders of 25 or more units. Volume orders shipped F.O.B. Coppersville, Mich.

LEIGH "FULL-VU" DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE



# • FOLDING DOOR UNITS •



## FOLDOOR Beautyline

**NOW!  
LOWER  
PRICED**

—first folding door  
with all 4 "pluses"—  
at mass market prices

**MORE QUALITY FEATURES  
... INSIDE AND OUT**

**1**

Only FOLDOOR "Beautyline" gives you all these buyer-preferred features—at such low prices. Attractive cornice included free. Lifetime all-metal hardware. Precision folds of practical, textured vinyl fabric. Solid nylon trolley wheels. Narrower stack—takes up less room. And many others!

**24 Hour Shipment**

**2 More stock sizes** to fit all standard residential openings. Choice of 6'8½" or 6'6" heights.

**3 "Multi-V" design** provides 61% less hinge friction. No air pockets to retard easy operation.

**4 Popular prices** as low as \$14.35 for 2' door.

One Color — Mist Grey — Which Can Be Painted With Latex Base Paint If Desired.

NO.	WIDTH & HEIGHT	Stacking Dimension	WT.	PRICES	
				1-4	5 or More
13M-2068-H	2-0x6-8½	5"	17 lbs.	\$14.90	\$14.35
13M-2668-H	2-6x6-8½	5½"	20 lbs.	17.15	16.55
13M-2868-H	2-8x6-8½	6"	21 lbs.	17.80	17.15
13M-3068-H	3-0x6-8½	6½"	22 lbs.	18.75	18.05
13M-4068-H	4-0x6-8½	9½"	29 lbs.	25.45	24.50
13M-5068-H	5-0x6-8½	10½"	34 lbs.	38.80	37.15
13M-6068-H	6-0x6-8½	12-3/8"	40 lbs.	46.10	44.15

Locking Latch Available on above at \$1.85 EA.

All 4-5-6 Foot Doors are supplied with Rolling Post and Two Latches

All 6'8½" doors also available in 6'6" height.


## Econo-Flex

LACQUER FINISHED  
*folding doors*



as wardrobe doors

between rooms



room dividers

closures for in-a-door bed, closets, & kitchenettes

Econo-Flex Folding Doors are made of finest quality Northern Basswood and rugged seine twine for extra long wear. Slats are 1/8" x 7/8", double sanded for a smooth, durable finish. All hardware is brass or aluminum. Econo-Flex doors are accepted by the FHA and VA. All doors are individually cartoned; complete with . . . overhead hangers attached; track, screws, and anchor molding for attaching one side of door to jamb, casing or wall, two plastic handles, and one magnetic catch. Complete installation instructions are included.

### "VOLUME DISCOUNT"

Less 5% on 6 Door Orders  
Less 10% on 12 Door Orders

When pairs of doors are desired in openings 8-0 or wider, double the prices of single doors required to fill 1/2 of opening. Example opg. 8-0 x 6-8 requires 2 doors 4-0 x 6-8 @ \$17.60 net each. \$17.60 x 2 = \$35.20

**OUTSTANDING BEAUTY** Econo-Flex Doors bring striking New Beauty to today's homes. The Modern Charm of the Natural Finish Genuine Northern Basswood Splints running vertically has been acclaimed by leading architects. Installing Econo-Flex Doors is a snap! Simply hold the track in the desired position, punch guide holes for screws, then attach one end of the track. Slide the hardware into the track and push the door to the secured end. Now install the rest of the track screws, attach the anchor molding to the wall or jamb, and you're finished!

**SINGLE DOOR OR ROOM DIVIDER** —Econo-Flex doors are supplied so that they can be used either for left hand or right hand opening. The left hand door anchors at the left and stacks at the left. The right hand door is just the opposite.

### ECONO-FLEX SINGLE DOOR PRICES

No. 10M-6500-H						No. 10M-6510-H					
Size	Wt.	Price	Size	Wt.	Price	Size	Wt.	Price	Size	Wt.	Price
2-0x6-8	9	\$12.00	3-6x6-8	11	16.35	3-0x8-0	12	\$17.15	5-0x8-0	13	23.90
2-4x6-8	9¼	13.00	4-0x6-8	11½	17.60	3-6x8-0	12½	18.30	6-0x8-0	14	28.15
2-6x6-8	9½	13.50	5-0x6-8	12	20.85	4-0x8-0	13	19.75	7-0x8-0	17	32.55
2-8x6-8	10	14.00	6-0x6-8	15	24.90						
3-0x6-8	10½	15.00									

ALL FOLDING DOORS SHIPPED F.O.B. OUR ST. LOUIS WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor FOLDING DOOR UNITS FOR PASSAGE WAY OR CLOSET DOORS

- SMOOTH ACTION
- CONCEALED HARDWARE
- WHISPER QUIET
- FULL WIDTH ACCESS TO CLOSETS

## FINE WOODS

Your choice of hollow core flush doors or full louver doors.

## FAST, SIMPLE INSTALLATION

Complete in 10 to 20 minutes - all parts prefitted - a screw driver is the only tool needed.


## NO SPECIAL FRAMING REQUIRED

Just a plain square cased opening - No close tolerances - Easy and permanent adjustments.

## NEW!

### McKINNEY HARDWARE


- Hardware is adjustable vertically and horizontally for perfect door alignment with jamb and header.
- Doors removed without loosening or tightening screws.
- Jamb mounted bottom pivots allow clearance for wall-to-wall carpeting.
- Unique spring action holds doors firmly closed. Doors meet in center, leaving no unsightly  $\frac{1}{4}$ " crack between doors, also prevents rattling.




FOUR 1-3/8" PHILIPPINE MAHOGANY DOORS					
Number	Door Size	Finished Opening	Weight lbs.	Prices	
				1-5	6 or More
29M-3568-H	3-0x6-8	36"x81"	35	\$25.20	\$23.90
29M-4568-H	4-0x6-8	48"x81"	42	25.40	24.10
29M-5568-H	5-0x6-8	60"x81"	51	26.80	25.50
29M-6568-H	6-0x6-8	72"x81"	60	27.80	26.40
FOUR 1-3/8" "A" GRADE BIRCH DOORS					
29M-3468-H	3-0x6-8	36"x81"	38	\$28.40	\$26.90
29M-4468-H	4-0x6-8	48"x81"	47	28.70	27.20
29M-5468-H	5-0x6-8	60"x81"	58	30.50	28.90
29M-6468-H	6-0x6-8	72"x81"	68	31.60	29.90
FOUR 1-1/8" WHITE PINE LOUVER DOORS					
29M-3168-H	3-0x6-8	36"x81"	36	\$31.30	\$29.70
29M-4168-H	4-0x6-8	48"x81"	43	31.60	29.90
29M-5168-H	5-0x6-8	60"x81"	52	32.40	30.70
29M-6168-H	6-0x6-8	72"x81"	62	34.00	32.30
FOUR 1-1/8" RAISED PANEL W.P.P. LOUVER DOORS					
29M-3768-H	3-0x6-8	36"x81"	41	\$35.70	\$33.90
29M-4768-H	4-0x6-8	48"x81"	48	36.00	34.10
29M-5768-H	5-0x6-8	60"x81"	52	36.80	34.90
29M-6768-H	6-0x6-8	72"x81"	62	38.40	36.50

FOR SHIPMENT FROM OUR CHICAGO WAREHOUSE  
- ADD \$1.00 TO PRICES ABOVE

FLUSH DOORS



FULL LOUVER




RAISED PANEL-LOUVER

## • PACKAGED SLIDING CLOSET DOOR UNITS •

FULL 1-3/8" DOOR UNITS...another labor and time saving package! Complete with jambs and one side of mitered ranch trim in Clear Western Ponderosa Pine, available for dry or wet wall construction. Features the NEW Grant 6000 aluminum track with fascia applied to the header and 2" round polished brass flush pulls installed in the doors. FAST SIMPLE INSTALLATION: Merely set jamb in rough opening - Casing around opening - Screw nylon guide to floor and hang doors on track.

NOW! CARTON PACKED ...



HARDWARE DETAIL

NOTE - All units have A.F.L. Union Label of Carpenters and Joiners International.

PRICE OF UNIT IS DETERMINED  
BY TYPE OF DOORS SELECTED

1-3/8" PINE LOUVER DOORS

Opening Size	Door Size	Weight	Rough Opening	Phil Mahogany 29M-8504-I		Unselect Birch 29M-8304-I		Select Birch 29M-8404-I		Pine Louver* Doors 29M-8104-I	
				4-5/8"	5-1/4"	4-5/8"	5-1/4"	4-5/8"	5-1/4"	4-5/8"	5-1/4"
3-0x6-8	1-6x6-8x1-3/8	62 lbs.	36 1/4 x 6-10 3/4	\$24.60	\$25.20	\$23.90	\$24.60	\$24.60	\$25.30	\$28.80	\$29.50
4-0x6-8	2-0x6-8x1-3/8	72 lbs.	48 1/4 x 6-10 3/4	26.30	27.00	26.80	27.50	27.70	28.30	31.40	32.00
5-0x6-8	2-6x6-8x1-3/8	82 lbs.	60 1/4 x 6-10 3/4	28.60	29.30	29.90	30.60	30.90	31.60	33.00	33.60
6-0x6-8	3-0x6-8x1-3/8	96 lbs.	72 1/4 x 6-10 3/4	31.50	32.10	32.50	33.20	34.20	34.80	34.70	35.30

1-3/8" FLUSH DOORS

IF W.P.P. CASING IS DESIRED ON THE INSIDE ADD \$1.75 TO PRICE

NOTE: IN ORDERING, SPECIFY WALL THICKNESS AND TYPE OF DOORS DESIRED. \*OUR No. 26M-7301-I Louver Door Page 18  
DOOR UNITS ABOVE SHIPPED F.O.B. OUR ST. LOUIS WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# STANLEY SLIDING DOOR POCKET FRAME SET

IN ONE PACKAGE FOR ALL DOOR SIZES

**NO CHANCE FOR ERROR!  
FITS ALL DOOR SIZES**  
2'0" TO 3'0" Wide  
6'6" TO 6'8" High  
3/4" TO 1-3/4" Thick  
**It's RIGHT For Every Job**

## FEATURES

- Extra rigid steel split jambs and studs
- Maximum pre-assembly for fast installation.
- Sturdy hangers with quiet, nylon wheels.
- Header and split jambs designed to take any type of dry or wet wall construction.

### BI-PARTING DOORS

Use two No. 60H-2825-M sliding door pocket frames with No. 60H-2855-M pocket frame coupling for doors opening up to 6'0" wide. Coupling must be ordered separately. Wt. 2 3/4 lbs. \$2.50 Ea.

NOTE: extension adapter for doors 6'10" to 7'0" high available.

No. 60H-2825-M

**\$16.95**      **\$16.10**  
1-3              4 or More

Shipping Weight per Carton . . 50 lbs.  
200 Lbs. or more . . Shipped Prepaid


fully adjustable  
telescopic header-track

quickly adjustable for any door width from 2'0" to 3'0", the oil steel header-track is securely locked by two screws • the two nailing strips are firmly anchored to take any type of dry or wet wall construction

one man installation  
unique design of end brackets on header make it easy for one man to install

extra rigid, non-warp  
split jamb and stud

double thickness, heavy gauge steel (U-channel design) gives maximum strength and rigidity • flange on jamb provides natural stop for wet or dry wall construction • kiln dried nailing strip permanently anchored in place • nails cannot go through steel jamb into door • adjustable for doors 6'6" to 6'8" high.



jump-proof track

each nylon hanger wheel rides in its own jump-proof track • track is V-shaped • wheels cannot bind

adjustable door guide

nylon door guide mounted on split jamb is adjustable for varying door thicknesses

hangers adjustable  
at any time

not necessary to remove finish trim to adjust doors • door adjustment is held by positive lock-in-place feature of hangers

smooth, quiet operation

each permanently lubricated wheel rolls smoothly and quietly in its own unbroken track

## Windsor SLIDING DOOR FRAMES • POCKET TYPE • SLIDES WITHIN PARTITION WALL

Complete Frame with All Jambs and Hardware Furnished.

FRAME SET UP - READY TO INSTALL

HEAD ASSEMBLY RESTS ON TOP OF ALL JAMBS, WHICH ELIMINATES ANY INTERFERENCE DUE TO HOUSE SETTLING - NO GROOVING OF DOORS REQUIRED.

QUICK INSTALLATION - LOW COST! One-man installation - hammer and screw driver are only tools needed. Simple instruction sheet packed with each frame - all guess work eliminated.

### WINDSOR HARDWARE


Track: .064 Gauge, Extra Hard, Precision Roll Formed Aluminum.  
Rollers: Large, 1-1/8" diameter, silent, free-rolling, wear-resistant Nylon Wheels. Ball bearing, with steel inner race.  
Hangers: Indian Grip Design - permanent alignment adjustment.  
Channel Stiffeners: Heavy gauge, cold rolled steel - load bearing.  
Door Guides: Spring Loaded Steel - one-piece, three-purpose.

**SPECIFY  
JAMB WIDTH  
AND DOOR SIZE  
ON ORDER**

Door Opening Sizes	Rough Stud Opening	Approx. Shpg. Wt.
2'-0" x 6'-8" Door	4'- 2 1/2" W x 7'-0" H	41 Lbs.
2'-4" x 6'-8" "	4'-10 1/2" W x 7'-0" H	42 "
2'-6" x 6'-8" "	5'- 2 1/2" W x 7'-0" H	44 "
2'-8" x 6'-8" "	5'- 6 1/2" W x 7'-0" H	46 "
3'-0" x 6'-8" "	6'- 2 1/2" W x 7'-0" H	48 "

DOOR AND CASING NOT INCLUDED IN UNIT

**\$15.75**  
EACH  
**\$15.00**  
6 TO 11 UNITS  
**\$14.45**  
12 OR MORE



**TWO  
JAMB  
WIDTHS**

• 4-5/8" for  
DRY WALL  
• 5-1/4" for  
WET WALL

POCKET FRAME  
NO. 14M-2030-M

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • Windsor E-Z HUNG DOORS •

## OUR NEW PACKAGED DOOR UNIT

PRICES REDUCED - NEW TWO PIECE JAMB

**Saves Time • Saves Labor**



- Complete Unit Includes:
- ★ Birch or Mahogany Door
  - ★ Windsor Tulip Knob
  - ★ Pol. Brass Door Lock
  - ★ 3½ x 3½ Dull Brass Hinges
  - ★ Our No. 99M-3000-F 2¼" W.P.P. Casing
  - ★ E-Z Hung W.P.P. Split Jamb

NOTE - All units have A.F.L. Union Label of Carpenters and Joiners International.

### JAMB (all stain grade)


#### of Clear Western Ponderosa Pine.

Nothing further to buy. Unit is all assembled except door knobs, which are included in package. Door clearances: ⅛" on lock side and top, ⅛" on hinge side, and ½" at the bottom. Expert crating insures delivery with all joints square and tight.

Mahogany Jamb and Casing available - add \$3.00 per unit. To Mahogany Prices Listed Below.


### LEFT AND RIGHT HAND DOORS

Door Units should be specified for either right or left hand openings. (When the door opens to you and the knob is on the right hand side, it's a right hand door.) As illustrated.



**Hang a door in 20 minutes the E-Z HUNG way . .**

### • EASY INSTALLATION •



Lay the packaged door unit on two-by-fours (door side down) and remove metal banding and bottom tie member - then separate the two halves.

A ... Lift the door and grooved half up into the opening. Check to see that the upper spacer block is against the header and that both jambs are on the floor.

B ... Check trim for plum and straightness on the hinge side. Then nail trim to the wall. On the lock edge of the door, push jambs against spacer blocks to maintain uniform clearance between door and jamb while nailing trim to the wall. Open door. Use shingles to shim behind jambs on both sides. Nail through the jambs and shims. Do not nail through stop. After blocking behind jambs, remove upper and lower spacer blocks.

C ... Slide tongue of the opposite half into the grooved half. Nail trim to the wall.

D ... Nail through stop into jambs. Install knobs and check operation of lock and door.

Door Size	Rough Opening	Phil. Mahogany	Unselect Birch	Select "A" Birch
1-6x6-8x1⅜	20¼ x 81¼	29M-5500-I \$21.70	29M-3300-I \$21.40	29M-4400-I \$22.50
2-0x6-8x1⅜	26¼ x 81¼	22.30	22.50	23.70
2-4x6-8x1⅜	30¼ x 81¼	22.90	23.80	25.20
2-6x6-8x1⅜	32¼ x 81¼	23.20	23.80	25.20
2-8x6-8x1⅜	34¼ x 81¼	23.70	24.00	25.60
3-0x6-8x1⅜	38¼ x 81¼	24.40	24.90	26.60

AVERAGE WEIGHT 48 lbs.

### EXTRA and ADDITIONS

Polish Brass- Bedroom Lock	Add .50
Polish Brass & Chrome Bath Lock	Add .75

ADD \$1.00 PER UNIT FOR CRATING CHARGE WHEN SHIPPED BY COMMON CARRIER.

FOR DELIVERY FROM OUR CHICAGO WAREHOUSE ADD \$1.50 PER UNIT TO ABOVE PRICES

WINDSOR E-Z HUNG UNITS SHIPPED F.O.B. OUR ST. LOUIS WAREHOUSE

### NOW! EXTERIOR E-Z HUNG UNITS

FOR FRONT AND REAR ENTRANCES

FULLY HUNG FOR QUICK INSTALLATION

Complete unit includes door, 4-7/8" or 5-1/4" exterior WPP frame and sill, 1½ Pair 4x4 Dull Brass Mortice hinges,

3-0x6-8 Mahogany Unit

**\$29.10**

### • FRONT ENTRANCES •

3-0x6-8x1¼ Size Door

"A" Grade Birch - Solid Core  
66M-4534-I 115 lbs. \$38.20

"A" Grade Birch - Hollow Core  
66M-4634-I 70 lbs. \$31.30

Phil Mahogany - Solid Core  
66M-5534-I 115 lbs. \$34.90

Phil Mahogany - Hollow Core  
66M-5634-I 70 lbs. \$29.10

### • REAR ENTRANCES •

2-8x6-8x1¼ Size Door

Fir - 3 Horizontal Lite Door  
66M-3182-I 90 lbs. \$33.40

PINE - JALOUSIE DOOR  
66M-4001-I 113 lbs. \$48.60

For W.P.P. 2¼" Ranch Casing - Add \$1.25 Set

NOTE: Doors drilled for Schlage, Kwikset, Yale, Lockwood, and Windsor locks as shown in hardware section. Add price of lock and trim of your choice to prices above.

For cut out Door Lite designs or Glamor Door planted moulding style doors see Page 15 and add price of Lite or Plant desired to prices above.



Materials Wholesale from **MORGAN - WIGHTMAN**



# • NEW! Windsor METAL JAMB •

## E-Z HUNG DOOR UNIT

WITH THE NEW KAWANEE UNIVERSAL "KWIK-FIT" STEEL DOOR FRAME  
FRAME FEATURING THE SMOOTH RANCH-TRIM LOOK!

INSTALLS OVER 1/2" DRY WALL

### 15 MINUTE INSTALLATION

Now every cost-conscious builder can equip his homes with the most attractive, luxurious looking door units available...and save money!

Kewanee "KWIK-FIT" steel door frames are different and better than any others you have ever seen - wood or steel. They are installed after the wallboard is applied and do not in any way interfere with dry wall application...Hold wall-board snugly and neatly.

No expensive finish carpentry, no sizing and beveling door, mortising for hinges and strike plate, boring for lock, trimming, or filling nail holes in frame.

Doors are our top-quality birch or mahogany illustrated on page 4. Frames are the best grade bonderized galvanized steel to insure a lifetime of rust-resistance and paint adhesion. Hinges are Stanley No. 741 in dull brass - not primecoat.

For sliding closet door units to match Kewanee frames see page 22 - order unit of your choice and specify on your order KEWANEE STEEL FRAME in place of wood jamb and trim add to price of 5/4" jamb, \$1.60 net extra.

### LEFT AND RIGHT HAND DOORS

Door Units should be specified for either right or left hand openings. (When the door opens to you and the knob is on the right hand side, it's a right hand door.)

Price for carton packed unit—Includes Door, Frame and Hinges

Door Size	Rough Opening	Phil. Mahogany 29M-555-H	"A" Birch 29M-333-H	W.P. Louver 29H-731-H
1-6x6-8x1-3/8	19"x82"	\$15.60	\$15.30	\$17.65
2-0x6-8x1-3/8	25"x82"	16.15	16.35	18.55
2-4x6-8x1-3/8	29"x82"	16.70	17.50	18.85
2-6x6-8x1-3/8	31"x82"	16.90	17.50	19.00
2-8x6-8x1-3/8	33"x82"	17.35	17.70	19.15
3-0x6-8x1-3/8	37"x82"	17.90	18.45	19.45

Average Weight 51 lbs.


NOTE: For locks of your choice see pages 150 thru 155.

PRICES FROM

**\$15.30**

WITH BIRCH DOOR  
FOR COMPLETE  
UNIT INCLUDING

- HARDWOOD DOOR PREFIT WITH HINGES APPLIED AND BORED FOR LOCK OF YOUR CHOICE
- KEWANEE "KWIK-FIT" FRAME AND HINGES



Right Hand Illustrated

## NOW! THE WINDSOR UNIVERSAL WOOD E-Z HUNG DOOR UNIT - NO HANDING NEEDED!

New design two piece W.P.P. Jamb can be used for either right or left hand opening - No mix up is possible. Fits all wall thickness from 4-3/8" to 5-5/8" a natural for plaster walls as jamb may be set first .... then pre-mitred casing is applied and door hung-on hinges after plastering is finished and dried.

### 20 MINUTE INSTALLATION

We ask you to compare the price of our new Universal E-Z Hung with the total cost of a regular door, jamb, casing, hardware, plus installation and fitting labor. Add to the guarantee of a perfect finished product and you will be pleased with the result.

Every unit includes a louver or flush door, jambs, stops and complete hardware, with all cutting and drilling done and half-hinges applied to the door and jamb. From rough opening to a completely hung door takes only a fraction of the time necessary to prepare and hang a door by other methods, because the time-consuming work is done. There is no more notching, boring, mortising and fitting on the job - all of this work is done in our factory with the accuracy and neat appearance that only precision machining can provide. The elimination of this on-the-job labor can result in substantial saving in cost for every door opening, with the added assurance that every door will fit perfectly.

Price For Carton Packed Unit -  
Includes Door, Jamb and Hinges

Door Size	Rough Opening	Phil. Mahogany 29M-500-I	"A" Birch 29M-300-I	W.P. Louver 29M-730-I
1-6x6-8x1-3/8	20 1/2"x82"	\$14.40	\$14.10	\$16.40
2-0x6-8x1-3/8	26 1/2"x82"	14.95	15.15	17.35
2-4x6-8x1-3/8	30 1/2"x82"	15.70	16.55	17.85
2-6x6-8x1-3/8	32 1/2"x82"	15.95	16.55	18.05
2-8x6-8x1-3/8	34 1/2"x82"	16.50	16.85	18.30
3-0x6-8x1-3/8	38 1/2"x82"	17.25	17.75	18.75

Average Weight 47 lbs.

NOTE: For locks of your choice see Pages 150 thru 155.


For trim set—Mitred to size, for both sides of opening,  
Order No. 29M-100-I...Specify door size...and add \$2.50

PRICES FROM

**\$14.10**

WITH BIRCH DOOR  
FOR COMPLETE UNIT

- HARDWOOD DOOR PREFIT WITH HINGES APPLIED AND BORED FOR LOCK OF YOUR CHOICE
- TWO PIECE SPLIT JAMB OF PONDEROSA PINE WITH HINGES APPLIED AND MORTICED FOR STRIKE PLATE.
- CASING AND LOCK AVAILABLE AS OPTIONAL EXTRA



WINDSOR UNITS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



## • CORNER CHINA CASES •


AUTHENTIC DESIGNS FOR BREAKFAST OR DINING ROOMS

Made to set in corner over finished wall — clear Ponderosa Pine Semi-K.D. — Packed one corner case to the carton.  
Stocked for immediate shipment.




No. 15M-2424-F  
FLUTED PILASTERS  
Size 2'-9½" x 7'-5"


### FLOOR PLANS



No. 15M-2424-F and  
No. 15M-2429-F



No. 15M-2451-F



No. 15M-2429-F  
BEADED PILASTERS  
Size 2'-9½" x 6'-8"



No. 15M-2451-F  
PLAIN PILASTERS  
Size 3'-1½" x 7'-6"

### No. 15M-2424-F

Furnished complete with front, doors, top, countershelf, top and bottom shelves, shelf cleats and moulding for scribing to wall. No back included. Front is assembled, door fitted but not hinged. Top door is glazed clear flat drawn glass. Made of W.P.P. with laminated fir panel in bottom door.

Bright finish hardware consisting of necessary hinges, pulls and catches furnished and packed in separate box. Weight 64 lbs.

**\$33.75 Each**

### No. 15M-2429-F

Furnished complete with front, doors, tops, countershelf, top and bottom shelves, shelf cleats and moulding for scribing to wall. No back included. Front is assembled, door fitted but not hinged. Top door is glazed clear flat drawn glass. Made of W.P.P. with laminated fir panel in bottom door.

Bright finish hardware consisting of necessary hinges, pulls and catches furnished and packed in separate box. Weight 53 lbs.

**\$29.60 Each**

### No. 15M-2451-F

The front, with plain pilasters, is assembled and the doors are fitted but not hung. The top section has an attractive glazed door, 3 shelves and a counter-shelf. The bottom section has 1 plain shelf closed off by a pair of 3 ply Fir panelled doors. Shelf supports and plywood backs are included but hardware is not.

Made to set in wall recess and requires a rough opening 2'9" x 6'-10½". Weight 120 lbs.

**\$61.10 Each**

"VOLUME DISCOUNT" LESS 5% ON ORDERS FOR 3 OR MORE CHINA CASES


## • BUILT-IN LINEN CASES •

WITH BIRCH DOORS AND DRAWERS

Cut Building Cost With These "Pre-Built" Components.

Top Quality Units At the Lowest Price Possible

Made to fit in recess. Shipped semi-assembled, carton packed. Front frames W. P. Pine put together. No backs, hardware, or room trim included. Not painted.




CHEST OF DRAWERS - Type "A"

Type "A" — Includes front frame; drawers machined ready to assemble, fronts veneered Natural Birch with lipped edges; four framed drawer supports with four ¾" x 2¼" dadoed standards, two-piece hardwood center guides and tilting strips; ¾" top with 1-1/16" nosing.

Type "B" — Includes Drawer Unit Type "A"; front frame; one pair flush doors 1-1/16" thick veneered Natural Birch with lipped edges; 3 shelves with shelf cleats. No ends.

Type	Number	Size		Depth	Ship. Wt.	Price Each
"A"	15M-3087-I	2-6	2-11	1-7 over-all	50 lbs.	\$24.10
"A"	15M-3097-I	3-0	2-11	1-7 over-all	55 lbs.	26.00
"B"	15M-3088-I	2-6	6-10	1-7 over-all	95 lbs.	42.20
"B"	15M-3098-I	3-0	6-10	1-7 over-all	100 lbs.	46.80



LINEN CASE - Type "B"

NO. 14M-9000-F

PRICE

**\$3.95**

Each

24 Hour

Shipment

## TELEPHONE CABINET


CLEAR PONDEROSA PINE

Phone book compartment 12" wide x 2¼" high x 9½" deep. Moulded casing 2" wide.

Shipped set-up, ready for installation. Not painted. Individually carton packed. Ship. Wt., 10 lbs.

Fit between 2 x 4 studding.

Overall Size. . . . . 17½" x 20½"  
Wall Opening Required . . . . . 13½" x 17½" x 3-5/8"  
Opening Above Shelf . . . . . 11" x 12"  
Shelf Depth . . . . . 9½"



No. 14M-9000-F

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**




# • MODERN and COLONIAL MANTELS •

## QUALITY BILT MANTELS OF CLEAR WHITE PONDEROSA PINE

These very attractive Colonial and Modern Mantels are manufactured of the finest kiln dried lumber available, by craftsmen skilled in cabinet making. Every mantel is carefully inspected before it is carton packed. All designs in stock for immediate shipment – no wait for custom mill working.



No. 15M-2136-I



PLAIN PILASTERS




No. 15M-2137-I

These fine Colonial Mantels are made of clear W.P.P. not painted, packed one to a carton, in stock for immediate shipment. Note: No. 15M-2136-I is Semi-Assembled, No. 15M-2137-I is set up with 5½" returns.

Dimensions: shelf 7¼"x78" Wood Opening 50"x37½", Width of Body Over-all (at floor) 65½", Height Over-all 54-3/8".

No. 15M-2136-I ..... Wt. 50 Lbs. Price \$26.80  
No. 15M-2137-I ..... Wt. 75 Lbs. Price \$50.65

Windsor Economy Mantels of clear W.P.P. not painted with reversible Pilasters to show either the plain or fluted sides, packed one to a carton, in stock for immediate shipment. Semi-Assembled. Dimensions: shelf 7¼" x 72", Wood Opening 48" x 37½", Height Over-all 52", Width of Body Over-all 63".



FLUTED PILASTERS

Dimensions: shelf 7¼" x 72", Wood Opening 48" x 37½", Height Over-all 52", Width of Body Over-all 63".

No. 15M-2101-I ..... Wt. 36 Lbs. Price \$19.50

## RECESS IRONING BOARD

Recess required 1'-2" x 6'-9". Lines with 6-8 doors. Ironing Board 11" x 48" x ¾". Sleeve Board 5" x 26". W.P. Pine, Set-up, with back. Not painted. Fits between 2 x 4 studs. Door ¾" thick. Price includes cabinet, and mechanical hardware. No casing or hardware for swinging door included.

Ship. Wt. 35 lbs. ea.

Carton Packed

Price Each

No. 15M-2952-I ..... \$14.85

## FIREPLACE SURROUND

for the Contemporary Home


Particularly adapted for use in Modern Interiors. Our fireplace surround with its beautifully moulded contour adds much to the beauty of any room in which it is used. Nothing dresses up a brick or stone fireplace more than a well chosen wood surround.

Will fit any brick opening as head member is furnished 7 Ft. Long And Side Members are 4 Ft. Long. Not Mitred.

Size of members 1-3/8" x 5-5/8" Approx. Ship. Wt. 25 lbs.

No. 31M-2002-I ..... Clear Fir ..... \$7.50

No. 31M-1001-I ..... W.P. Pine ..... \$9.00



ALL ITEMS THIS PAGE SHIPPED F.O.B. ST. LOUIS, OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



## • COLONIAL FRONT ENTRANCES •

**Authentic Colonial Entrances of the finest quality Clear Ponderosa Pine**

These attractive Colonial Front Entrances are toxic treated for longer life and beauty. All heads come completely set up and are packed securely in cartons. Pilasters are reversible, with fluted design on one side and plain design on the other... adaptable to either 3-0x6-8 or 3-0x7-0 doors. Caps and bases included in a separate carton with the pilasters and all other vertical trim pieces. No jambs, sills or risers are included in the prices below.



15M-601-M  
\$30.50

15M-591-M  
\$44.40

15M-631-M  
\$37.40

15M-621-M  
\$32.95

15M-571-M  
\$24.95

### • SPECIFICATIONS •

NO.	OVERALL WIDTH	HEIGHT ABOVE DOOR	SHIPPING WEIGHT
15M-571-M	4'-6 1/2"	1'-1 1/2"	60 lbs.
15M-591-M	4'-6 1/2"	1'-1 1/2"	75 lbs.
15M-601-M	4'-6 1/2"	1'-4"	70 lbs.
15M-621-M	4'-6 1/2"	2'-4 1/2"	70 lbs.
15M-631-M	4'-6 1/2"	2'-7 5/8"	75 lbs.


Doors pictured with entrances are not included in price but are available on page 7 and for jambs see page 36.

## TWIN-LITE CONVERTIBLE DOOR SETS

FOR A MATCHED FRONT ENTRANCE

Twin-Lite Door Sets are "companion" doors--1-1/8" combination door and 1-3/4" entrance door--available as a perfectly matched set, with all structural parts in true balance and alignment. By using these popular Twin-Lite Doors, design conflict resulting in a cluttered appearance can be completely avoided. The 3 equal size glass panels are framed deeply in heavy raised mouldings, giving both doors a fine appearance and a pleasing design emphasis of modern styling.


Available Individually or as matched pair



### NO. 15M-5301-M ENTRANCE DOOR

These doors are made entirely of clear Ponderosa Pine, 1-3/4" thick, and toxic treated to prevent termite and moisture damage. The solid stiles are 4-1/4" wide, top rails 4-3/8", the two cross rails 3" and bottom rails 8-1/2" wide overall. The 2-1/4 x 5/8" raised mouldings are planted on, bedded in putty, and are raised on one side of the doors only. It is possible to reverse the doors, if desired. The panels are glazed with double strength glass, bedded in putty and with wood stops mitred and tacked in place. Each glass panel is 23-1/2" x 16-1/2".


No. 15M-5301-M 3-0x0-8x1-3/4" Weight 65 lbs. \$25.50



### NO. 15M-7131-M - COMBINATION DOOR


These combination doors convert by simply slipping the glass insert panels in or out. The doors are made of clear, toxic-treated Ponderosa Pine, 1-1/8" thick, and put together with hardwood dowels for rigidity. Stiles and top rails 4-5/8", cross rails 3-1/2", and bottom rails 9-3/4" wide overall. The permanently fixed screen panels have 2x3/8" raised moulded outside frames and are covered with 18x14 mesh aluminum screen cloth held in place by a neat screen mould on the inside. A protective aluminum grille is included for each panel. The removable glass panels fit into a rabbet on the outside of the screen panels, and are held snugly in place by four stainless steel clips. Glass panels are glazed with SSB glass and have aluminum edges.

No. 15M-7131-M 3-0x6-9x1-1/8" Weight 50 lbs. \$27.50



## Ponderosa Pine Combination Doors

A FULL 1-1/8" THICK



**26M-756-M FOUR LIGHT**  
Our 26M-756-M combination doors are made of #1 clear Ponderosa Pine. Glazed with clear glass and compound (not putty). Fine 16 mesh aluminum Wire screen insert... Top quality door. Econo-Master No. 15M-771-M is Toxic Treated with 4" Stiles and 7" Bottom Rails. 18x14 Mesh Galvanized Screen is attached on inside as on a Screen Door - no Screen Insert to remove or store, converts into a Storm Door by simply inserting Sash Insert.

Sizes	Wt.	26M-756-M	15M-771-M
2-6x6-9	40 lbs.	\$14.35	--
2-8x6-9	42 lbs.	14.60	11.80
2-10x6-11	43 lbs.	15.50	--
3-0x6-9	44 lbs.	15.40	12.65
3-0x7-1	47 lbs.	16.10	--

\$1.50 crating charge on Less than 3 door orders.

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • CLASSIC COLUMNS •

## ARCHITECTURALLY CORRECT WITH A LASTING BEAUTY




**36M-1000-MD**  
ROMAN PLAIN



**36M-1050-MD**  
DORIC-CAP



**36M-1100-D**  
TUSCAN COLUMN




**36M-1300-MD**  
GREEK DORIC



**36M-1350-MD**  
SCAMOZZI CAP



**36M-1400-MD**  
CORINTHIAN CAP




Tongue and groove construction. Made of Canadian Spruce, White Pine, Sitak Spruce, Redwood - our option. Grades to be No. 1 common or better. 8" to 10" columns made of 5/4 lumber, 12" to 14" columns made of 6/4 lumber, 16" to 24" columns made of 8/4 lumber. Columns are built up of staves which are straight one-third and swell tapered upper two thirds. This is done so that when the column is turned the correct "entasis" is obtained. This method also insures maximum thickness of stock throughout the entire length of the column. All glue used by us is the finest glue obtainable of the water-proof and water-resistant type. All columns above 12" diameter are waterproofed on the inside with a special black asphalt waterproofing compound. The bottoms of columns not having bases, and both ends of all large columns, shall be protected with a corrugated steel band running continuously and driven into the staves at end of column. All columns and pilasters are primed with wood primer before leaving our factory. All columns, before leaving our factory, are crated or protected in such manner to prevent injury to same.

### • SIZES AND PRICES •

Size	Approx. Weight	36M-1000-MD	36M-1050-MD	36M-1100-MD	36M-1300-MD	36M-1350-MD	36M-1400-MD
8" x 8'	50 lbs.	\$17.35	\$32.30	\$24.50	\$32.30	\$42.35	\$41.70
9'	60 lbs.	18.95	34.85	26.10	34.85	44.85	43.25
10'	70 lbs.	22.10	39.00	29.25	39.00	49.00	46.45
12'	80 lbs.	26.80	45.65	33.95	45.65	55.65	51.10
10" x 8'	50 lbs.	20.95	37.45	28.10	37.45	50.85	52.40
9'	75 lbs.	23.30	40.95	30.45	40.95	54.35	54.75
10'	100 lbs.	26.00	44.85	33.15	44.85	58.25	57.50
12'	125 lbs.	34.80	55.95	41.95	55.95	69.35	66.25
12" x 8'	65 lbs.	29.90	48.00	37.05	48.00	65.15	65.65
9'	100 lbs.	33.15	52.60	40.30	52.60	69.75	68.90
10'	120 lbs.	37.80	58.55	44.90	58.60	75.75	73.50
12'	145 lbs.	50.40	73.90	57.55	73.90	91.05	86.15
14'	175 lbs.	62.95	89.20	70.10	89.20	106.35	98.70
14" x 9'	120 lbs.	47.20	61.25	47.20	61.25	84.10	87.25
10'	135 lbs.	55.05	70.65	55.05	70.65	93.55	95.10
12'	200 lbs.	66.10	84.85	66.10	84.85	107.70	106.15
14'	250 lbs.	74.00	95.85	74.00	95.80	118.70	114.00
16'	290 lbs.	87.10	112.10	87.10	112.05	134.95	127.15
16" x 10'	230 lbs.	70.80	88.30	70.80	88.35	119.75	116.70
12'	250 lbs.	78.65	99.70	78.65	99.75	131.20	124.40
14'	280 lbs.	96.00	120.60	96.00	120.60	152.05	141.75
16'	325 lbs.	104.80	132.90	104.80	132.85	164.35	150.55
18'	370 lbs.	114.85	146.45	114.85	146.45	177.90	160.60
20'	425 lbs.	133.70	168.80	133.70	168.80	200.25	179.45
18" x 12'	300 lbs.	91.55	114.95	91.55	114.95	166.40	148.75
14'	350 lbs.	104.40	131.70	104.40	131.70	183.20	161.60
16'	400 lbs.	117.25	148.45	117.30	148.50	199.95	174.50
18'	450 lbs.	131.60	166.65	131.55	166.70	218.15	188.80
20'	500 lbs.	150.15	189.15	150.15	189.15	240.65	207.35
20" x 18'	575 lbs.	171.60	210.20	171.60	210.20	261.70	228.80
20'	630 lbs.	200.20	243.10	200.20	243.10	294.60	257.40
24" x 24'	975 lbs.	314.60	375.45	314.60	375.45	446.95	400.40

### CAST IRON PLINTHS

36M-4000-SD



**CAST IRON PLINTHS**  
We strongly recommend the use of cast iron ventilated plinths. Columns usually rest on stone, brick or cement floors. These plinths will keep the moisture which is more or less in floors of this kind, from the inside of the column. All plinths are primed with metal primer.

\*  
FOR SIZES NOT LISTED-OR SPECIAL DESIGNS-WRITE FOR QUOTATIONS.

\*  
FOR FLAT PILASTERS TAKE OFF 1/3 FROM FULL COLUMN PRICE.

\*  
FOR SPLITTING IN HALVES: 8" to 14" ADD \$5.25 PER COL., 16" to 20" ADD \$8.50 PER COL.

\*  
ALL COLUMNS MADE TO YOUR ORDER ALLOW 3 WEEKS FOR DELIVERY.

ALL COLUMNS SHIPPED F.O.B. WESTERN PENNSYLVANIA FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • DISAPPEARING ATTIC STAIRWAYS •

## THE Windsor WOOD FOLDING ATTIC STAIRWAY

COMPLETELY ASSEMBLED --- READY FOR INSTALLATION

### EASY TO INSTALL


The stairway is completely assembled at the factory. Can be installed in less than 30 minutes by setting complete unit in place and mailing to joints. This feature results in real savings of time and money.

### QUALITY CONSTRUCTION

Stair sections are manufactured of clear W.P.P. Connected by reinforced hinges that become a single stairway when open. Hardwood plywood ceiling panel left clear for application of any color finish. (Ceiling panel trim not furnished.) Steps are grooved into stair stringers and securely held with coated nails. Strong steel hardware and fittings are included.

$\frac{3}{4}$ " x 3-5/8" FRAME FOR FLUSH PLYWOOD DOOR -  $\frac{3}{4}$ " x 4 $\frac{1}{2}$ " JAMB AND HEADER

No.	Rough Opening	Ceiling Heights	Treads	Stringers	Wts.	Prices	
						1-5	6 or More
14M-1089-I	25 $\frac{1}{2}$ x54	Up To 8'9"	$\frac{3}{4}$ " x 3 $\frac{1}{2}$ "	$\frac{3}{4}$ " x 3-5/8"	60 lbs	\$17.75	\$16.95
14M-2089-I	25 $\frac{1}{2}$ x54	Up To 8'9"	$\frac{3}{4}$ " x 4 $\frac{1}{2}$ "	7/8" x 3-5/8"	62 lbs	19.10	18.25
14M-3099-I	25 $\frac{1}{2}$ x54	Up To 9'9"	$\frac{3}{4}$ " x 4 $\frac{1}{2}$ "	7/8" x 3-5/8"	65 lbs	20.45	19.55



VA  
AND  
FHA  
ACCEPTED

## THE Windsor "HEAVY DUTY" STEEL ATTIC STAIRWAY

FACTORY ASSEMBLED --- PACKAGED READY TO INSTALL  
GUARANTEED 5 YEARS


- CANNOT WARP, BREAK OR COME APART • BUILT ONE PIECE TRUSS • NON-SKID TREADS FOR SAFETY • LESS THAN TWELVE INCH CLEARANCE REQUIRED • NO COUNTER WEIGHTS OR SLIDES • HEIGHT ADJUSTABLE 6 TO 8 INCHES • PRE-TESTED FOR POUNDAGE PULL • ADJUSTABLE SPRING TENSION • EASY TO OPERATE

No.	Rough Opening	Ceiling Heights	Wts.	Prices	
				1-5	6 or more
11M-4608-I	25 $\frac{1}{2}$ x46	8 Ft.	64 Lbs.	\$20.55	\$19.80
11M-2508-I	25 $\frac{1}{2}$ x54	8 Ft.	95 Lbs.	28.00	27.00
11M-2509-I	25 $\frac{1}{2}$ x54	9 Ft.	96 Lbs.	30.40	29.30
11M-2510-I	25 $\frac{1}{2}$ x60	10 Ft.	103 Lbs.	37.60	36.25
11M-3108-I	31 $\frac{1}{2}$ x54	8 Ft.	100 Lbs.	35.30	34.00
11M-3109-I	31 $\frac{1}{2}$ x54	9 Ft.	101 Lbs.	36.50	35.15
11M-3110-I	31 $\frac{1}{2}$ x60	10 Ft.	108 Lbs.	43.70	42.10

• F.H.A. APPROVED  
• EXTRA WIDE 31 $\frac{1}{2}$ " WIDTH AVAILABLE  
• 15 MINUTE INSTALLATION

## Windsor BASEMENT UTILITY WINDOWS

... ideal for basements, summer cabins, farm buildings, etc.



Completely assembled, ready to be set in wall. Sash instantly reversible and can be hung from top or bottom ... three ventilating positions. Kiln dried western ponderosa pine. - Complete unit - toxic, water-repellent treated. - 1 light sash, wood bead glazed S.S.B., bedded. - Storm panel, 1 light, S.S.B. glass, installed on sash. - Screen wired 18x14 mesh - Installed in each unit. - Anodized aluminum weatherstrip installed. - Dual, rust-resistant hardware installed. - Carton packed - 2 units of 1 size in each carton.

### • SPECIFICATIONS AND PRICES •

Number	Glass Size	Masonry Opening	Wt.	Prices		
				1-11	12-49	50 or Over
26M-9101-I	27 x 10	2'8-1/8" x 1' 3 $\frac{1}{2}$ "	19 lbs.	\$7.90	\$7.50	\$7.00
26M-9141-I	27 x 14	2'8-1/8" x 1' 7 $\frac{1}{2}$ "	21 lbs.	8.85	8.40	7.90
26M-9181-I	27 x 18	2'8-1/8" x 1' 11 $\frac{1}{2}$ "	24 lbs.	9.65	9.15	8.60

ABOVE PRICES INCLUDE STORM PANEL AND SCREEN

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OF CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • COLONIAL Stairwork •




STARTING NEWELS

LANDING NEWELS



BALUSTERS



SINGLE AND STARTING STEP

ROSETTE



OPG CAP



QTR CAP



TANDEM CAP



HAND RAIL



90° EASING



VOLUTE






TURNOUT



(LEFT HAND SHOWN)

GOOSE NECKS



EASINGS




QTR TURN



UP-EASING




OVERHAND EASING



(ILLUSTRATIONS SHOW RIGHT HAND)

With Volute 21M-7035 use starting newel 21M-4050 and six balusters 21M-5040 36" long. Correct use of balusters is 31" for first baluster on step, 34" on second baluster on step & around well hole, 36" for third baluster on step where three specified. Six baluster required on starting step under volute.

PLAIN TREAD



RISER



NOSING










LANDING NOSING



COVE



CAP



Code	No.	STARTING NEWEL	Oak	Birch
"A"	21M-4020-MD	3-1/2" x 3-1/2" x 41"	\$5.35	\$6.25
"B"	21M-4022-MD	" " " x 44"	6.00	6.85
"C"	21M-4030-MD	3-1/4" x 3-1/4" x 41"	4.60	5.40
"D"	21M-4050-MD	2-1/4" x 2-1/4" x 42"	2.95	3.40
"E"	21M-4015-MD	LANDING NEWEL		
"F"	21M-4025-MD	3-1/4" x 3-1/4" x 62"	6.75	7.85
"G"	21M-4035-MD	3-1/2" x 3-1/2" x 62"	7.70	8.95
"H"	21M-8010-MD	3-1/4" x 3-1/4" x 62"	6.75	7.85
"H"	21M-8011-MD	3'6" with shoe Mld.	12.62	-
"I"	21M-8020-MD	4'0" with shoe Mld.	13.43	-
"I"	21M-8021-MD	3'6" with shoe Mld.	13.96	-
"I"	21M-8021-MD	4'0" with shoe Mld.	14.61	-
For double end starting step double price of single end same pattern.				
"J"	21M-8070-MD	STAIR TREAD		
"J"	21M-8071-MD	1-1/16" x 9-1/2" x 36"	2.00	-
"J"	21M-8072-MD	" " " x 42"	2.30	-
"J"	21M-8072-MD	" " " x 48"	2.65	-
"J"	21M-8170-MD	1-1/16" x 10-1/2" x 36"	2.15	-
"J"	21M-8171-MD	" " " x 42"	2.50	-
"J"	21M-8172-MD	" " " x 48"	2.80	-
"J"	21M-8270-MD	1-1/16" x 11-1/2" x 36"	2.35	-
"J"	21M-8271-MD	" " " x 42"	2.70	-
"J"	21M-8272-MD	" " " x 48"	3.05	-
"K"	21M-8090-MD	LANDING TREAD		
"K"	21M-8091-MD	1-1/16" x 3-1/2" x 36"	.75	-
"K"	21M-8091-MD	" " " x 42"	.87	-
"K"	21M-8092-MD	" " " x 48"	1.00	-
"L"	21M-8075-MD	RISERS		
"L"	21M-8076-MD	3/4" x 7-1/2" x 36"	1.15	-
"L"	21M-8076-MD	" " " x 42"	1.30	-
"L"	21M-8077-MD	" " " x 48"	1.50	-
"L"	21M-8175-MD	3/4" x 8" x 36"	1.20	-
"L"	21M-8176-MD	" " 8" x 42"	1.40	-
"L"	21M-8177-MD	" " 8" x 48"	1.60	-
"M"	21M-8080-MD	RETURN NOSING		
"M"	21M-8080-MD	1-1/16" x 1-1/8" per ft.	.12	-

Code	No.	STAIR COVE	Oak	Birch
"N"	21M-8095-MD	5/8" x 13/16"	per cwt ft 4.16	-
TURNED BALUSTERS				
"O"	21M-5015-MD	1 1/4" x 1 1/4"	All Styles	(31" .46 .54
"P"	21M-5025-MD	" " "	same price	(34" .49 .57
"Q"	21M-5035-MD	" " "	according	(36" .51 .60
"R"	21M-5040-MD	" " "	to length	(39" .57 .67
"S"	21M-7017-MD	Wall Rosette		(41" .63 .74
"T"	21M-7018-MD	Plain Cap	1.89	2.09
"U"	21M-7019-MD	One Opg. Newell Cap	2.10	2.32
"V"	21M-7020-MD	Tandem Cap	2.51	2.78
"W"	21M-7021-MD	Quarter Turn Cap	3.92	4.34
"X"	21M-7011-MD	Quarter Turn	3.22	3.57
"Y"	21M-7012-MD	Up Easing	3.56	3.94
"Z"	21M-7013-MD	Overhand Easing	3.56	3.94
"AA"	21M-7014-MD	90° Up Easing	3.89	4.30
"BB"	21M-7030-MD	L. H. Volute	10.71	11.86
"BB"	21M-7035-MD	R. H. Volute	10.71	11.86
"CC"	21M-7040-MD	Left Hand Turnout	6.69	7.39
"CC"	21M-7045-MD	Right Hand Turnout	6.69	7.39
"DD"	21M-7050-MD	L. H. Gooseneck 2 Riser	11.16	12.47
"DD"	21M-7055-MD	R. H. Gooseneck 2 Riser	11.16	12.47
"EE"	21M-7070-MD	L. H. Gooseneck 1 Riser	8.22	9.18
"EE"	21M-7071-MD	L. H. Gooseneck 2 Riser	9.13	10.20
"EE"	21M-7075-MD	R. H. Gooseneck 1 Riser	8.22	9.18
"EE"	21M-7076-MD	R. H. Gooseneck 2 Riser	9.13	10.20
"FF"	21M-7090-MD	L. H. Gooseneck 1 Riser ldg. ret	9.97	11.13
"FF"	21M-7095-MD	R. H. Gooseneck 1 Riser ldg. ret	9.97	11.13
"GG"	21M-7096-MD	Gooseneck 1 Riser with Cap	6.56	7.33
"GG"	21M-7097-MD	Gooseneck 2 Riser with Cap	7.62	8.50
"GG"	21M-7098-MD	Gooseneck 1 Riser No Cap	5.20	5.81
"GG"	21M-7099-MD	Gooseneck 2 Riser No Cap	6.33	7.08
"HH"	21M-7088-MD	Gooseneck 1 Riser Tandem Cap	7.39	8.17
"JJ"	21M-7010-MD	Starting Easing	4.56	5.19
"KK"	21M-7015-MD	Starting Easing with ret. end	4.56	5.19
"LL"	21M-7016-MD	Overhand Easing Return End	4.56	5.19
"MM"	21M-6010-MD	Hand Rail 2-1/4" x 2-3/8" per ft.	.52	.62

ALL STAIR PARTS ARE SHIPPED F.O.B. EASTERN OHIO FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • THE CONTINENTAL LINE OF SHUTTER KITS •

## SMART NEW INTERIOR MOVABLE SHUTTERS

The ultimate in charm will apply to every room which utilizes the Continental line of interior movable shutters. A soft blending of light and shadow harmonizes every phase of a room—texture, color and style—into a memorable setting for stylized or informal living. Continental shutters are ideal for modern decorative expression.



Finest quality interior movable shutters, completely assembled and packaged, four panel shutter ready to install. Available in both Select Sugar Pine and fine quality Philippine Mahogany. Manufactured, assembled and sanded by skilled craftsmen. A complete range of stock sizes for all standard window and door openings. Each package contains all the necessary hardware for hanging the shutters along with a pair of authentic porcelain knobs with Wrought Brass hook. All the customer has to do is paint, stain or wax his shutter and install them according to the simple instructions included in each kit.

Overall Size of Set of 4 Panels Width - Height	For Bottom or Top Half of Ck. Rail Window Glass Measure Size	Single Shutter Panel Size	Approx. Weight Lbs. Per Kit	No. 26M-630-MD Sugar Pine Price Per Kit	No. 26M-635-MD Phil. Mahog. Price Per Kit
25 1/4" x 20"	20" x 14" or 20" x 16"	6" x 20"	5 1/2	\$10.10	\$11.70
24" x 20"	18" x 20"	24"	6	12.40	14.30
28" x 20"	24" x 20"	28"	8	13.60	15.70
32" x 20"	28" x 20"	32"	8 1/2	14.80	17.00
36" x 20"	32" x 20"	36"	9	18.00	20.70
29 1/4" x 20"	24" x 14" or 24" x 16"	7" x 20"	6	10.30	11.90
24" x 20"	18" x 20"	24"	6 1/2	12.70	14.60
28" x 20"	24" x 20"	28"	8 1/2	14.40	16.60
32" x 20"	28" x 20"	32"	9	15.70	18.10
36" x 20"	32" x 20"	36"	9 1/2	18.80	21.60
31 1/4" x 20"	26" x 14" or 26" x 16"	7 1/2" x 20"	6	11.00	12.70
24" x 20"	18" x 20"	24"	6 1/2	13.00	14.90
28" x 20"	24" x 20"	28"	8 1/2	15.10	17.40
32" x 20"	28" x 20"	32"	9	16.90	19.50
36" x 20"	32" x 20"	36"	9 1/2	19.60	22.60
33 1/4" x 20"	28" x 14" or 28" x 16"	8" x 20"	6 1/2	11.20	12.80
24" x 20"	18" x 20"	24"	7	13.20	15.10
28" x 20"	24" x 20"	28"	9	15.30	17.60
32" x 20"	28" x 20"	32"	9 1/2	17.20	19.70
36" x 20"	32" x 20"	36"	10	19.80	22.70
37 1/4" x 20"	32" x 14" or 32" x 16"	9" x 20"	7	11.40	13.20
24" x 20"	18" x 20"	24"	7 1/2	13.90	15.90
28" x 20"	24" x 20"	28"	9 1/2	16.00	18.40
32" x 20"	28" x 20"	32"	10	17.90	20.50
36" x 20"	32" x 20"	36"	10 1/2	20.50	23.60
41 1/4" x 20"	36" x 14" or 36" x 16"	10" x 20"	7 1/2	19.30	13.80
24" x 20"	18" x 20"	24"	8	14.80	17.00
28" x 20"	24" x 20"	28"	10	16.90	19.50
32" x 20"	28" x 20"	32"	10 1/2	18.80	21.60
36" x 20"	32" x 20"	36"	11	21.50	24.70
45 1/4" x 20"	40" x 14" or 40" x 16"	11" x 20"	8	13.10	15.00
24" x 20"	18" x 20"	24"	8 1/2	16.10	18.50
28" x 20"	24" x 20"	28"	10 1/2	18.60	21.40
32" x 20"	28" x 20"	32"	11	20.70	23.80
36" x 20"	32" x 20"	36"	11 1/2	22.40	25.80
49 1/4" x 20"	44" x 14" or 44" x 16"	12" x 20"	8 1/2	13.40	15.40
24" x 20"	18" x 20"	24"	9	16.40	18.90
28" x 20"	24" x 20"	28"	11	19.10	21.90
32" x 20"	28" x 20"	32"	11 1/2	21.50	24.70
36" x 20"	32" x 20"	36"	12	23.20	26.70

In ordering, specify the sizes desired from those given above. Assembled Units may be trimmed down in width as much as 2 1/4" and trimmed down in height as much as 3 1/4".

All shutter kits are available with stationary slats at 15% off. If desired be sure to specify "stationary slats", otherwise movable slats will be furnished.

Freight prepaid 150 lbs. or more.

## Windsor SHUTTERS in standard stock panels

Really low prices on indoor movable shutters! Hang on face of the wall or casing... between the jambs or window stops. Sanded ready for paint or stain. Not beaded or rabbitted.

SPECIFICATIONS: Stiles—1-9/16" wide by 25/32" thick; Rails—5/8" thick, Top Rail 3-3/8" wide, Bottom Rail 3-13/16" wide. Each panel may be trimmed at least 1" in width, and as much as 4" in height. All panels are 1/8" over-size in width from their given size.

No. 18M-612-MD

ORDER IN MULTIPLES OF 4 OF EACH SIZE PER OPENING

Panel Height	WIDTH OF EACH PANEL						
	6"	7"	8"	9"	10"	11"	12"
20"	\$1.85	\$1.95	\$2.05	\$2.15	\$2.30	\$2.45	\$2.60
24"	2.05	2.15	2.25	2.35	2.50	2.65	2.80
28"	2.30	2.35	2.50	2.60	2.75	2.90	3.00
32"	2.50	2.60	2.70	2.80	2.95	3.10	3.20
36"	2.70	2.80	2.90	3.05	3.20	3.30	3.45
40"	2.95	3.05	3.15	3.20	3.40	3.50	3.65

ALL SHUTTERS ABOVE SHIPPED F.O.B. TEXAS FACTORY IN ONE WEEK

### • HARDWARE •

#### [A] HOOK & KNOB SET

No. 18M-144-MD . . . . 32¢ Set

#### [B] INTER-PANEL HINGE



For Connecting Panels together  
No. 18M-143-QD . . . . 16¢ Pr.

#### [B] HANGING HINGE

For Fastening Shutters to Wall  
No. 18M-141-QD . . . . 30¢ Pr.

#### [C] OFFSET HANGING HINGE

For Fastening Shutters To Wall  
No. 18M-142-QD . . . . 30¢ Pr.



All are brass plated screws are included

Materials Wholesale from **MORGAN - WIGHTMAN**



# • POLYETHYLENE FILM •

## GER-PAK

## Moisture-Vapor Barrier Material



### SHUT THE DOOR

with Ger-Pak film, keep out rain, snow, wind. Tack film to studs or staple to moveable frames.

### GER-PAK ASSURES YOU THESE VITAL ADVANTAGES:

Will not crack, chip or embrittle with age; protects for the life of a building. — is lightweight and easy to handle (500 square feet of Ger-Pak film .004" thickness weighs less than 10 pounds). — is tough, yet soft and flexible; it resists tears and punctures. — is unaffected by changing climatic conditions; may be installed summer or winter: maintains flexibility down to minus 70°F. — is chemically inert; acids, alkalis and caustics do not affect it. — is ideal as a moisture-vapor barrier because it is lightweight, tough and economical. Polyethylene Film considered acceptable for use in accordance with Gov't. Bulletin No. UM-20. — Easily Slit with knife — available in seamless widths up to 20 ft. —

lack available on special order in all widths in .004 and .006 thickness

No.	Film Thickness	Film Width	Sq. Ft. Per Roll	Wt. Per Roll	Prices Per Roll	
					Less than 5M Sq. Ft.	From 5M To 50M Sq. Ft.
2P-2420-M	.002	4'2"	833	10 lbs.	\$5.65	\$5.35
2P-2840-M	.002	8'4"	1667	17 lbs.	11.35	10.80
2P-4400-M	.004	4'0"	400	8 lbs.	5.45	5.18
2P-4800-M	.004	8'0"	800	16 lbs.	10.90	10.35
2P-4106-M	.004	10'6"	1050	21 lbs.	14.30	13.60
2P-4140-M	.004	14'0"	1400	28 lbs.	19.10	18.15
2P-4200-M	.004	20'0"	2000	40 lbs.	27.25	25.90
2P-4280-M	.004	28'0"	2800	62 lbs.	38.15	36.25
2P-4320-M	.004	32'0"	3200	75 lbs.	43.60	41.40
2P-6106-M	.006	10'6"	1050	30 lbs.	21.45	20.35
2P-6120-M	.006	12'0"	1200	35 lbs.	24.55	23.30
2P-6140-M	.006	14'0"	1400	40 lbs.	28.60	27.15
2P-6200-M	.006	20'0"	2000	60 lbs.	40.90	38.85
2P-6280-M	.006	28'0"	2800	90 lbs.	62.35	59.25
2P-6320-M	.006	32'0"	3200	100 lbs.	65.40	62.10

- CHECK OUR LOW PRICES
- TEN POPULAR WIDTHS UP TO 32 FOOT
- DESIGNED TO MEET FHA REQUIREMENTS

**FOR CONCRETE SLABS AND FLOORS!** Lay Ger-Pak flat, overlapping edges six inches to protect against cement-water loss. After pouring concrete atop Ger-Pak and levelling, cover lightly with water, then cover entire slab with Ger-Pak. No further watering needed, you get perfect cures every time. After cure is complete, strip off Ger-Pak and re-use. It never rats.



**OVER STUDDING OR SUB-FLOORING!** Staple Ger-Pak over studs on warm side of room, or lay flat over sub-flooring. Blocks passage of vapor, and moisture, protects against fungus. So easy to handle one man can do the job! Ger-Pak is available up to 20 feet wide... covers with fewer laps. So costs less to install than any other vapor barrier!




**PROTECTS TOOLS, MACHINERY, CONSTRUCTION.** Rain, humidity and dew sealed out when anything big or small is covered with Ger-Pak polyethylene film. So tough it stands up to heavy winds. Get all the facts today!



## Consolite SKYLIGHTS

The only SELF-FLASHING skylight




CONSOLITES eliminates complex installation problems caused by ver-engineering. Unitized all-plastic construction makes them lighter in weight... and so much easier and faster to handle and install. No complicated metal parts to assemble or clean. Efficient mass production methods and substantially lower shipping weights combine to make CONSOLITES one of, if not the most effective skylights available... at far less cost! Best of all, CONSOLITES require less alteration in standard roof design. CONSOLITE'S basic models will fill any need and are designed to fit almost any type roof being built today.

No.	Roof Opening	Overall Size	Shipping Weight	Price
15P-5705-F	14" x 14"	22" x 22"	7 lbs.	\$10.50
15P-5710-F	20" x 20"	28" x 28"	10 lbs.	17.00
15P-5712-F	38" x 38"	46" x 46"	25 lbs.	36.40
15P-5725-F	16" x 36"	24" x 44"	14 lbs.	21.45
15P-5730-F	18" x 48"	26" x 56"	17 lbs.	25.30

## Windsor BUDGET MODEL SKYDOME

1-5/8 Curb



Fiberglass reinforced, polyester plastic skydome.

The WINDSOR is designed and priced for the limited budget. WINDSOR is an architectural grade unit designed to meet the highest architectural requirements. The design and construction of the WINDSOR PLASTIC DOME have been simplified for reasons of economy to meet minimum requirements without sacrificing efficiency. The Windsor Plastic Dome can be used either to supplement day-lighting from windows or as the sole source of natural light in interior areas. It allows greater freedom of design because it eliminates the restrictions of perimeter lighting and expensive clerestory and monitor construction. This plastic has high transmission, good daylight diffusion properties and exceptional resistance to weathering. Full allowance is made for the plastic's expansion and contraction during temperature changes. Both the curb (lower) frame and the retaining (upper) frame are flash-welded at the corners for maximum strength. The Windsor ensures water-tight installation. The Dome is easy to install—one man can mount the unit in just a few minutes.

No.	Overall A	Inside Dimension B	Plastic Thick E	Weight	Price
23P-2424-F	24 24	19 19	1/8	9 1/2 lbs.	\$23.40
23P-3636-F	36 36	30 3/4 30 3/4	1/8	16 1/2 lbs.	39.00
23P-5252-F	52 52	40 3/4 46 3/4	3/16	33 1/2 lbs.	74.15
23P-2052-F	20 52	14 3/4 46 3/4	3/16	17 lbs.	39.00
23P-3652-F	36 52	30 3/4 46 3/4	3/16	28 lbs.	56.60

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# FILON® PLASTIC PANELS


reinforced with fiberglass and nylon... translucent and shatterproof

**FILON FOR -**

- PATIO ROOFS
- AWNINGS
- PARTITIONS
- FENCES
- CAR PORTS
- CANOPIES
- SKY LIGHTS



### CORRUGATION DATA



14 Colors to choose from: FOREST - FROST - NILE GREEN -  
AMBER - AQUAMARINE - CLEAR - CORAL - DUSTY PEACH  
JADE - GREEN - EMERALD - SNOW - TURQUOISE - YELLOW.

**FILON NO. 180 PREMIUM GRADE** **51¢** PER  
2½" CORRUGATION - 3/64" THICK SQ. FT.

Our No.	Panel Size	Panel Wt.	Panel Price
21P-6208-M	26" x 96"	6 lbs.	\$ 8.84
21P-6210-M	26" x 120"	7½ lbs.	11.05
21P-6212-M	26" x 144"	9 lbs.	13.26
21P-4308-M	34" x 96"	8 lbs.	11.56
21P-4310-M	34" x 120"	10 lbs.	14.45
21P-4312-M	34" x 144"	12 lbs.	17.34

1 1/4" x 1/4" Corrugation - 3/64" thick  
Available in 2 colors - Clear and Jade

21P-7008-M	26" x 96"	6 lbs.	\$8.84
21P-7010-M	26" x 120"	7½ lbs.	11.05
21P-7012-M	26" x 144"	9 lbs.	13.26


Flat Panels-3/64" Thick Available: Frost-Green-Snow-Clear

21P-2408-M	24" x 96"	6 lbs.	\$8.16
21P-2410-M	24" x 120"	7½ lbs.	10.20
21P-2412-M	24" x 144"	9 lbs.	12.24
21P-3008-M	30" x 96"	7½ lbs.	10.20
21P-3010-M	30" x 120"	9½ lbs.	12.75
21P-3012-M	30" x 144"	11 lbs.	15.30

Complete set of color samples – available for \$1.00

## **FILON® ACCESSORIES**

# A L U M I N U M F L A S H I N G



**CORRUGATED ALUMINUM RIDGE ROLL.** 28" Length, 12" Girth, 2" roll to match 2 1/2" corrugation.

**SIDE WALL FLASHING.** 5'6" Length, 10" Girth, 2 1/2" corrugation. For use when side of FILON panel joins wall of a structure.

**CORRUGATED WOOD STOPS**  
2" or 3/4", for 2 1/2" standard  
corrugation. Wood moulding  
band sawed to fit corrugation.

\* **WOOD AND RUBBER VERTICAL STRIPS** for sealing at side lap of sheet, or for underneath lap joints.  
2-1/2" corr.

**RUBBER CORRUGATED STOPS**  
for sealing across corrugations at ends of sheets. Provide greater shock absorption where sheets butt against metal structure

**FILON**  
PLASTIC REFINISHER. Quart  
and gallon cans, in colors.

### NON-DRYING MASTIC

**FILON** CLEAR ADHESIVE for fastening panels to each other or to other materials. Available in pint and quart containers.

**FILON PERMAGUM**  
MASTIC for waterproofing, sealing overlapping joints and caulking wherever necessary. Available in 20 ft. and 80 ft. rolls.

**5/8" Dia.**  
**FILON WASHERS.** Laminated metal and neoprene composition. For added strength in high wind velocity and heavy snow load areas.

L  **FILON  
PLASTIC  
REFINISHER**

**FILON** ALUMINUM WEATHERPROOF  
NAILS with neoprene washers attached.  
1 3/4" x 10 gauge.  
NAILS are always driven in the crown of  
the corrugation to avoid seepage of water  
through nail holes.

**A** No. 21P-251-I      **ACCESSORY**  
92¢ Each      **PRICES**

- |          |   |  |
|----------|---|--|
| <b>A</b> | No. 21P-251-I<br>92¢ Each                                   | <b>ACCESSORY</b><br>*<br><b>PRICES</b>                             |
| <b>B</b> | No. 21P-252-I<br>81¢ Each                                   | <b>H</b> No. 21P-2612-J<br>26½" L.<br>92¢ Each                     |
| <b>C</b> | No. 21P-253-I<br>\$2.17 Each                                | <b>I</b> No. 21P-100-0<br>- \$7.60 Gal.<br>2.17 Quart<br>1.25 Pint |
| <b>D</b> | No. 21P-158-S<br>1-5/8"x6" or 8" L.<br>14¢ Lin. Ft.         | <b>J</b> No. 21P-150-I<br>3/16" Hole<br>\$.157 Per 100             |
| <b>E</b> | No. 21P-159-S<br>3/4"x6" or 8" L.<br>10¢ Lin. Ft.           | <b>K</b> No. 21P-200-0<br>20 ft. Roll<br>77¢ Ea.                   |
| <b>F</b> | No. 21P-851-S<br>1-5/8"x6" or 8" L.<br>11¢ Lin. Ft.         | <b>K</b> No. 21P-800-0<br>80 Ft. Roll<br>\$.23 Ea.                 |
| <b>G</b> | No. 21P-1424-J<br>1-1/4" Corr.<br>1"x24" L.<br>41¢ Each     | <b>L</b> No. 21P-300-0<br>\$6.80 Gal.<br>\$2.13 Quart              |
| <b>G</b> | No. 21P-1228-J<br>2-1/2" corr.<br>1-1/2"x28" L.<br>55¢ Each | <b>M</b> No. 21P-1341-M<br>\$1.15 Per 100                          |

**\$2.00 Packing charge on orders of 6 panels or less**

<b>VOLUME DISCOUNT</b>	
500 SQ. FT. ORDERS LESS 5% - FREIGHT COLLECT	
1000 SQ. FT. ORDERS LESS 5% - FREIGHT PREPAID	

**FILON PANELS SHIPPED F.O.B. OUR ST. LOUIS, OR CHICAGO WAREHOUSE**

Materials Wholesale from **MORGAN - WIGHTMAN**



# • NEW IDEAS IN HARDBOARD •


NOW A COMPLETE LINE TO SERVE YOU BETTER!

Ribbed Hardboard – Corrugated Hardboard – Perforated Hardboard – Under Layment

All Hardboard is "American Made" by Leading Hardboard Fabricator



Special resin-spray "dry process" makes this Hardboard superior to ordinary "wet process" boards. Hardboard machines without fuzzy edges, is easy on tools. Light-colored surface is unexcelled for painting. Extensive line meets all your needs

for low-cost home or commercial construction. Includes Standard, Tempered, Perforated, and also Tempered-Perforated Hardboards. Packaged for easy handling.




**RIBBED** – Standard or Tempered, Vertical 3/4" rib; for textured wall effect, or cabinet doors.

**PERFORATED**—S2S, Screen-back, Tempered, or Standard. Square pattern.



**UTILITY PANELS**—Economy Board or Underlayment (sanded to uniform caliper).

**RANDOM PLANK**—Factory Finished in Ivory tone. A tough-surfaced wall paneling.



23M-100-Q STANDARD HARDBOARD LIGHT, NATURAL-WOOD TONE ... SMOOTH BOTH SIDES					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
3/32"	4'x8'	10	18 lbs.	\$2.24	\$0.07
1/8"	4'x8'	6	27 lbs.	2.56	.08
3/16"	4'x8'	6	36 lbs.	3.20	.10
1/4"	4'x8'	4	46 lbs.	4.48	.14
3/8"	4'x8'	3	69 lbs.	7.04	.22

23M-200-Q TEMPERED HARDBOARD MULTI-PURPOSE EXTERIOR HARDBOARD FINE-TEXTURED SCREEN BACK					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/8"	4'x8'	6	25 lbs.	\$3.20	\$0.10
3/16"	4'x8'	6	33 lbs.	4.48	.14
1/4"	4'x8'	4	41 lbs.	5.44	.17

23M-300-Q UNDERLAYMENT UTILITY PANELS THE IDEAL BASE FOR FLOOR COVERING... CONVENIENT SIZES					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
.215	4'x4'	6	17 lbs.	\$1.60	\$0.10
.215	4'x3'	8	13 lbs.	1.20	.10

23M-500-Q RIBBED HARDBOARD FEATURING 3/4" WIDE PARALLEL BEADS TEXTURED SURFACE					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/8"	4'x8'	6	24 lbs.	\$3.20	\$0.10
1/4"	4'x8'	4	40 lbs.	4.80	.15
1/4"	4'x8'	4	42 lbs.	6.08	.19

23M-101-Q STANDARD PERFORATED *3/16" HOLES IDEAL FOR DISPLAY AND STORAGE PANELS SMOOTH BOTH SIDES					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/8"	4'x8'	6	26 lbs.	\$3.52	\$0.11
3/16"	4'x8'	6	35 lbs.	4.48	.14
1/4"	4'x8'	4	43 lbs.	6.40	.20

\*NOTE - 1/4" has 9/32" holes

23M-202-Q TEMPERED PERFORATED *3/16" HOLES FOR DISPLAY AND STORAGE USE OUTDOORS OR MOIST CONDITIONS					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/8"	4'x8'	6	24 lbs.	\$4.16	\$0.13
3/16"	4'x8'	6	32 lbs.	5.76	.18
1/4"	4'x8'	4	38 lbs.	7.04	.22

\*NOTE - 1/4" has 9/32" Holes

23M-400-Q ECONOMY BOARD UTILITY PANELS SMOOTH-BOTH-SIDES ... LOW COST-ATTRACTIVE					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/4"	4'x8'	4	35 lbs.	\$3.20	\$0.10

23M-600-Q RANDOM PLANK FACTORY-FINISHED PRESEALED, IVORY TONED PANELS VERTICAL V-GROOVES-RANDOM SPACING					
Thickness	Size	Pcs. Per Bundle	Weight Per Pc.	Price Per Pc.	Price Per Sq. Ft.
1/4"	4'x8'	4	38 lbs.	\$4.48	\$0.14

NOTE: Square - Scored with 16" x 16" V-Grooved Squares available in 4'x4' Size - Same price as above

**LOF GLASS** LIBBEY • OWENS • FORD WINDOW GLASS  
No. 14P-500-ND No. 14P-505-ND  
S. S. - Single Strength Wt. 65-70 lbs. D.S. - Double Strength Wt. 95-100 lbs.

MACHINE MADE FLAT DRAWN  
EXCLUSIVE WITH L.O.F.  
PRICES PER FULL BOX  
NO BOXES BROKEN

Size	Lts.	S.S.
8 x 10	90	\$6.90
9 x 12	67	6.90
10 x 12	60	6.90
10 x 14	51	6.90
10 x 16	45	6.90
10 x 20	36	6.90
12 x 12	50	6.90
12 x 14	43	6.90
12 x 16	38	6.90
12 x 20	30	6.90
12 x 24	25	6.90
12 x 28	21	6.90
14 x 14	37	6.90
14 x 18	29	6.90
14 x 24	21	6.90
14 x 28	18	7.00
14 x 34	15	7.00
14 x 36	14	7.00

Size	Lts.	S.S.	D.S.
15 x 16	30	6.90	9.55
15 x 20	24	6.90	9.55
16 x 16	28	6.90	-
16 x 20	23	6.90	-
16 x 24	19	6.90	-
18 x 18	22	6.90	-
18 x 20	20	6.90	-
18 x 24	17	7.00	-
18 x 32	13	7.00	-
20 x 20	18	6.90	-
20 x 24	15	7.00	-
20 x 26	14	7.00	-
20 x 28	13	7.00	-
20 x 30	12	7.00	-
22 x 28	12	7.00	-
24 x 24	12	7.00	10.58
24 x 26	12	7.00	10.58
24 x 28	11	7.40	10.86
24 x 30	10	7.40	-
24 x 32	9	7.40	-

Size	Lts.	S.S.	D.S.
24 x 34	9	7.40	-
24 x 36	8	7.40	10.86
26 x 26	11	7.40	10.86
26 x 28	10	7.40	-
26 x 30	9	7.40	10.86
26 x 32	9	7.40	-
26 x 36	8	8.05	11.62
28 x 28	9	7.40	10.86
28 x 30	9	7.40	-
28 x 32	8	7.40	10.86
28 x 34	8	8.05	-
28 x 36	7	8.05	11.62
30 x 30	8	7.40	10.86
30 x 32	8	8.05	-
30 x 36	7	8.05	11.62
32 x 34	7	8.05	11.62
32 x 36	6	8.05	-
32 x 40	6	-	12.66
32 x 48	5	-	12.66

"VOLUME DISCOUNT" LESS 5% ON 10 BOX ORDERS - LESS 10% ON 25 BOXES  
ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



## MODERNIZE WALLS WITH

**PRESTILE***"Its Plastic Beauty is Baked In"***NEW!****Bevel-Edge****Scoring****...PER SQUARE FOOT****24 1/2¢**

PresTile manufactures a complete line of De Luxe grade pre-finished tileboard in 5 different panel sizes and a wide range of beautiful colors. PresTile quality is nationally recognized and stems from the know-how...based upon many years of experience using the finest finishes and highly specialized equipment.

Choice of 11 beautiful colors

Panel Colors	Score Lines	Panel Colors	Score Lines
White .. with ..	Black-Red-Grey	Yellow .. with ..	White-Black-Grey
Peach .. with ..	White	Pink .. with ..	White
Blue .. with ..	White	Red .. with ..	White
Green .. with ..	White	Black .. with ..	White-Red
Grey .. with ..	White	Dubonnet with ..	White
Ivory .. with ..	White-Black-Grey		

All Available in Plain Unscoored Panels

Special Colors to Order

**SCORE LINE COLORS—**

4 attractive mortar lines, Black-White-Red-Grey

**PATTERNS—4 popular patterns**

Regular—4" squares  
Streamline—8" parallel lines  
Streamline—4" parallel lines  
Plain—unscoored panels

**THICKNESS —**

5/32" Smooth 2 sides  
Special Tempered Hardboard

**PANEL SIZES —**

4'x4', 4'x5', 4'x6', 4'x7', 4'x8' PRESTILE TOUCH-UP ENAMEL No. 18P-9800-QD .. \$0.25 CAN

**PRESTILE PATTERNS**

No. 18P-4000-MD

**PRESTILE**  
DE LUXE GRADE**4-inch**

Regular Tileboard

(4" squares)

in all panel sizes

choice of 11 colors



No. 18P-8000-MD

**PRESTILE**  
DE LUXE GRADE**8-inch**


Streamline Tileboard

(8" parallel score lines)

in all panel sizes

choice of 11 colors

Also in stock No. 18P-1000-MD PRESTILE De Luxe Grade. Plain Unscoored Tileboard (smooth, unscoored panels) in all panel sizes

**STAINLESS MOULDING****Cap or End Strip—**

5/32" For all exposed board edges and ends. Comes in 8 ft. lengths.

18P-1100-ID \$0.90 ea.

**Divider Strip—5/32"**

For a tight, trim joint between panels. Comes in 8 ft. lengths.

18P-2200-ID \$1.10 ea.

**Tub Moulding—**

5/32" For a good fit around tubs—can easily be shaped. Comes in 8 ft. lengths.

18P-3300-ID \$1.00 ea.

**Inside Corner—**


5/32" Double flange designed for perfect fit looks. Comes in 8 ft. lengths.

18P-4400-ID \$1.10 ea.

**Inside Corner—**

5/32" Single flange makes jointing easy. Comes in 8 ft. lengths.

18P-5500-ID \$1.00 ea.

**Outside Corner—**

5/32" For smooth, corner protection. Comes in 8 ft. lengths.

18P-6600-ID \$1.00 ea.

**Black Enameled Cap****Molding—**For top edges 1 7/8" wide, 6 ft. lengths.

18P-7700-SD \$1.10 ea.

**Black Enameled Base****Molding—**For bottom edges, 4" wide, 6 ft. lengths.

18P-8800-SD \$1.80 ea.

**PRESTILE CEMENT**

PresTile Cement is the only approved adhesive for Pres-Tile Board. One gallon will cover 55 to 70 sq. ft. Weight —approx. 10 lbs. per gallon.

No. 18P-9900-OD ..... \$1.80 GAL.


**Windsor GENUINE AROMATIC-CEDAR CLOSET LINING**

Heart Content 90% or more . Cedar Oil Content 100%

Genuine Tennessee Aromatic Cedar Closet Lining is packaged in heavy kraft paper, and taped to insure easy handling. Each package contains the same high quality at the same low prices... whether it be "one package or a carload." Closet Lining is available in the following sizes: Thickness, full 3/8", Widths, 2 1/2", 3", and 3 1/2". One package (40 board feet) will cover 32-square feet.

## • SIZES AND PRICES •


STANDARD MATCHED



EDGES EASED

Number	Size	Prices Per Bundle	
		1-19	20 or more
16M-3825-S	3/8" x 2 1/2"	\$7.45	\$7.05
16M-3830-S	3/8" x 3"	7.70	7.30
16M-3835-S	3/8" x 3 1/2"	7.95	7.55

APPROX. WEIGHT 30 LBS. PER BUNDLE — NO BUNDLES BROKEN


**OUTSIDE DOOR FRAMES**

TOXIC — TREATED —  
CLEAR PONDEROSA PINE

With A.F.L. Union Label

◀ 4-7/8" and 5 1/4"

7 1/4" and 9 1/4" ▶

**VOLUME DISCOUNT**

Less 5% on Jamb Orders of 25 to 49

Less 10% on Jamb Orders of 50 or more

No.	Door Size	Rab't.	Jamb Width	Wt.	Price
17M-2834-M	2-8x6-8	1-3/8	4-7/8	25 lbs.	\$9.10
17M-2804-M	2-8x6-8	1-3/4	4-7/8	25 lbs.	9.10
17M-3004-M	3-0x6-8	1-3/4	4-7/8	26 lbs.	9.20
17M-2835-M	2-8x6-8	1-3/8	5-1/4	25 lbs.	9.10
17M-2805-M	2-8x6-8	1-3/4	5-1/4	25 lbs.	9.10
17M-3005-M	3-0x6-8	1-3/4	5-1/4	27 lbs.	9.20
17M-3075-M	3-0x7-0	1-3/4	5-1/4	29 lbs.	9.50
17M-2807-M	2-8x6-8	1-3/4	7-1/4	36 lbs.	11.50
17M-3007-M	3-0x6-8	1-3/4	7-1/4	37 lbs.	11.60
17M-3077-M	3-0x7-0	1-3/4	7-1/4	39 lbs.	12.00
17M-2809-M	2-8x6-8	1-3/4	9-1/4	51 lbs.	14.20
17M-3009-M	3-0x6-8	1-3/4	9-1/4	53 lbs.	14.40
17M-3079-M	3-0x7-0	1-3/4	9-1/4	55 lbs.	14.80

For Pine Sills On 4-7/8" or 5 1/4" Add \$2.30

PRESTILE SHIPPED F.O.B. CHICAGO FACTORY — OTHER ITEMS F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**





# -BRICK

# a new interior decorator brick

**NO MORTAR  
NO FOUNDATION**

**(NON-CERAMIC)**



Many modern interior decorative schemes are accented by the use of brick—and Z-BRICK was designed especially for this decorator use. Its feather-light weight makes it practical to use without costly extra foundation. It requires no mortar—just a special adhesive, quickly applied. Its three handsome decorator colors give wide choice in working out striking interior color harmonies.


Old-fashioned fireplaces are easily modernized with Z-BRICK... it is safely incombustible. A one-wall emphasis can be built with ease... warm charm can be imparted to entrance ways and planter boxes.

In modern kitchen-family room design, Z-BRICK adds a touch of friendly informality around barbecues, counter fronts, dutch ovens, etc. Z-BRICK lends itself also to store displays, offices, TV studio sets, entrance halls and many other commercial uses.

Z-BRICK adheres readily to any smooth, flat surface—existing plaster walls, plastered, plywood, hardboard or concrete. For planter boxes and similar treatments, basic structure of plywood or hardboard is all that's required against which to apply Z-BRICK.

The precision-smooth edges of each Z-BRICK fit neatly together. No special tools are required; Z-BRICK cuts like a piece of wood with a keyhole power saw; bevels readily with a round file where a new mortar line is desirable. Add a putty knife for spreading adhesive—that's all the tools required. Instructions in every carton.


**Z-BRICK INSULATES, FIREPROOFS, ABSORBS SOUND**



**CUT IT BEVEL IT**



**DAUB IT**




**STICK IT**

**NOTE—NEW LOW PRICES!**

NO.	DESCRIPTION	PER CARTON	WTS.	PRICE PER CARTON		
				1-9	10-49	50 or more
31P-100-Q	Desert Red	60	28½ Lbs.	\$5.25	\$5.00	\$4.75
31P-200-Q	Sunset Gold	60	28½ Lbs.	5.25	5.00	4.75
31P-300-Q	Lake Green	60	28½ Lbs.	5.85	5.55	5.25
29P-200-J	Quart Adhesive	12	2¼ Lbs.	1.05	1.00*	—
29P-201-J	Gallon Adhesive	4	8 Lbs.	3.30	3.20*	—

\*FULL CARTON PRICE:  
60 Z-Bricks to a carton. Covers 7½ Sq. Ft.  
Brick Dimensions: 1½" x 12" x 7/8". Brick Weight: Approx. 9 Oz.

\*Z-BRICK is made principally of Vermiculite, Pigment and Cement.



**Z-BRICK SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE  
MATERIALS WHOLESALE FROM MORGAN-WIGHTMAN**



# Windsor Aluminum LAP SIDING



with new  
**TWIN COTE AO-9**  
baked enamel finish in  
**5 STANDARD COLORS**

- CHATEAU WHITE
- ELDORADO CORAL
- WILLOW GREEN
- PRIMROSE YELLOW
- FRENCH GREY

**New Vertical Siding**  
in 9 colors

Windsor's new vertical siding in four deep tone colors, Forest Green, Slate Grey, Cinnamon Brown, and Auburn Red, plus Windsor's five standard lapsiding colors. Extra wide 12-inch panels with inverted channel add variety and beauty to any style home.



The *Beauty* of wood . . .

the **LIFE** of aluminum

Windsor's new TWIN-COTE process protects a home *nearly three times longer* than ordinary house paint! Windsor's AO-9 paint is rolled on Alodized aluminum, and baked in heat controlled ovens. Then, the same process is repeated. The result? TWIN-

COTE . . . a complexion-smooth finish that will last for years!

AN EXTRA PLUS . . . Exponcote. A tough, durable film bonded to the hidden side, it protects against corrosion, acid-laden moisture. Not even salt air can damage siding from underneath.

Baked on for the life of the metal, protects like the undercoating on your car.

NUMBER	ITEM	SIZE	PACKED	WTS.	PRICES
25P-800-I	8" LAP SIDING . . . . .	12'6"	2 Sq. Per Ctn.	99 Lbs.	\$34.50 Sq.
25P-808-I	BAK-R-FOAM SIDING . . .	10'6"	2 Sq. Per Ctn.	90 Lbs.	42.00 Sq.
25P-120-I	VERTICAL SIDING . . . . .	10'	1 Sq. Per Ctn.	48 Lbs.	37.50 Sq.
25P-100-I	OUTSIDE CORNERS . . . . .	8"	100 Per Box	12 Lbs.	.25 Ea.
25P-101-I	INSIDE CORNERS . . . . .	10'	20 Per Box	35 Lbs.	2.10 Ea.
25P-102-I	STARTER STRIP . . . . .	12'6"	40 Per Box	38 Lbs.	.90 Ea.
25P-103-I	BACKER PLATES . . . . .	9"	200 Per Box	55 Lbs.	2.80 C.
25P-104-I	ALUM. NAILS . . . . .	1 1/4"-1 1/2"-2"	2 Lbs. Per Box	2 Lbs.	1.20 Lb.
25P-105-I	WINDOW SILL TRIM . . . .	12'6"	32 Per Box	24 Lbs.	.90 Ea.
25P-106-I	3/4" CASING TRIM . . . . .	12'6"	20 Per Box	19 Lbs.	.90 Ea.
25P-107-I	FLASHING STRIP . . . . .	12'6"	40 Per Box	38 Lbs.	.90 Ea.
25P-108-I	CAULKING . . . . .	—	4—1 Gals.	57 Lbs.	4.20 Gal.
25P-109-I	TRIM PAINT . . . . .	—	4—1 Gals.	60 Lbs.	6.75 Gal.
25P-110-I	TOUCH-UP SPRAY-O-NAMEL . . . . .	12/12 Oz. Cans	8 Lbs.	1.65 Can	

"VOLUME DISCOUNT" LESS 10% ON ALL ACCESSORIES IN FULL CARTONS.



## BAK-R-FOAM

Windsor's new innovation  
in insulated siding  
construction

Moisture-resistant Bak-R-Foam insulated siding is made with Dylite, an expanded polystyrene plastic foam made by Koppers Company. Same material used to insulate refrigerators, cold storage warehouses. Provides lasting insulation effectiveness.

Whatever siding the home now has . . . wood, brick, stone . . . Windsor Insulated Siding fits into place *right* over it. Windsor Siding does wonders for all homes . . . ranch type, Colonial, Georgian, Cape Cod, modern or traditional. Offers long range protection for new homes, too! Windsor Siding keeps the home up to 15° cooler in Summer. Winter heat bills can be cut by as much as 1/3. Muffles nerve jangling street noises.

SAMPLE BOARDS available for \$6.00.  
Will be refunded on first order if claimed.

ALUMINUM SIDING SHIPPED F. O. B. OUR ST. LOUIS WAREHOUSE



# • RUSTIC WOOD FENCE •

## LIFETIME NORTHERN WHITE CEDAR FENCE FOR PERFECT OUTDOOR LIVING

The three fence designs are manufactured by one of the largest fabricators of Wood Fence in the Country. With all designs fabricate completely from Northern White Cedar, generally accepted as one of nature's most durable and most beautiful woods. It is finished in the "Natural State", no finish is applied and none is required. With age natural cedar fence carefully hand drawn knifed peeled, weathers to a beautiful silvery grey color which blends harmoniously with any outdoor setting and a background for shrubs and planting. The butts of all posts to a point of several inches above the ground line are given a dipped preservative treatment of pentachlorophenol. Penta is generally accepted as the outstanding wood preservative in use today and this treatment adds immeasurable to the natural long life of this rustic wood fence. Gates will be fabricated to fit any opening. However there is a minimum charge for 4' on all single gates and a minimum charge for 8' on all double span gates.

### THE STOCKADE DESIGN FENCE

The STOCKADE DESIGN patterned after the rugged stockade of the early American settlers is today's most popular screened fence. The tightly assembled pickets completely screen your property assuring utmost privacy and protection. The design is designed so that the ends of the horizontal rails are slightly beveled to fit around the supporting post. The rails are then nailed or bolted to the supporting post. Sections are butted together giving a harmonizing continuous line of fence. Sections can be easily cut to fit the individual yard plan. Fence is constructed of all hand peeled Northern White Cedar, sections are completely assembled 8' long, available in heights of 4' - 5' - and 6' - half round pointed pickets (approximately 1-3/4" - 2-1/2" top diameter) double nailed to 3 - horizontal rails with galvanized nails, horizontal rail ends are beveled to fit around posts (posts not included).

No. 33P-104-ID	4' - high Stockade (8' long panel)	14 lbs.	\$11.50
No. 33P-105-ID	5' - high Stockade (8' long panel)	16 lbs.	11.80
No. 33P-106-ID	6' - high Stockade (8' long panel)	21 lbs.	12.60

#### POSTS FOR ABOVE STOCKADE FENCE

Posts are cedar, approximately 4" top diameter, pointed with butt ends treated against decay. One extra post should be ordered for each unbroken line of fence.

No. 33P-174-SD	7' long Posts (for 4' high Stockade)	\$0.80
No. 33P-185-SD	8' long Posts (for 5' high Stockade)	1.00
No. 33P-196-SD	9'6" long Posts (for 6' high Stockade)	1.20

#### MATCHING CEDAR STOCKADE GATES

Gates are furnished complete with all hardware in single or double drive gates. Gates can be furnished with curve top or straight top (please specify)

	4' Single	10' Double
No. 33P-144-MD	4' high 16 lbs. \$17.80	No. 33P-114-MD \$44.40
No. 33P-145-MD	5' high 18 lbs. 20.65	No. 33P-115-MD 51.25
No. 33P-146-MD	6' high 23 lbs. 21.90	No. 33P-116-MD 54.10



### THE POST AND RAIL FENCE

Long a part of American history the POST AND RAIL FENCE has simple flowing lines and functional beauty and inexpensive closure. All rails are full round smooth peeled and the ends are tenoned to lock into the post drilling. The Post and Rail is easily assembled as each tenoned end of the rails are inserted into the pre-drilled post with all rails tenoned ends treated with penta for longer life. Horizontal rails are approximately 2-1/2 inch to 3 inch top diameter, available in 10 foot long sections, 2 - 3 - or 4 rail high, in heights of 3' or 4' - Prices below include rails only.

No. 33P-223-SD	2 rail - 3' high - per 10' section K.D.	5 lbs.	\$2.06
No. 33P-233-SD	3-rail - 3' high - per 10' section K.D.	7 lbs.	3.06
No. 33P-234-SD	3-rail - 4' high - per 10' section K.D.	8 lbs.	3.06
No. 33P-244-SD	4-rail - 4' high - per 10' section K.D.	10 lbs.	4.12

#### POSTS FOR ABOVE POST AND RAIL FENCE

Posts for above Post and Rail fence pointed with blunt 4 sided point, butt ends treated against decay. Line post are 4" top End post 5" and Corner post 6" top. Order post as needed.

No. 33P-201-SD	Line Post	\$0.90 each
No. 33P-202-SD	End Post	1.01 each
No. 33P-203-SD	Corner Post	1.11 each

#### MATCHING POST AND RAIL GATES

Gates are furnished completely assembled with all necessary hardware.

	4' Single	10' Double
No. 33P-2423-MD	2-rail - 3' high 7 lbs. \$13.75	No. 33P-2123-MD \$30.65
No. 33P-2433-MD	3-rail - 3' high 8 lbs. 14.40	No. 33P-2133-MD 31.90
No. 33P-2434-MD	3-rail - 4' high 10 lbs. 15.00	No. 33P-2134-MD 33.15
No. 33P-2444-MD	4-rail - 4' high 12 lbs. 15.65	No. 33P-2144-MD 34.40



(Please specify for style of fence wanted) (Example 3-rail-3' high)

### THE CAPE COD PICKET FENCE

CAPE COD PICKET is a design of Picket fence that is popular everywhere. Available in 3'6" and 4' heights, it is the ideal fence for problem of keeping children and pets at home. The design is designed so that the ends of the horizontal rails are slightly beveled to fit around the supporting post. Sections are butted together giving a harmonizing continuous line of fence. Sections can be easily cut to fit the individual yard plan. Fence is constructed of all hand peeled cedar-pickets half round and are approximately 2" in diameter. Double nailed with galvanized nails to 2 - horizontal wood rails. Pickets are spaced approximately 2 to 2-1/2" apart. Rail ends are beveled slightly to fit around posts (posts not included).

No. 33P-303-ID	3'6" high picket fence (8' long section)	6 lbs.	\$4.95
No. 33P-304-ID	4'0" high picket fence (8' long section)	10 lbs.	5.50

#### POSTS FOR ABOVE CAPE COD PICKET

Posts are full round approximately 4" top, pointed tops and with all butt ends treated against decay.

No. 33P-363-SD	6'6" long Post (for 3'6" high Picket)	\$0.80
No. 33P-374-SD	7'0" long Post (for 4' high Picket)	0.80

#### MATCHING CAPE COD PICKET GATES

Gates are completely assembled with all necessary hardware attached - can be furnished in single or double drive gates.

	4' Single	10' Double
No. 33P-343-MD	3'6" high 8 lbs. \$15.65	No. 33P-313-MD \$35.65
No. 33P-344-MD	4'0" high 12 lbs. 15.95	No. 33P-314-MD 36.25

NOTE: ALL WEIGHTS ARE FOR A RUNNING FOOT

ALL FENCE ABOVE SHIPPED F.O.B. FACTORY IN NORTHEASTERN MICHIGAN



Materials Wholesale from **MORGAN - WIGHTMAN**



# • NEW Multicolor STRYPANEL •

IS EASILY INSTALLED ON PLASTER - MASONRY - PLYWOOD - DRY WALL



Made of tough, high-impact styrene, STRYPANEL is the only Plastic Wall panel available in multicolors. Each panel is striated featuring random stripes of various shades of pleasingly harmonious colors. 12 modern monochromatic and analogous color combinations to choose from. Harmonizing trims available.

Easily Applied right over Concrete Block: No other permanent wall covering offers this sales advantage. No firing is needed. You apply Strypanel right on concrete block walls - above or below grade. Perfectly smooth finish every time. Ideal for big room installation.



Your choice of **12** beautiful color combinations

Domino	(Black)	Peppermint	(Pink)
Paprika	(Salmon)	Regatta	(Turquoise)
Seaweed	(Green)	Lemon Stick	(Yellow)
Driftwood	(Brown)	Wild Rice	(White)
Goldenrod	(Gold)	Smoke	(Gray)
Bamboo	(Beige)	Morning Glory	(Blue)

**27 1/2¢**  
Per Sq. Ft.

Shipping Weights

**\$30.95**  
Ctn. 112 1/2 Sq. Ft.  
31 Lbs.

**\$33.00**  
Ctn. 120 Sq. Ft.  
35 Lbs.

Panel Packaging: 1' by 8' STRYPANEL panels are packed 15 per carton, enough for 120 square feet. 1' by 4 1/2' STRYPANEL panels are packed 25 per carton, enough for 112 1/2 square feet.

**SMALL CAP**  
No. 32P-101-MD  
\$1.32 per 12' Lgth.

**LARGE CAP**  
No. 32P-102-MD  
\$1.20 per 8' Lgth.

**DIVIDER BAR**  
No. 32P-105-MD  
\$1.04 per 8' Lgth.


**INSIDE CORNER**  
No. 32P-103-MD  
.80 per 8' Lgth.  
.45 per 4 1/2' Lgth.

**OUTSIDE CORNER**  
No. 32P-104-MD  
\$1.04 Per 8' Lgth.  
.59 per 4 1/2' Lgth.

**MASTIC WR140**  
No. 32P-106-MD  
\$1.06 per Quart  
3.13 per Gallon  
10.50 per 3 1/2 Gal.  
14.40 per 5 Gal.


Sample Colors - 6" Width (Including Trim) \$2.50

## TRIMS




Trim Packaging: Large Caps and Divider Bars in 8' lengths are packed 10 per tube for 80 lineal feet. Inside and Outside Corners are available in either 8' lengths packed 10 per tube for 80 lineal feet or in 4 1/2' lengths packed 20 per tube for 90 lineal feet. Small Caps in 12' lengths are packed 10 per tube for 120 lineal feet.

## Beautiful, beautiful ACRYLITE . . . a cast sheet



Atmosphere to a restaurant



Importance to a room

ACRYLITE... exciting embedments captured forever in light-weight, shatter-resistant acrylic plastic. A building material with unlimited design possibilities.

ACRYLITE is easily framed in wood or metal; can be machined with standard metal-working tools. Ideal for room dividers, screens, panels, sliding doors, and many other applications too numerous to mention here. While providing privacy, ACRYLITE panels transmit softly diffused light from one area to another.

ACRYLITE comes in a variety of patterns, each permanently cast into an acrylic plastic sheet. These include natural embedments of leaves, butterflies, and ferns.

Pattern	Number	Panel Sizes	Panel Price
Maple Leaves	23P-JP1-M	23" x 35"	\$10.98
Fern Leaves	23P-JP5-M	35" x 35"	16.47
Dancing Leaves	23P-JP6-M	35" x 72"	32.94
Butterflies	23P-JP4-M	23" x 35"	13.12
		35" x 35"	19.68
		35" x 72"	39.37

Average Weight 1 Lb. per Sq. Ft.

STRYPANEL SHIPPED F.O.B. CLEVELAND FACTORY - ACRYLITE F.O.B. ST. LOUIS

Materials Wholesale from **MORGAN - WIGHTMAN**







# • INSULATING GLASS •

NOTE NEW! LOWER PRICES

By **Thermopane**

LIBBEY-OWENS-FORD GLASS CO.



**EITHER 1" or 1/2" THICK !!!**

Twice as much insulation is afforded by the use of Thermopane. The amount of heat, or cold, passing through a single sheet of glass is *reduced by over 50% when double glazing is used!* 1" Thermopane consists of two lights of 1/4" plate glass with 1/2" dehydrated air space between the lights ..... hermetically sealed around the edges at the factory with the famous L.O.F. metal to glass bond. 1/2" Thermopane differs only in that two lights of 1/8" glass are used with a 1/4" air space.

*Lets in the view... keeps weather out*

Either dimension can be the width or height, but units cannot be cut down in size ... and Thermopane should not be turned when set. Be sure to specify width and height.

**NOW! 60 SIZES AVAILABLE in the Popular 1" Thermopane**  
INSULATING GLASS

NO. 14P-100-MD

SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each
33x76 3/4	7	143	\$49.20	46x48 1/2	8	125	\$46.20	48 1/2 x 58	7	193	\$56.50	58x72 1/2	4	273	84.70
35 1/2 x 36	15	73	24.10	46x64 1/2	6	187	59.00	50x56 1/2	7	162	56.25	58x80 1/2	4	305	93.55
35 1/2 x 48-1/8	10	100	32.70	46x72 1/2	5	216	65.50	50x64 1/2	6	197	63.15	58x96 1/2	3	400	109.75
35 1/2 x 60-3/8	8	128	40.90	46-1/8 x 52 1/2	8	140	50.90	50x72 1/2	5	225	74.35	58x116 1/2	2	580	134.50
36x44 1/2	12	100	30.35	46-1/8 x 56 1/2	6	155	54.45	50x80 1/2	5	246	82.10	60x72	4	275	85.20
36x55 1/2	9	120	36.20	47 3/4 x 50-3/8	8	144	49.10	50x96 1/2	4	310	95.50	60-1/8 x 66-5/8	5	247	82.90
36x68 1/2	8	150	45.30	47 3/4 x 66-5/8	6	202	62.85	50-3/8 x 60-1/8	6	180	61.75	60-3/8 x 68 3/4	5	236	85.05
36x75	7	170	49.20	48x48	9	125	46.30	52 1/2 x 58-1/8	6	186	61.90	60-3/8 x 75	4	290	91.70
36x93	6	201	60.00	48x60	7	165	56.30	52 1/2 x 70-1/8	5	230	77.70	60-3/8 x 93	3	344	112.15
42x66	7	156	49.20	48x72	5	220	66.30	55 1/4 x 60-3/8	6	195	65.85	64 1/2 x 66	5	249	85.60
42x72	6	175	53.20	48-1/8 x 55 1/2	7	157	54.70	56 1/2 x 58-1/8	6	190	65.90	66x72 1/2	4	277	93.85
44 1/2 x 48-1/8	9	125	45.45	48-1/8 x 68 1/2	5	198	66.30	56 1/2 x 66	5	236	76.40	66x84	3	343	106.40
44 1/2 x 60-3/8	7	170	55.40	48-1/8 x 75	5	227	76.45	56 1/2 x 70-1/8	5	249	82.55	66x96	3	386	122.95
45x76 3/4	5	195	69.00	48-1/8 x 93	4	270	93.30	57x76 3/4	4	244	87.20	72x84	3	416	117.60
45-3/8 x 52	8	135	47.85	48 1/2 x 50	8	140	49.15	58x64 1/2	5	234	\$76.70	72x96	2	395	134.40

NOTE CRATING CHARGE BELOW

**NOW AVAILABLE.. 56 Standard Sizes of 1/2" Thermopane**  
INSULATING GLASS

NO. 14P-120-MD

SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each	SIZE	Lites Per Case	Weight Per Lite	Price Each
15-15/16 x 35-3/16	30	18	\$10.52	24 x 10-5/8	125	7	\$ 6.32	30 1/4 x 22	50	18	\$10.92	36 x 24	25	26	\$12.58
15-7/8 x 36-7/16	30	19	10.08	24 x 11-5/8	125	8	6.33	31 1/2 x 11-3/8	100	11	7.97	36 x 28	40	28	14.05
15-15/16 x 47 1/2	25	24	12.90	24 x 13-5/8	100	10	6.83	31 1/2 x 35 1/2	25	28	15.28	40 x 11-5/8	75	13	9.60
15-15/16 x 48 3/4	25	25	13.37	24 x 22	50	15	8.93	32 x 11-5/8	100	11	7.98	40 x 13-5/8	75	15	10.25
17-3/16 x 36-7/16	30	19	11.17	24 x 24	50	17	9.43	32 x 13-5/8	100	12	8.55	40 x 24	25	28	13.83
17-3/16 x 48 3/4	25	26	14.08	24 x 28	50	20	10.50	32 x 16	75	14	9.13	40 x 28	25	32	15.17
20 x 10-5/8	125	6	5.48	24 x 32	50	21	11.57	32 x 24	50	21	11.57	42 1/2 x 22 1/2	25	27	10.40
20 x 16	100	9	6.50	24 x 36	25	26	12.58	32 x 28	50	24	12.72	44 x 11-5/8	75	14	11.12
20 x 22	50	13	7.98	24 x 48	25	35	16.27	33x21	25	21	11.48	44 x 13-5/8	60	17	11.87
20 x 36	25	23	11.38	28 x 11-5/8	125	9	7.12	34x21-5/8	25	24	13.50	44 x 16	25	21	12.72
20 x 48	25	29	14.42	28 x 13-5/8	100	10	7.73	34-11/16 x 22-11/16	25	24	12.53	44 x 18	25	24	14.85
20 x 60	25	36	17.63	28 x 16	75	14	8.82	36 x 11-5/8	100	12	8.75	44 x 24	25	30	16.65
22 x 28	75	15	9.85	28 x 24	50	20	10.50	36 x 13-5/8	75	14	9.38	44 x 28	25	35	14.78
22 x 36	50	22	11.92	28 x 28	50	22	11.62	36 x 18	50	18	10.65	45 1/2 x 25 1/2	25	33	16.43

Write for your FREE copy of the Thermopane 20 page manual ... including technical data sheets.

**NEW! MULTIPANE 1" INSULATING GLASS ... 3/16" CRYSTAL**

No. 34P-316-M Has 5/8" Air Space - Unconditionally Guaranteed For 5 Years

SIZE	Per Case	Wt. Each	Price	SIZE	Per Case	Wt. Each	Price	SIZE	Per Case	Wt. Each	Price	SIZE	Per Case	Wt. Each	Price
33x76 3/4	7	111	\$35.50	44 1/2 x 48-1/8	9	96	\$30.60	48x60	7	120	\$36.75	50x64 1/2	6	138	\$41.70
36x68 1/2	8	105	33.65	45x76 3/4	5	150	47.00	48 1/2 x 50	8	104	32.65	50x72 1/2	5	154	54.75
36x75	7	114	36.15	48x48	9	96	30.65	50x56 1/2	7	121	37.00	57x76 3/4	4	189	78.90

"Volume Discount" On Multipane Only Less 10% On Full Case Orders - Less 15% on 3 Full Case Orders

When You Order Less Than A Full Case - Add \$6.00 For Crating, If Shipped By Common Carrier


ALL INSULATING GLASS SHIPPED F.O.B. OUR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • NEW SUN VALLEY IMPERIAL WEATHERWALL •

*The finest aluminum sliding glass door ever designed  
...for standard 1" insulated glass...or for single glazing*



Here it is - a door so new it defies all comparison! The all new IMPERIAL WEATHERWALL is the only deluxe aluminum sliding glass door scientifically designed for heavy duty...all-weather double glazing...commercial application. Countless standard sizes are available in stock or can be made to order for custom openings.

## IMPORTANT ADVANTAGES:

**REVOLUTIONARY GLAZING METHOD...** Vinyl glazing channel now manufactured in one endless band for each light of glass. Simplifies the glazing of panels and assures protection against extreme weather conditions...never before offered in a sliding glass door.

**COMPLETE WEATHERSTRIPPING...** Multiple Mohair silicoated pile at interlocking stiles, lock jamb header and threshold offers complete protection from wind and rain.

**BALANCED DESIGN...** Trouble-free operation is assured with time tested adjustable ball bearing Tandem Rollers exclusive with the All New Imperial Weatherwall.

**ALUMINUM EXTRUSIONS...** Extra heavy frames...recodized satin finish...alumilating available at nominal charge.

**EASY INSTALLATION...** Rigid walk-in frame...minimum labor...shop or job-site glazing...adjustable header.

**INDIVIDUALIZED HARDWARE...** Designed to provide finger tip action and add a distinctive note to this deluxe door.

**FLEXIBILITY...** Accommodates 1" insulating glass...comes in countless standard sizes...made to order for custom openings...can be single-glazed as well.

**COMPLETE ACCESSORIES...** Available accessories include: keyed cylinder locks; single glazing adapter; kick plate.

## • SPECIFICATIONS AND PRICES •


Type	Our No.	Actual Size	Glass Size	Door Wts.	Door & Frame	Alum. Screen	1" Plate Thermopane	1" Crystal Multipane
X-O or O-X	17A-600 2-F	6-0x6-10	33x76 3/4	72	\$138.80	\$18.95	\$105.00	\$77.00
	17A-800 2-F	8-0x6-10	45x76 3/4	82	154.80	21.35	144.00	100.00
	17A-100 2-F	10-0x6-10	57x76 3/4	140	172.55	26.75	183.50	164.00
O-X-O	17A-9003-F	9-0x6-10	33x76 3/4	112	198.90	18.95	154.00	112.50
	17A-1203-F	12-0x6-10	45x76 3/4	126	232.50	21.35	213.00	147.00
	17A-1503-F	15-0x6-10	57x76 3/4	147	258.30	26.75	272.00	242.50
O-X-X-O	17A-1204-F	11-10 1/2 x6-10	33x76 3/4	144	249.00	39.35	203.00	148.00
	17A-1604-F	15-10 1/2 x6-10	45x76 3/4	163	288.50	44.10	282.00	194.00
	17A-2004-F	19-10 1/2 x6-10	57x76 3/4	197	320.15	54.90	361.00	321.50

Average Screen Weight 12 lbs.


For Glass Weights See Page 41

"VOLUME DISCOUNT" Less 5% on 3 or more units


installation drawing (scale 3" = 1')




Double Mohair silicoated pile weatherstripping on both sides of the top sliding rail plus a positive static seal on both sides of top fixed rail.



Double Mohair silicoated pile weatherstripping on the sill which has been specially engineered to meet the demands of cold climates.



Continuous smooth opening-closing operation with Tandem ball bearing rollers, adjustable without removing sliding panels.



Double Mohair silicoated pile at double interlocking stiles, prevents passage of air or moisture.

## IMPERIAL FEATURES

ALL ITEMS ABOVE SHIPPED F.O.B. OUR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**









# LUPTON

## Aluminum Double Hung Windows

Designed and engineered to meet the requirements of residential building, Lupton aluminum double hung windows offer the best features of this type window at comparatively low cost.

Frame and sash members are accurate extrusions of high strength aluminum alloy. Weatherstripping is stainless steel. Balances are completely concealed, yet always easily accessible for adjustment, should this be necessary. Sash float between guides of stainless steel that are continuous from head to sill, eliminating any possibility of rattling. Lupton double hung windows are designed for quick, easy installation. Frames interlock at mullions, no extra pieces are required. Low first cost with no maintenance or painting, makes these units a window value unequalled.



### Quality Approved

Lupton aluminum double hung windows meet specifications and tests of the Aluminum Window Manufacturers Association for Quality Approved windows in classification DH-A1. Extra thickness at sill.

Window Dimen. 2'-0 $\frac{1}{2}$ " 2'-4 $\frac{1}{2}$ " 2'-8 $\frac{1}{2}$ " 3'-0 $\frac{1}{2}$ " 3'-4 $\frac{1}{2}$ " 3'-8 $\frac{1}{2}$ "

Dimensions given are "Window Dimensions". For clearances to masonry and framing, see details at bottom of opposite page.

20x8	24x8	28x8	32x8	36x8	
3'-1 $\frac{1}{2}$ "	2031	2431	2831	3031	3431
20x10	24x10	28x10	32x10	36x10	
3'-9 $\frac{1}{2}$ "	2039	2439	2839	3039	3439
20x12	24x12	28x12	32x12	36x12	40x12
4'-5 $\frac{1}{2}$ "	82045	2445	2845	3045	3445 3845
20x14	24x14	28x14	32x14	36x14	40x14
5'-1 $\frac{1}{2}$ "	2051	2451	2851	3051	3451 3851
20x16	24x16	28x16	32x16	36x16	40x16
5'-9 $\frac{1}{2}$ "	2059	2459	2859	3059	3459 3859

ABOVE Windows are Type "B" with Horizontal Mullins. This Type Shipped Unless Type A-EA are specified.

Lupton No.	Our Number	Wts.	Windows	$\frac{1}{2}$ Screen	Storm Sash	Fin Trim
2031	11A-2031-F	12 lbs.	\$19.00	\$3.63	\$7.85	\$2.80
2039	11A-2039-F	13 lbs.	19.60	3.77	8.76	3.16
2045	11A-2045-F	14 lbs.	20.15	3.81	9.61	3.55
2051	11A-2051-F	16 lbs.	20.75	3.99	10.73	3.90
2059	11A-2059-F	18 lbs.	21.30	4.50	11.61	4.29
2431	11A-2431-F	12 lbs.	19.55	3.73	8.50	2.97
2439	11A-2439-F	13 lbs.	20.10	3.95	9.42	3.33
2445	11A-2445-F	15 lbs.	20.70	4.02	10.61	3.71
2451	11A-2451-F	16 lbs.	21.25	4.21	11.68	4.03
2831	11A-2831-F	13 lbs.	19.98	3.84	9.38	3.12
2839	11A-2839-F	14 lbs.	20.55	4.10	10.13	3.55
2845	11A-2845-F	16 lbs.	21.15	4.24	11.36	3.84
2851	11A-2851-F	17 lbs.	21.05	4.39	12.56	4.29
3031	11A-3031-F	13 lbs.	20.50	3.99	9.80	3.28
3039	11A-3039-F	15 lbs.	21.15	4.28	11.01	3.65
3045	11A-3045-F	16 lbs.	21.65	4.42	12.53	4.03
3051	11A-3051-F	18 lbs.	22.20	4.60	13.86	4.39
3059	11A-3059-F	20 lbs.	22.80	5.07	15.06	4.61
3431	11A-3431-F	14 lbs.	20.97	4.40	10.60	3.47
3439	11A-3439-F	16 lbs.	21.55	4.42	11.74	3.83
3445	11A-3445-F	18 lbs.	22.15	4.64	13.69	4.29
3451	11A-3451-F	19 lbs.	22.70	4.79	14.66	4.41
3459	11A-3459-F	20 lbs.	23.25	5.36	16.00	4.88
3845	11A-3845-F	19 lbs.	22.65	4.86	14.00	4.40
3851	11A-3851-F	20 lbs.	23.20	5.00	15.60	4.72
3859	11A-3859-F	22 lbs.	23.60	5.50	17.00	5.07

Our Number	Window Dimensions	Glass Size	Picture Window
	Width	Height	In Inches
11A-4345-F	4'-3 $\frac{1}{2}$ "	4'-5 $\frac{1}{2}$ "	48 $\frac{1}{2}$ x 50
11A-4351-F	4'-3 $\frac{1}{2}$ "	5'-1 $\frac{1}{2}$ "	48 $\frac{1}{2}$ x 58
11A-5045-F	4'-11 $\frac{1}{2}$ "	4'-5 $\frac{1}{2}$ "	56 $\frac{1}{2}$ x 50
11A-5059-F	4'-11 $\frac{1}{2}$ "	5'-9 $\frac{1}{2}$ "	56 $\frac{1}{2}$ x 66
11A-6345-F	6'-3 $\frac{1}{2}$ "	4'-5 $\frac{1}{2}$ "	72 $\frac{1}{2}$ x 50
11A-6351-F	6'-3 $\frac{1}{2}$ "	5'-1 $\frac{1}{2}$ "	72 $\frac{1}{2}$ x 58
11A-6359-F	6'-3 $\frac{1}{2}$ "	5'-9 $\frac{1}{2}$ "	72 $\frac{1}{2}$ x 66
			19.14
			19.51
			19.91

### PICTURE WINDOWS FOR USE WITH LUPTON DOUBLE HUNG ABOVE

NO MULLIONS REQUIRE - FRAMES INTERLOCK WITH FLANKERS. Units are designed to accept standard sizes of Thermopane or Twindow. Shipped knocked-down.

• AVERAGE WEIGHT FRAME ONLY 10 LBS. •  
For Thermopane Prices See Page 35

### CORNER MULLIONS

Height	Angle	No.	Price
3'1 $\frac{1}{2}$ "	90°	11A-3190-F	\$4.44
4'5 $\frac{1}{2}$ "	90°	11A-4590-F	5.15
5'1 $\frac{1}{2}$ "	90°	11A-5190-F	5.51
3'1 $\frac{1}{2}$ "	45°	11A-3145-F	5.06
4'5 $\frac{1}{2}$ "	45°	11A-4545-F	5.78
5'1 $\frac{1}{2}$ "	45°	11A-5145-F	6.13

ALUMINUM WINDOWS ABOVE SHIPPED F.O.B. ST. LOUIS, CHICAGO, PHILADELPHIA

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor SINGLE HUNG ALUMINUM WINDOWS

## SINGLE HUNG WINDOW SIZES

2'0"	2'4"	2'8"	3'0"	3'4"
2030	2430	2830	3030	3430
3'0"	3'4"	3'8"	4'0"	4'4"
2038	2438	2838	3038	3438
4'4"	4'8"	5'0"	5'4"	5'8"
2044	2444	2844	3044	3444
5'2"	5'6"	5'10"	6'0"	6'4"
2052	2452	2852	3052	3452
6'0"	6'4"	6'8"	6'12"	6'16"
2060	2460	2860	3060	3460

Units butt and screw together at jamb to form multiple units; which eliminates the need for mullion strips.

For Obscure Glass add \$2.50 per Window  
40¢ per Unit Packing Charge on all Windows

## PICTURE WINDOWS


Picture windows designed to be grouped with Windsor single hung windows. Units can be used separately if desired. Frames accommodate single or stock size double glazing. Units priced unglazed.

For Prices on Thermopane Glass  
To Fit These Units See Page 41.

FIXED PICTURE WINDOW

## ECONOMY - QUALITY INTEGRAL FIN INSTALLATION

The Windsor single hung window is an economical residential window designed with integral fins for quick, easy installation. Lower sash has lifetime spring balance, and can be removed for washing if desired. Friction free graphite Nylon glide blocks guide the sash smoothly against vinyl plastic weatherstrip. Stainless steel sash lock, windows glazed with vinyl glazing bead. All windows divided two over two, except 5'2" High which are three over two and 6'0" High which are two over one. This size is especially adapted for "Window-Wall" design, as three units may be joined together to make a very economical "Window-Wall."



Number	Rough Opening	WDW Wt.	WDW. Glazed	Screen	Storm Sash
10A-2030-FD	2'0 1/2" x 3'0 1/2"	13 lbs.	\$13.50	\$1.55	\$7.40
10A-2038-FD	3'8 1/2"	15 lbs.	14.50	1.65	7.90
10A-2044-FD	4'4 1/2"	17 lbs.	15.50	1.75	8.40
10A-2052-FD	5'2 1/2"	20 lbs.	16.50	1.65	8.90
10A-2060-FD	6'0 1/2"	23 lbs.	18.30	1.75	10.00
10A-2430-FD	2'4 1/2" x 3'0 1/2"	14 lbs.	14.25	1.65	7.90
10A-2438-FD	3'8 1/2"	16 lbs.	15.15	1.75	8.70
10A-2444-FD	4'4 1/2"	18 lbs.	16.45	1.95	9.05
10A-2452-FD	5'2 1/2"	22 lbs.	18.00	1.75	9.90
10A-2460-FD	6'0 1/2"	25 lbs.	19.40	1.95	10.70
10A-2830-FD	2'8 1/2" x 3'0 1/2"	16 lbs.	15.00	1.75	8.40
10A-2838-FD	3'8 1/2"	18 lbs.	16.20	1.90	8.95
10A-2844-FD	4'4 1/2"	20 lbs.	17.50	2.00	9.80
10A-2852-FD	5'2 1/2"	24 lbs.	18.95	1.90	10.63
10A-2860-FD	6'0 1/2"	27 lbs.	20.90	2.00	11.90
10A-3030-FD	3'0 1/2" x 3'0 1/2"	17 lbs.	15.90	1.80	8.95
10A-3038-FD	3'8 1/2"	19 lbs.	16.95	2.00	9.50
10A-3044-FD	4'4 1/2"	22 lbs.	18.30	2.20	10.40
10A-3052-FD	5'2 1/2"	26 lbs.	19.80	2.05	11.25
10A-3060-FD	6'0 1/2"	29 lbs.	23.15	2.20	14.10
10A-3430-FD	3'4 1/2" x 3'0 1/2"	19 lbs.	16.50	1.95	9.30
10A-3438-FD	3'8 1/2"	21 lbs.	18.55	2.05	10.05
10A-3444-FD	4'4 1/2"	24 lbs.	19.70	2.30	11.40
10A-3452-FD	5'2 1/2"	28 lbs.	22.30	2.15	12.95
10A-3460-FD	6'0 1/2"	31 lbs.	25.25	2.30	15.45

No.	Glass Size	Wt.	Price
10A-4644-FD	48-1/2" x 50"	13 lbs.	\$11.95
10A-5244-FD	48-1/2" x 58"	14 lbs.	12.85
10A-5852-FD	58" x 64-1/2"	16 lbs.	14.65
10A-6452-FD	58" x 72-1/2"	18 lbs.	15.55
10A-5460-FD	60-3/8" x 68-3/4"	17 lbs.	15.30

Specify Glazing Bead Desired On Order

# ALUMINUM ALL-WEATHER JALOUSIE DOORS

Engineered, designed and fabricated to meet the stress requirements of a jalousie door - not a converted combination door.

An attractive 1" aluminum door that serves as a screen or storm door, with the added feature of glass jalousies for fresh air control. Weatherstripped with durable vinyl plastic sections to insure positive seal against wind and rain.

4" high glass jalousie louvers held in louver clips with spring pressure to insure positive grip and eliminate possibility of glass rattle. Louvers of 7/32" clear crystal glass.

Crank type worm and gear operator offers positive control through full arc of operation. Includes door buck, hinges, lock, expander sweep and screen.

Doors shipped assembled and carton packed. Glass louvers packed in separate carton.

## • SPECIFICATIONS AND PRICES •

No.	21A-126-F	21A-128-F	21A-130-F	21A-137-F
Size	2-6x6-8	2-8x6-8	3-0x6-8	3-0x7-0
Prices	\$52.85	\$53.30	\$54.20	\$54.60
Wts.	50 lbs.	52 lbs.	55 lbs.	58 lbs.




WINDSOR WINDOWS SHIPPED F.O.B. S.W. MISSOURI FACTORY - JALOUSIE DOORS F.O.B. ST. LOUIS

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor HORIZONTAL SLIDING WINDOWS


Windsor Horizontal Sliding Windows offer many advantages to the builder and home buyer. Truly a modern window for modern homes, offers the long low look to the ranch home. Windsor Horizontal windows increase light area yet allow more usable wall space. Windows are engineered and designed for long life as well as beauty. All units are complete ready for installation, glazed with double strength glass.



- \*Integral fin trim permits fast easy installation in all types of construction.
- \*Stainless steel and vinyl weatherstripping provides durable tight weather seal.
- \*Sash removable for additional ventilation or ease of cleaning or re-glazing.

Complete unit glazed with double strength glass. Entire unit assembled and ready to set in wall.

## SLIDING PICTURE WINDOW



## DOUBLE SLIDE

Fabricated of specially designed aluminum extrusions, 6063-T5 alloys. Frame and vent sections have a minimum thickness of .063", except that outside edges of frame flanges have a minimum thickness of .125". Completely weatherstripped with stainless steel at head and sill, double bulb vinyl at jambs and meeting rails. Vents easily removed from frame in any open position. Integral fin eliminates need for exterior trim.

No.	Rough Opening	WDW Wts.	WDW Glazed	Screen	Storm Sash
13A-2020-FD	2'0" x 1'11-5/8"	15 lbs.	\$12.20	\$2.90	\$3.40
13A-3020-FD	3'0" x 1'11-5/8"	18 lbs.	13.15	3.30	4.50
13A-3420-FD	3'4" x 1'11-5/8"	19 lbs.	13.80	3.60	4.80
13A-4020-FD	4'0" x 1'11-5/8"	22 lbs.	14.40	4.10	5.65
13A-4820-FD	4'8" x 1'11-5/8"	25 lbs.	19.85	5.70	9.25
13A-6020-FD	6'0" x 1'11-5/8"	32 lbs.	21.40	7.70	9.95
13A-3030-FD	3'0" x 2'11-5/8"	22 lbs.	17.80	4.15	6.15
13A-3430-FD	3'4" x 2'11-5/8"	25 lbs.	18.55	4.50	7.00
13A-4030-FD	4'0" x 2'11-5/8"	29 lbs.	19.20	4.85	7.40
13A-4830-FD	4'8" x 2'11-5/8"	36 lbs.	20.25	5.20	7.90
13A-6030-FD	6'0" x 2'11-5/8"	45 lbs.	22.95	8.40	12.65
13A-3034-FD	3'0" x 3'3-5/8"	25 lbs.	18.25	4.35	6.40
13A-3434-FD	3'4" x 3'3-5/8"	30 lbs.	18.85	4.65	7.10
13A-4034-FD	4'0" x 3'3-5/8"	32 lbs.	20.05	5.05	8.85
13A-4834-FD	4'8" x 3'3-5/8"	38 lbs.	21.25	5.35	9.55
13A-6034-FD	6'0" x 3'3-5/8"	47 lbs.	25.30	10.00	14.00
13A-3438-FD	3'4" x 3'7-5/8"	30 lbs.	19.50	4.95	8.10
13A-4038-FD	4'0" x 3'7-5/8"	33 lbs.	21.25	5.80	9.15
13A-4838-FD	4'8" x 3'7-5/8"	36 lbs.	22.00	6.05	9.65
13A-6038-FD	6'0" x 3'7-5/8"	55 lbs.	26.20	10.65	14.50

For Obscure Glass Add 5% To Above Prices

## SLIDING PICTURE WINDOW

No.	Rough Opening	WDW Wts.	WDW Glazed	Screen	Storm Sash
13A-7020-FD	7'0" x 1'11-5/8"	45 lbs.	\$27.95	\$5.35	\$10.55
13A-7030-FD	7'0" x 2'11-5/8"	57 lbs.	29.10	6.70	14.00
13A-7034-FD	7'0" x 3'3-5/8"	60 lbs.	30.20	6.95	14.20
13A-7038-FD	7'0" x 3'7-5/8"	65 lbs.	31.35	7.40	15.65
13A-8020-FD	8'0" x 1'11-5/8"	57 lbs.	32.15	6.15	11.60
13A-8030-FD	8'0" x 2'11-5/8"	65 lbs.	33.45	7.25	15.40
13A-8034-FD	8'0" x 3'3-5/8"	68 lbs.	34.75	7.55	15.65
13A-8038-FD	8'0" x 3'7-5/8"	72 lbs.	36.05	8.75	17.20

Vertical Mullions For Double Slides \$3.20

## SINGLE SLIDE

Incorporates the high quality features included in the double slide, but one panel is fixed. Vinyl weatherstripping at head, sill, jamb and meeting rails. Integral fin allows ease of installation in all types of construction. Sliding panel removable for cleaning. Unit requires only half screen.

No.	Rough Opening	WDW Wts.	WDW Glazed	Screen	Storm Sash
10A-2020-FD	2'0 1/2" x 2'0 1/2"	15 lbs.	\$11.90	\$1.30	\$6.65
10A-3020-FD	3'0 1/2" x 2'0 1/2"	18 lbs.	13.45	1.55	7.45
10A-3030-FD	3'0 1/2" x 3'0 1/2"	22 lbs.	15.60	1.75	8.90
10A-3038-FD	3'0 1/2" x 3'8 1/2"	27 lbs.	17.10	2.10	9.90
10A-3042-FD	3'0 1/2" x 4'2 1/2"	31 lbs.	18.55	2.15	11.05
10A-4020-FD	4'0 1/2" x 2'0 1/2"	22 lbs.	14.80	1.70	8.25
10A-4030-FD	4'0 1/2" x 3'0 1/2"	29 lbs.	17.05	2.05	10.00
10A-4038-FD	4'0 1/2" x 3'8 1/2"	33 lbs.	19.10	2.35	11.40
10A-4042-FD	4'0 1/2" x 4'2 1/2"	37 lbs.	20.30	2.50	12.30
10A-5020-FD	5'0 1/2" x 2'0 1/2"	29 lbs.	16.20	1.90	9.10
10A-5030-FD	5'0 1/2" x 3'0 1/2"	37 lbs.	19.05	2.55	11.30
10A-5038-FD	5'0 1/2" x 3'8 1/2"	40 lbs.	21.15	2.65	12.85
10A-5042-FD	5'0 1/2" x 4'2 1/2"	45 lbs.	23.20	2.80	14.90
10A-6020-FD	6'0 1/2" x 2'0 1/2"	38 lbs.	17.75	2.10	10.00
10A-6030-FD	6'0 1/2" x 3'0 1/2"	45 lbs.	21.05	2.55	12.70
10A-6038-FD	6'0 1/2" x 3'8 1/2"	55 lbs.	23.50	2.95	14.90
10A-6042-FD	6'0 1/2" x 4'2 1/2"	58 lbs.	28.70	3.15	20.30


For Obscure Glass Add \$2.50 Per Window To Above Prices

## SLIDING PICTURE WINDOWS

No.	Rough Opening	WDW Wts.	WDW Glazed	Screen	Storm Sash
10A-7020-FD	7'0 1/2" x 2'0 1/2"	45 lbs.	\$23.80	\$3.00	\$13.20
10A-7030-FD	7'0 1/2" x 3'0 1/2"	57 lbs.	28.10	3.55	15.85
10A-7038-FD	7'0 1/2" x 3'8 1/2"	65 lbs.	33.80	4.15	21.05
10A-7042-FD	7'0 1/2" x 4'2 1/2"	68 lbs.	34.90	4.35	23.00
10A-8020-FD	8'0 1/2" x 2'0 1/2"	57 lbs.	25.25	3.35	13.95
10A-8030-FD	8'0 1/2" x 3'0 1/2"	65 lbs.	29.95	4.05	21.45
10A-8038-FD	8'0 1/2" x 3'8 1/2"	72 lbs.	36.10	4.70	22.45
10A-8042-FD	8'0 1/2" x 4'2 1/2"	75 lbs.	36.85	5.00	24.85
10A-9020-FD	9'0 1/2" x 2'0 1/2"	65 lbs.	27.10	3.35	15.40
10A-9030-FD	9'0 1/2" x 3'0 1/2"	75 lbs.	34.45	4.05	21.30
10A-9038-FD	9'0 1/2" x 3'8 1/2"	78 lbs.	37.95	4.70	25.20
10A-9042-FD	9'0 1/2" x 4'2 1/2"	80 lbs.	40.45	5.00	26.80

Vertical Mullions For Single Slides \$1.80 ea.


## TYPES AND SIZES



## GLASS SIZES

FIXED—36" X 24"

VENT—34" X 22 1/4"



## ALUMINUM RANCH WINDOW WALLS

These versatile units afford a wide variety of window arrangements. Can be used as singles, in ribbons, in stacks or grouped to give you a picture window effect. Fabricated of solid extruded aluminum with a minimum thickness of .125". Frame and ventilator corners mortised and tenoned and securely riveted. Ventilators have double contact weathering surfaces parallel to face of window. Smooth operating rotary type hardware gives you perfect control. Designed for outside glazing with SSB, DSB, plate or 1/2" insulating glass.

No.	Window Open	Tee Mullions	Brick Fin or Fin Trim
13A-1111-FD	\$20.95	\$1.35	\$1.40
13A-1211-FD	24.25	2.60	1.85
13A-1311-FD	27.50	3.85	2.30
13A-3221-FD	56.35	2.60	3.45
13A-3321-FD	64.75	3.85	3.90
13A-1100-FD	8.50	1.35	1.40
13A-1200-FD	11.10	2.60	1.85
13A-1300-FD	14.35	3.85	2.30

Screens for Vent Units \$3.15 ea.




DOUBLE SLIDE AND RANCH WINDOWS SHIPPED F.O.B. SHEFFIELD, ALA. FACTORY — SINGLE SLIDE F.O.B. S.W. MO.

Materials Wholesale from **MORGAN - WIGHTMAN**




# Windsor ALUMINUM AWNING WINDOWS

LOW COST AWNING WINDOW . . . WITH WINDSOR HIGH QUALITY



Windsor awning windows designed to provide a lifetime of beauty, comfort and protection. All frame members of heavy aluminum extrusions, with a minimum thickness of .064\". Minimum frame depth 1-7/8\". Solid aluminum torque bar with minimum diameter .750\" transmits power in equal amounts through the hardware to vent sides. Offset gear type operator. In fully open position top of vents drop down 4\" to allow easy cleaning from inside. Includes snap-in aluminum glazing bead. Completely weather-stripped with elastomeric vinyl plus double metal to metal contact on jambs, sill and meeting rails. Aluminum framed storm sash covered by vinyl insulating surround, eliminating metal to metal contact with window frame. A top quality unit at a surprisingly low cost.



## WINDSOR ALUMINUM AWNING WINDOWS

### • SPECIFICATIONS AND PRICES •

No.	Wt.	Window Open	Screen	Glazed Storm Sash	Fin Trim Sets	Vertical Mullions
12A-120-FD	10 lbs.	\$12.45	\$1.85	\$4.25	\$2.60	\$0.95
12A-130-FD	13 lbs.	15.85	2.20	5.80	3.40	1.40
12A-140-FD	15 lbs.	19.50	2.60	6.95	4.10	1.85
12A-150-FD	17 lbs.	23.10	3.15	8.80	4.80	2.30
12A-160-FD	22 lbs.	28.10	4.60	11.70	6.00	3.00
12A-532-FD	12 lbs.	14.20	2.30	4.90	3.10	.95
12A-533-FD	15 lbs.	17.50	2.75	7.00	3.90	1.40
12A-534-FD	17 lbs.	21.05	3.35	8.35	4.60	1.85
12A-535-FD	20 lbs.	24.90	4.16	10.00	5.30	2.30
12A-536-FD	25 lbs.	30.80	5.25	13.35	6.50	3.00
12A-220-FD	13 lbs.	16.00	2.75	6.90	3.70	.95
12A-230-FD	16 lbs.	19.10	3.20	8.35	4.50	1.40
12A-240-FD	19 lbs.	22.55	4.00	10.95	5.20	1.85
12A-250-FD	23 lbs.	27.05	5.10	14.30	5.90	2.30
12A-260-FD	27 lbs.	33.35	6.30	18.15	7.10	3.00
12A-320-FD	18 lbs.	18.05	3.40	8.80	4.60	.95
12A-330-FD	21 lbs.	22.20	4.25	12.15	5.40	1.40
12A-340-FD	24 lbs.	26.90	5.30	16.10	6.10	1.85
12A-350-FD	28 lbs.	32.95	6.50	18.05	6.80	2.30
12A-360-FD	34 lbs.	40.05	8.00	22.40	8.00	3.00

## WINDSOR PICTURE (FIXED) WINDOWS STANDARD HEIGHTS

### • SPECIFICATIONS AND PRICES •

No.	Frame Size Height Width	Glass Size	Frame Only	Fins (Head Only)
10A-303-FD	38-3/8\"x39-1/2\"	34-7/8\"x36\"	\$9.60	\$1.40
10A-304-FD	38-3/8\"x51-1/2\"	34-7/8\"x48\"	11.20	1.80
10A-305-FD	38-3/8\"x63-1/2\"	34-7/8\"x60\"	12.80	2.20
10A-306-FD	38-3/8\"x75-1/2\"	34-7/8\"x72\"	14.40	2.60
10A-403-FD	50-5/8\"x39-1/2\"	47-1/8\"x36\"	11.20	1.40
10A-404-FD	50-5/8\"x51-1/2\"	47-1/8\"x48\"	12.80	1.80
10A-405-FD	50-5/8\"x63-1/2\"	47-1/8\"x60\"	14.40	2.20
10A-406-FD	50-5/8\"x75-1/2\"	47-1/8\"x72\"	16.00	2.60
10A-503-FD	63\"x39-1/2\"	59-1/2\"x36\"	12.80	1.40
10A-504-FD	63\"x51-1/2\"	59-1/2\"x48\"	14.40	1.80
10A-505-FD	63\"x63-1/2\"	59-1/2\"x60\"	16.00	2.20
10A-506-FD	63\"x75-1/2\"	59-1/2\"x72\"	17.60	2.60

## WINDSOR PICTURE WINDOWS


Windsor picture windows made for use with aluminum awning windows. Heavy extrusions will accommodate 4\" plate or 1\" thermopane. Specify type of glass to be used when ordering.



# Windsor UTILITY WINDOWS

## ALUMINUM HOPPER VENT UTILITY WINDOW


Manufactured of extruded aluminum sections, which reduces maintenance to a minimum. Ideal for light commercial construction, or in openings where larger than a basement window is required. Over 8 square feet of light area. Vents open inward to give deflected ventilation. Can be used side by side for window wall effect. Weight 7 lbs.



No.	Glass Size Vent Fixed	Wall Opening	Window	Screen	Vertical Mullion
20A-812-F	15\"x12\" 15 1/2\"x28\"	32 1/2\"x42-7/8\"	\$8.70	\$2.35	\$2.90
20A-820-F	15\"x20\" 15 1/2\"x20\"	32 1/2\"x42-7/8\"	8.70	2.85	2.90

## STANDARD STEEL UTILITY WINDOW

This window is widely used in garages, filling stations, implement sheds, other small commercial buildings and residences. It is constructed of hot rolled sections and is heavy, rigid and tight fitting. It is locked shut with the positive action cam latch. Easily installed in frame, block or brick construction. Weight 29 lbs.



No.	Glass Size Vent Fixed	Wall Opening	Window	Screen	Vertical Mullion
20A-912-M	15\"x20\" 15 1/2\"x20\"	32 1/2\"x42-7/8\"	\$7.60	\$2.85	\$1.90

AWNING WINDOWS SHIPPED F.O.B. PEORIA, ILL. FACTORY - UTILITY WINDOWS F.O.B. ST. LOUIS

Materials Wholesale from **MORGAN - WIGHTMAN**




# • JALOUSIE WINDOWS AND DOORS •

The most complete line of quality designed jalousies, engineered for the person who wants the finest. Jalousies are the perfect answer to breezeways and porch enclosures but that isn't all—they are suitable for any window installation within the home. Clear or obscure glass shipped with the unit, you simply insert the glass in the Jalousie.

## No. 21A-200-FD WINDSOR JALOUSIE WINDOWS

Expertly fabricated of top quality aluminum extrusions. Completely weatherstripped with bulb type vinyl at head, jams and sill. Crank type gear operator insures complete control, and positive seal with glass to glass contact across complete width of each louvre. A real quality buy at a highly competitive price.



## No. 10A-100-FD

### HOLIDAY JALOUSIE WINDOWS

The Window designed for the Northern Climate

The only jalousie with "FLOATING SEAL" the perfect answer to tight closure. Stainless steel spring clip maintains a constant pressure at all times and under all circumstances between glass clip and stainless steel weatherstrip resulting in smooth easy operation. Glass louvre is held in glass clip with stainless steel compression spring. Compression spring permits a perfect alignment of glass louvers resulting in a self-adjusting weather tight "FLOATING SEAL"

All Windows Carton Packed.


Storm Sash Available For All Windows

## WINDSOR

### Jalousie Doors

#### Western Ponderosa Pine

Supplied with either clear or obscure 7/32" glass. We will ship clear glass unless obscure is specified. Doors of western ponderosa pine manufactured to N.D.A. specifications. You are guaranteed of quality. Doors are 1 1/4" thick with stiles and top rails 5" wide and bottom rail 13" in 6'8" doors and 17" in 7'0" high doors. Aluminum jalousie is installed in door - specification same as Windsor windows at left.



#### • SIZES AND PRICES •

Door Size	Wts. lbs.	21A-401-N Door	21A-500-F Storm Sash
2-6x6-8	75	\$28.60	\$8.28
2-8x6-8	83	29.90	8.58
3-0x6-8	90	32.00	9.42
3-0x7-0	92	34.00	9.42

Add \$1.25 packing charge to storm sash price when ordered without door.

"Volume Discount" Less 5% on 6 or more doors.

## No. 21A-200-FD WINDSOR ECONOMY LINE OF JALOUSIE WINDOWS

Prices are for Complete Jalousie, Glass and Screen

Overall Height Inches	Number Louvers	Overall Width, Inches												Mullion
		19	21	23	25	27	29	31	33	35	37	39	41	
17 1/2	4	\$9.00	\$9.30	\$9.55	\$9.85	\$10.10	\$10.40	\$10.65	\$10.90	\$11.20	\$11.45	\$11.75	\$12.00	\$0.50
21	5	9.60	9.90	10.20	10.50	10.80	11.10	11.40	11.65	12.00	12.30	12.60	12.90	0.60
24 1/2	6	10.15	10.50	10.80	11.15	11.45	11.80	12.10	12.45	12.75	13.10	13.50	13.80	.75
28	7	10.70	11.05	11.40	11.75	12.10	12.45	12.80	13.20	13.55	13.90	14.30	14.60	0.80
31 1/2	8	11.20	11.60	11.95	12.35	12.70	13.10	13.45	13.85	14.20	14.60	15.05	15.50	0.95
35	9	11.75	12.20	12.60	13.05	13.45	13.85	14.25	14.65	15.10	15.50	15.90	16.35	1.00
38 1/2	10	12.25	12.75	13.25	13.75	14.15	14.60	15.05	15.45	15.90	16.30	16.75	17.25	1.15
42	11	12.75	13.30	13.80	14.35	14.80	15.25	15.70	16.15	16.60	17.05	17.65	18.15	1.25
45 1/2	12	13.30	13.90	14.45	15.00	15.45	15.95	16.45	16.90	17.40	17.85	18.50	19.10	1.35
49	13	13.75	14.45	15.00	15.60	16.15	16.65	17.15	17.70	18.25	18.75	19.40	20.05	1.45
52 1/2	14	14.40	15.05	15.65	16.25	16.85	17.40	17.90	18.50	19.05	19.60	20.25	20.90	1.55
56	15	14.90	15.60	16.30	17.00	17.55	18.10	18.65	19.30	19.85	20.40	21.15	21.85	1.65
59 1/2	16	15.45	16.20	16.90	17.60	18.20	18.85	19.45	20.05	20.70	21.30	22.00	22.80	1.75
63	17	16.10	16.80	17.55	18.30	18.90	19.50	20.20	20.80	21.45	22.15	22.85	23.65	1.85
66 1/2	18	18.05	18.80	19.50	20.25	20.90	21.65	22.30	23.00	23.70	24.35	25.20	25.95	2.00
70	19	18.70	19.40	20.15	20.95	21.65	22.40	23.10	23.90	24.65	25.45	26.15	27.00	2.05
73 1/2	20	19.35	20.10	20.85	21.55	22.35	23.15	24.00	24.80	25.55	26.40	27.20	28.00	2.20
77	21	20.00	20.75	21.60	22.45	23.25	24.30	25.05	25.85	26.60	27.30	28.20	29.00	2.30
80 1/2	22	20.65	21.45	22.30	23.20	24.00	24.90	25.80	26.60	27.40	28.15	29.00	29.90	2.40
84	23	21.30	22.10	23.00	23.90	24.75	25.80	26.60	27.45	28.25	29.05	29.95	30.80	2.50
87 1/2	24	21.95	22.80	23.70	24.55	25.45	26.45	27.35	28.20	29.05	29.90	30.85	31.80	2.60
91	25	22.60	23.45	24.40	25.30	26.25	27.25	28.15	29.05	29.90	30.80	31.75	32.75	2.75

## No. 10A-100-FD HOLIDAY JALOUSIE WINDOW WITH THE "FLOATING SEAL"

Prices Are For Complete Jalousie, Glass and Screen

Overall Height Inches	Number Louvers	Overall Width, Inches												Mullion
		19	21	23	25	27	29	31	33	35	37	39	41	
18 1/2	4	\$11.26	\$11.66	\$12.17	\$12.52	\$12.92	\$13.73	\$13.72	\$14.06	\$14.45	\$14.80	\$15.20	\$15.59	\$ .90
22 1/2	5	12.54	12.99	13.47	13.92	14.31	14.73	15.24	15.63	16.05	16.50	16.95	17.37	1.02
26 1/2	6	13.82	14.32	14.77	15.26	15.76	16.21	16.76	17.20	17.65	18.14	18.70	19.15	1.08
30 1/2	7	15.05	15.58	16.13	16.67	17.20	17.69	18.29	18.82	19.31	19.85	20.44	20.87	1.20
34 1/2	8	16.27	16.85	17.44	18.01	18.59	19.18	19.81	20.39	20.92	21.49	22.13	22.72	1.26
38 1/2	9	17.44	18.11	18.74	19.42	20.03	20.66	21.34	21.95	22.52	23.20	23.87	24.44	1.38
42 1/2	10	18.72	19.38	20.10	20.76	21.48	22.08	22.86	23.52	24.18	24.84	25.62	26.22	1.44
46 1/2	11	19.94	20.71	21.41	22.16	22.87	23.56	24.10	25.09	25.78	26.55	27.31	28.00	1.56
50 1/2	12	21.23	21.97	22.76	23.51	24.31	25.04	25.34	26.71	27.38	28.19	29.05	29.78	1.62
54 1/2	13	22.81	23.66	24.49	25.33	26.18	27.01	27.41	28.76	29.53	30.43	31.34	32.11	1.74
58 1/2	14	24.04	24.92	25.85	26.74	27.62	28.49	28.87	30.32	31.13	32.08	33.02	33.83	1.80
62 1/2	15	25.26	26.19	27.15	28.08	29.01	29.91	30.34	31.89	32.73	33.78	34.77	35.67	1.92
66 1/2	16	27.94	28.96	29.89	30.92	31.90	32.83	33.36	34.96	35.83	36.86	37.96	38.83	1.98
70 1/2	17	29.21	30.22	31.25	32.27	33.34	34.31	34.88	36.46	37.43	38.57	39.64	40.61	2.10
74 1/2	18	30.37	31.49	32.56	33.67	34.73	35.80	36.41	38.09	39.04	40.21	41.39	42.40	2.16
78 1/2	19	31.60	32.75	33.86	35.02	36.17	37.28	37.93	39.65	40.70	41.86	43.13	44.18	2.28
82 1/2	20	32.82	34.08	35.16	36.42	37.62	38.76	39.46	41.22	42.30	43.56	44.82	45.90	2.34
86 1/2	21	34.22	35.47	36.64	37.88	39.13	40.36	41.10	42.91	44.02	45.32	46.69	47.80	2.46
90 1/2	22	35.57	36.85	38.06	39.35	40.69	41.96	42.74	44.59	45.80	47.09	48.55	49.70	2.52
94 1/2	23	36.91	38.30	39.49	40.87	42.26	43.56	44.39	46.28	47.53	48.91	50.36	51.55	2.64

NOTE: FOR ROUGH OPENING SIZE DEDUCT 1" FROM HEIGHTS AND WIDTHS ABOVE

WINDSOR WINDOWS SHIPPED F.O.B. MIAMI, FLORIDA - HOLIDAY WINDOWS F.O.B. S.W. MISSOURI FACTORY


Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor METAL BASEMENT WINDOWS

## ALUMINUM OR STEEL GLAZED OR UNGLAZED


Excellent design and superior workmanship are incorporated in all models. The STANDARD is of rugged construction, designed for today's mass-market homes. The DELUXE features top quality construction for use where the highest standard of material and operation are desired. The ALUMINUM is the same as Standard except fabricated of aluminum.



Number	Glass Size	Wall Opening	Wts.	Price Unglazed	Alum. Vertical Screen Mullion	*Price Glazed With Screen	*Price Glazed With Comb.
<b>STANDARD STEEL BASEMENT WINDOWS</b>							
20A-112-M 2LT	15"x12"	32-1/2"x14-3/4"	12 lbs.	\$3.85	\$2.35	\$9.00	\$8.30
20A-116-M 2LT	15"x16"	32-1/2"x18-3/4"	13.5 lbs.	4.10	2.60	1.00	9.00
20A-120-M 2LT	15"x20"	32-1/2"x22-3/4"	15.0 lbs.	4.40	2.85	1.10	9.75
<b>DELUXE STEEL BASEMENT WINDOWS</b>							
20A-212-M 2LT	15"x12"	32-7/8"x14-3/4"	16 lbs.	\$4.95	\$2.95	\$8.00	\$10.10
20A-216-M 2LT	15"x16"	32-7/8"x18-3/4"	17.5 lbs.	5.30	3.30	.95	11.05
20A-220-M 2LT	15"x20"	32-7/8"x22-3/4"	19.0 lbs.	5.70	3.70	1.05	12.05
<b>ALUMINUM BASEMENT WINDOWS</b>							
20A-312-M 2LT	15"x12"	32-1/2"x14-3/4"	3.7 lbs.	\$4.30	\$2.35	\$1.40	\$8.55
20A-316-M 2LT	15"x16"	32-1/2"x18-3/4"	4.1 lbs.	4.65	2.60	1.60	9.35
20A-320-M 2LT	15"x20"	32-1/2"x22-3/4"	4.5 lbs.	5.00	2.85	5.00	10.70

\*Note Windows Available Glazed and Carton Packed With Screen or Combination

## THE NEW PLACE-N-POUR BASEMENT WINDOW



No More Pouring Bucks to Buy!

The Place-N-Pour window includes metal surround, which eliminates all construction problems and insures perfect installation in poured concrete walls. A revolutionary change in basement windows which makes the pouring buck obsolete. Just place your window in your forms, and pour your wall around it.

Number	Glass Size	Wall Thickness	Wts.	Price	Alum. Screen
20A-128-M 2LT	15"x12"	8"	26 lbs.	\$7.35	\$2.35
20A-129-M 2LT	15"x12"	9"	28 lbs.	7.55	2.35
10A-120-M 2LT	15"x12"	10"	29.5 lbs.	7.80	2.35
20A-168-M 2LT	15"x16"	8"	28.5 lbs.	7.80	2.60
20A-169-M 2LT	15"x16"	9"	30.5 lbs.	8.05	2.60
20A-160-M 2LT	15"x16"	10"	32.5 lbs.	8.30	2.60
20A-208-M 2LT	15"x20"	8"	30.5 lbs.	8.25	2.85
20A-209-M 2LT	15"x20"	9"	32.5 lbs.	8.55	2.85
20A-200-M 2LT	15"x20"	10"	35 lbs.	8.85	2.85

## LUPTON

## Commercial Projected Windows (steel)

### Types and Sizes — Ventilated and Fixed Units

	1'-8 <sup>7</sup> / <sub>8</sub> "	3'-8 <sup>7</sup> / <sub>8</sub> "	5'-0 <sup>7</sup> / <sub>8</sub> "	6'-8 <sup>7</sup> / <sub>8</sub> "
2'-9"	A12120	B22140	A32160	A32
4'-1"	A13121	B23141	A33161	A43141
5'-5"		B24141	A34161	A44141
6'-9"		B25141	A35161	A45141
6'-9"		B2522402	A3523602	
8'-1"		B26141	A36161	A46141
8'-1"		B2622403	A3623603	

"Window Dimension" sizes are shown.

Windows shown viewed from outside.

\* Windows marked thus (\*) are also available with vents opening in-at-top.

### Vertical Mullions No. 11A-2838-D

Hgt.	Price	Hgt.	Price
2'9"	\$0.80	6'9"	1.60
4'1"	1.05	8'1"	3.70
5'5"	1.30		

"PACKING LESS THAN 3 WINDOWS — ADD \$2.00  
CHARGES" LESS THAN 16 SCREENS — ADD \$5.00

Use Lupton Commercial Projected Windows for well lighted, comfortably ventilated working space at low cost, in buildings for commercial and industrial use.

Open-out ventilators remain open without stay bar or chain, shield opening in rainy weather, do not obstruct aisle space along the wall nor interfere with shades. can be easily screened. Units are available with open-in ventilators, if desired.

### Construction Features

Made from hot-rolled, new billet steel bars of special angle shapes. Frame 1-3/8" deep, ventilator 1 1/2" deep. All corners of ventilators riveted and welded for extra strength. Ventilators balance on two heavy steel arms with brass pivot pins. Solid brass friction shoes slide in channels at jamps to hold ventilators firmly at any degree of opening. Weathering members are welded to frame members and ventilators are adjusted to give two point contact on all sides.

Designed for inside glazing. Glazing materials are not furnished.

Mullions, steel plate up to 6'9" or hot-rolled T-bar for windows 8'1". Clips are included.

All windows and mullions are Bonderized and painted one coat of our standard gray primer, oven dried.

Screens have 18 x 14 mesh aluminum wire cloth in electro-galvanized steel frames with one coat of gray enamel, baked on.

Lupton No.	Our No.	Wt.	Window	Screen
A12120	11A-2120-MD	50	\$7.45	\$6.65
A13121	11A-3121-MD	53	8.50	6.65
B22140	11A-2140-MD	56	9.90	8.80
B23141	11A-3141-MD	63	11.20	8.80
B24141	11A-4141-MD	67	12.45	8.80
B25141	11A-5141-MD	74	13.70	8.80
B2522402	11A-2402-MD	106	18.75	15.80
B26141	11A-6141-MD	75	14.96	8.80
B2622403	11A-2403-MD	112	19.30	15.80
A32160	11A-2160-MD	66	11.75	11.40
A33161	11A-3161-MD	74	13.45	11.40
A34161	11A-4161-MD	85	15.10	11.40
A35161	11A-5161-MD	92	16.80	11.40
A3523602	11A-3602-MD	125	22.60	19.95
A36161	11A-6161-MD	98	18.50	11.40
A3623603	11A-3603-MD	128	24.25	19.95
A43141	11A-4314-MD	82	14.28	8.80
A44141	11A-4414-MD	91	16.45	8.80
A45141	11A-4514-MD	100	18.60	8.80
A46141	11A-4614-MD	110	20.75	8.80

Lupton No.	Our No.	Wt.	Price
B22	11A-2200-MD	28	\$4.20
B23	11A-2300-MD	34	5.45
B24	11A-2400-MD	42	6.70
B25	11A-2500-MD	49	8.00
B26	11A-2600-MD	57	9.25
A32	11A-3200-MD	34	5.30
A33	11A-3300-MD	44	7.00
A34	11A-3400-MD	54	8.65
A35	11A-3500-MD	64	10.35
A36	11A-3600-MD	74	12.00

BASEMENT WINDOWS F.O.B. ST. LOUIS — PROJECTED WINDOWS F.O.B. PHILADELPHIA FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • COMBINATION DOORS •

STORM DOORS IN WINTER - SCREEN DOORS IN SUMMER

## Windsor aluminum combination door

built to last ... PRICES FROM \$22.80



Extruded Aluminum Construction (63ST-5) • Embossed Aluminum Kick Panel • Two Lites of Glass (Glass set in rubber) • One Large Sturdy Extruded Screen Insert (Aluminum Mesh) • Heavy Aluminum Extruded (Reinforced corners - Rigid construction) • Heavy Door Jamb (Tubular Frames For Better Installation) • Pneumatic Door Closer With Built-In Shock Absorber • Storm Chain To Absorb Heavy Wind Shocks • Three Stainless Steel Hinges • Trouble Free Latch • Automatic Adjusting Bottom Expander

### INSTALLATION DETAILS

- Fasten outside expander jamb on the hinge side, cutting to length if necessary. This jamb butts securely against the wood jamb of door.
- Hang door by means of full surface hinges to the above aluminum jamb, leaving about 1/8" clearance between door and jamb.
- Fasten outside header jamb and latch side jamb adjusting same to the door, again leaving 1/8" clearance at top and side. Drill latch hole with 1" hole saw.
- Assemble latch air-arm and chain.
- Install bottom adjusting sill, fastening with self-tapping screws, again leaving 1/8" clearance at bottom.

### No. 18A-3000-F

Door Size	Unit Fits Openings		One Price All Sizes
	Widths	Heights	
2-6x6-8	2'-5 3/4" to 2'-6 1/4"	6'-8 1/4" to 6'-9 3/4"	\$25.35 1-5 Price
2-8x6-8	2'-7 3/4" to 2'-8 1/4"	6'-8 1/4" to 6'-9 3/4"	23.75 6-19 Price
3-0x6-8	2'-11 1/4" to 3'-0 1/4"	6'-8 1/4" to 6'-9 3/4"	22.80 20 or More
3-0x7-0	2'-11 1/4" to 3'-0 1/4"	7'-0 1/4" to 7'-1 1/4"	


Shipping Wt. 45 lbs.

Odd or intermediate sizes available at \$34.15 if size does not exceed 3-0x7-0.

NOTE: Crating Charge Below When Shipped By Common Carrier. For Screen in Lower Section Add \$1.50 If Shipped with Door - Are \$2.50 if Ordered Separately

## IMPERIAL aluminum combination door

full 1" thick ... PRICES FROM \$26.10



A deluxe door in every sense of the word! A full one inch thick! Not 5/8", not a commercial inch (7/8") but a full one inch thick! Special full length extruded plastic tension seal weather-stripping on all four sides gives perfect weather protection. An extra aluminum outer frame fits over the house door frame, making for still smoother operation. Includes four sections...two storm and two screen. Screens are sturdy aluminum, never need painting.

### • SPECIFICATIONS •

Extruded aluminum construction, embossed aluminum kick panel and heavy reinforced corners. Comes with pneumatic door closer with built-in shock absorber and storm chain to absorb heavy shocks. Featured also are three OIL-LITE Mortice type aluminum hinges, trouble-free latch and an adjusting bottom expander with "U" shaped vinyl rubber weatherstrip.

### No. 15A-2000-F

Door Size	Unit Fits Openings		One Price All Sizes
	Widths	Heights	
2-6x6-8	2'-5 3/4" to 2'-6 1/4"	6'-8 1/4" to 6'-9 3/4"	\$28.95 1-5 Price
2-8x6-8	2'-7 3/4" to 2'-8 1/4"	6'-8 1/4" to 6'-9 3/4"	27.20 6-19 Price
3-0x6-8	2'-11 1/4" to 3'-0 1/4"	6'-8 1/4" to 6'-9 3/4"	
3-0x7-0	2'-11 1/4" to 3'-0 1/4"	6'-11 1/4" to 7'-0 1/4"	26.10 20 or More

Average Weight 50 lbs.

Odd or intermediate sizes available at \$35.25 if size does not exceed 3-0x7-0.

NOTE: Special expander to increase height Adjustment 1/2" available - Add \$1.00 and specify. Note Crating Charge Below When Shipped by Common Carrier

Crating Charge For All Combination Doors - 50¢ Per Door, With A Minimum Charge of \$1.50

## Aluminum Door Grills . . .


Beautiful rustless aluminum in sturdy weights and thicknesses; thoroughly inspected at the factory. Available in two sizes at the same low price! For initial add 75¢ to price of grill.

No.	Type	Height	Widths	Prices
16A-1200-F	(A)	12"	29 1/2" or 33 1/2"	\$1.80
16A-1600-F	(B)	16"	29 1/2" or 33 1/2"	2.17
16A-2600-F	(C)	26"	29 1/2" or 33 1/2"	3.20



## Aluminum Glass Block Ventilators by Windsor

NOW! COMPLETE UNIT INCLUDES-GLAZING-ALUMINUM SCREEN-VINYL BELLOWS



WINDSOR glass block ventilators provide a practical answer to the problem of ventilation and vision through glass block wall construction. Completely electrically welded construction, in combination with WINDSOR'S widely known heavy extruded aluminum sections make this ventilator strong enough to fill all glass block fenestration needs. Inward projected, the sash is provided with two balancing arms and continuous sliding friction shoe housings, extruded as part of the sash member. Also extruded as part of the sash member is a putty groove to prevent any possible putty-slippage. Installation of WINDSOR ventilators requires no lintel. Sturdily constructed, these ventilators will carry the stress from a glass block panel. Installation will be facilitated however, by use of a wood prop in center of the opening during panel construction, to be removed when mortar is set.

No.	Size	Wt.	Price
21A-1608-F	16"x8"	8 lbs.	\$16.75
21A-1616-F	16"x16"	12 lbs.	17.82
21A-2408-F	24"x8"	12 lbs.	17.82
21A-2416-F	24"x16"	14 lbs.	19.50
21A-1812-F	18"x12"	12 lbs.	17.65
21A-2412-F	24"x12"	13 lbs.	19.20

"VOLUME LESS 5% ON ORDERS FOR 6 TO 24 DISCOUNT" LESS 10% ON ORDERS FOR 25 OR MORE

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor ALUMINUM COMBINATION WINDOWS

## Special Combination Windows

Add sparkling lustre and increase the value of your residence with Windsor Special combination windows. This quality two track unit operates at a touch and is completely self storing.

Fabricated of Alcoa 6063-T5 aluminum extrusions, featuring triple interlocking meeting rails, welded corners, and positive locking panels. All panels swivel for easy cleaning and removal. Easily applied to either wood or metal double hung windows.

**23A-330-FD \$11.85 Each**

\* ABOVE PRICE FOR ALL WINDOWS 60 UNITED INCHES AND UNDER FOR UNITS OVER 60 INCHES ADD .31 PER INCH FOR EACH ADDITIONAL INCH

## Supreme Combination Windows

The finest custom built aluminum combination window, providing year around home comfort. Fabricated of heavy duty Alcoa 6063-T6 aluminum extrusions. This triple track unit is completely self storing and features Schlegel weatherseal; which eliminates any metal to metal contact. Millions of individual, water resistant, tough wool fibres in the weather-seal act like "ball bearings", moving with the motion of the window; allowing panels to ride silently without scrape or rattle. This seal has undergone laboratory tests showing no appreciable wear after 1 million openings and closing; and sealed out winddriven rain up to 80 to 90 miles per hour.

All panels tilt for easy cleaning or removal.

The best aluminum combination window for either wood or metal double hung windows.

**23A-770-FD \$14.35 Each**

\* ABOVE PRICE FOR ALL WINDOWS 60 UNITED INCHES AND UNDER FOR UNITS OVER 60 INCHES ADD .31 PER INCH FOR EACH ADDITIONAL INCH.

## Windsor Rancher Combination Window

A combination window made to fit horizontal sliding wood or metal windows. Specification for this unit are the same as those shown above for the Windsor Supreme. Units include 2 screens and 2 storm panels. Can also be supplied for slider with stationary center panel.

**23A-990-FD \$15.00 Each**


\* ABOVE PRICE FOR ALL WINDOWS 60 UNITED INCHES AND UNDER FOR UNITS OVER 60 INCHES ADD .31 PER INCH FOR EACH ADDITIONAL INCH

### MEASURING DETAILS

To assure a proper fitting combination window please include the following measurements of windows to which these units are to be applied.

1. Width of opening—measure distance between casings where combination windows will fit.
2. Height of opening—measure distance between lower edge of top casing and sill where combination window will fit.
3. Width of lower glass—measure width of glass across putty or glazing bead.
4. Height of lower glass—measure height of glass in lower sash across putty or glazing bead.
5. Height of upper glass—measure height of glass in upper sash across putty or glazing bead.

\* To Determine United Inches for Pricing, Add Dimensions 1 and 2 for United Inch Size of Unit.



## Windsor JALOUSIE GLASS BLOCK VENTILATORS

### MODERN AND FUNCTIONAL COMPLETE PACKAGED VENTILATING UNIT

The most satisfactory unit manufactured for use in ventilating glass block walls. Extruded aluminum jambs, head and sill with die formed aluminum alloy glass retaining clips. Completely weatherstripped with vinyl plastic with resistance to heat, cold and age. Crank type operator assures glass to glass contact across full width of opening. Units are assembled, glazed, screened, with hardware attached in individual cartons. Obscure glass 7/32" x 4" is standard, but clear glass is optional at no additional cost. Full framed storm sash are glazed SSB.

#### • SPECIFICATIONS AND PRICES •

For 8 Inch Block			
Number	Size	Jalousie Complete	Storm Sash
10A-1616-FD	16" x 16"	\$15.05	\$2.05
10A-2416-FD	24" x 16"	16.90	2.25
10A-3216-FD	32" x 16"	19.25	2.55
10A-2424-FD	24" x 24"	19.80	2.70
10A-3224-FD	32" x 24"	22.10	3.30
For 6 and 12 Inch Block			
10A-2412-FD	24" x 12"	15.70	1.95
10A-2424-FD	24" x 24"	19.80	2.70
10A-3024-FD	30" x 24"	21.74	3.10

ALUMINUM COMBINATION WINDOWS SHIPPED F.O.B. CENTRAL MO. FACTORY - BLOCK VENTS F.O.B. S.W. MO.

Materials Wholesale from **MORGAN - WIGHTMAN**



R. D. **WERNER** CO. INC.**ALUMINUM LADDERS •****500 SERIES SINGLE AND EXTENSION LADDERS**Featuring **ALFLO**  
**HYDRO-LOCKED**  
**RUNG-JOINTS**

AN EXCLUSIVE WERNER FEATURE

Rungs are hydraulically locked into the rails by the WERNER unique "ALFLO" process—a distinctive advance in ladder engineering—developed, perfected and tested in WERNER'S own Research and Development Department. Rungs cannot loosen in service.

Side rail channel-type extrusions redesigned to insure maximum strength and safety at minimum weight per foot. Smoother action between the inter-lock sliding channels.

Rungs are a full 1 1/4" in diameter with deeper corrugations for added safety and greater comfort.

Width of ladder increased by a full 2 inches for greater safety and stability at any height.

**ONLY ALUMINUM LADDER WITH UNDERWRITERS LABORATORY LABEL****SPECIFICATIONS FOR 500 SERIES**


Diameter of rungs . . . . . 1 1/4"  
Inside width between rails—Base Section . . . . . 14 1/2"  
Fly Section & Single Ladders . . . . . 14 1/2"  
First Rung from bottom . . . . . 7 1/2"  
Last Rung from top . . . . . 7 1/2"  
Rung Spacing . . . . . 12" centers  
Safety Locks . . . . . Aluminum Automatic Spring Loaded

**500-SERIES SINGLE LADDERS**

Style No.	Size	Approx. Weight	Width of Side Rail	Price
27P-508-C	8'	12 1/4 lbs.	3" x 3/4"	\$14.05
27P-510-C	10'	15 lbs.	3" x 3/4"	17.80
27P-512-C	12'	17 1/2 lbs.	3" x 3/4"	21.25
27P-514-C	14'	20 1/4 lbs.	3" x 3/4"	24.65
27P-516-C	16'	26 1/4 lbs.	3" x 3/4"	34.25
27P-518-C	18'	30 lbs.	3" x 1"	38.35
27P-520-C	20'	33 lbs.	3" x 1"	42.45

**500 SERIES (2 SECTION) EXTENSION LADDERS**

Style No.	Size	Approx. Wt.	Base Section	Fly Section	Width of Side Rail	Overlap	Working Lgth.	Price
27P-520-2-C	20'	32 lbs.	10'	10'	3" x 3/4"	3'	17'	\$37.00
27P-524-2-C	24'	38 lbs.	12'	12'	3" x 3/4"	3'	21'	44.50
27P-528-2-C	28'	43 lbs.	14'	14'	3" x 3/4"	3'	25'	51.35
27P-530-2-C	30'	53 lbs.	16'	14'	3" x 3/4"	3'	27'	65.75
27P-532-2-C	32'	57 lbs.	16'	16'	3" x 3/4"	3'	29'	70.55
27P-536-2-C	36'	63 lbs.	18'	18'	3" x 1"	3'	33'	79.45
27P-540-2-C	40'	69 lbs.	20'	20'	3" x 1"	4'	36'	86.30

**WERNER ALUMINUM 400 AND 700 SERIES STEPLADDERS**

All WERNER Ladders constructed from tough Aircraft type Aluminum Extrusions

Low priced. Built for lifetime safety and service. For mechanics, painters, electricians, etc. Light enough for any housewife to handle. Wide corrugated slip-resistant steps and side rails. Ample spread and pitch gives maximum stability at all heights. Doubleriveted construction, extra bracing on bottom steps — horizontal cross bracing on rear assembly. Spill-proof pail-holder and top step pinch-proof spreader bars, heavy duty rubber feet.

**400 SERIES STEP LADDERS**

No.	Height	Ship. Weight	Price
27P-404-C	4 ft.	13 1/2 lbs.	\$13.70
27P-405-C	5 ft.	17 lbs.	15.75
27P-406-C	6 ft.	20 1/2 lbs.	20.55
27P-408-C	8 ft.	25 1/2 lbs.	28.75

**700 SERIES STEP LADDERS**

No.	Height	Ship. Weight	Price
27P-704-C	4 ft.	14 lbs.	\$15.75
27P-705-C	5 ft.	17 1/2 lbs.	18.50
27P-706-C	6 ft.	22 1/2 lbs.	23.95
27P-708-C	8 ft.	29 lbs.	32.20
27P-710-C	10 ft.	36 lbs.	39.05
27P-712-C	12 ft.	44 1/2 lbs.	51.40

**● SPECIFICATIONS ●****400 SERIES**

Front Rail 3-1/16" wide x 3/4" deep U-channel. Steps 3" wide x 1-1/4" deep.


**700 SERIES**

Front rail 3-9/16" wide x 3/4" deep U-channel. Steps 3-1/2" wide x 1-1/4" deep.

**FOR BOTH SERIES**

Step spacing — 12" on centers. Double riveted steps with step braces on bottom steps. Rear rails — 1" x 1" x 3/32" angle on models through 5'; 1" x 1" x 1/8" angle on models through 6'; 1" x 1-1/4" x 5/32" angle on 8'-10'-12' models, cross braces — 13/16" x 1-1/2" x 3/32" angle. Double riveted rear rails. Ladder top — 5-3/4" x 12-1/8". Bucket holder — 8" x 9-7/8".


4' to 6' step ladders and platforms are packed in individual shipping cartons.



Improved Bucket Holder — 8" x 9-7/8" — holds pails up to one gallon size; spill-proof design.



Ribbed-Rubber Feet are standard equipment on all sizes — slip resistant, won't mar floors.



Handy "Tool-Tra Top" — holds bolts and screws — tools can't roll off and cause accidents.


ALL ITEMS ON THIS PAGE F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# ARROW ALL-PURPOSE AUTOMATIC NAILERS AND STAPLES

IDEAL FOR BATTING, INSULATION, ROOFING PAPER, ALUMINUM INSULATION



LIST  
\$12.50

ONLY T-50 CAN USE CEILTILE STAPLES!  
shoots a staple wherever a nail can be driven!  
uses 1/4", 5/16", 3/8", 1/2", 9/16" staples.  
patented jam-proof mechanism

## STAPLE PRICES PER 10 M

No.	Size	Wt.	Price
10P-5140-M	1/4"	3#	\$3.47
10P-5160-M	5/16"	3 1/4#	3.67
10P-3800-M	3/8"	3 1/2#	3.80
10P-1200-M	1/2"	4#	4.47
10P-1000-M	Ceil- tile	4 1/2#	4.80

## ARROW'S T-50

AMERICA'S  
MOST VERSATILE  
TACKER

## No. 10P-T50-M

**\$8.33**

Each  
Weight  
2 lbs.

## NEW! No. HT-50M

HEAVY DUTY HAMMER TACKER

WITH PERFECT BALANCE!

LIST  
\$16.50



- Perfect balance permits stapling for hours without strain!
- All steel construction; chrome finish
- One hand operation. Strikes like a hammer; staples with each blow
- Shatterproof plastic handle
- Loads 170 (two full strips!) of staples!
- Takes 4 (T-50) staple sizes: 1/4", 5/16", 3/8", 1/2"

## No. 10P-HT50-M

**\$11.00**

Each  
Weight  
2 3/4 lbs.



CEILING TILE



INSULATION



SIDING

# FASTEN IT THE FASTWAY WITH HAM-R-TOOL FASTENING METHOD

## NEW HAM-R-TOOL

No.  
26P-H105-M

This proven modern system permits fastening of light construction materials directly to concrete, concrete block, brick, mortar, steel (up to 1/4" thick), and anchoring wood, steel, or light equipment to these base materials. All you need is a FASTWAY HAM-R-TOOL, our versatile Stud-Pins, and a 2 1/2-lb. sledge type hand drill hammer. FASTWAY provides highest accuracy, speed and finished fastening appearance in addition to cutting costs.

- Fits All Stud Pins
- Tapered For Fastening in tight places
- Rubber Grip Eliminates Rebound
- Saves hours of Work & Preparation

Penetration guides on the driver head serves as a gage for proper driving depth of Stud-Pins. The top or red guide is for all drive pins. The second or yellow is for all 10-24 studs. The third or green is for all 1/4-20 studs. The driver head is driven until the proper color guide is flush with the top of the handle.

## No. 26P-H100-M


- KIT INCLUDES:
- FASTWAY HAM-R-TOOL
  - STURDY STEEL TOOL BOX
  - FASTWAY APRON




No.  
26P-H100-M  
**\$15.60**

## FASTWAY DRIVE PINS

(With 1/4"  
Head Diameter)




## FASTWAY THREADED STUDS



CATALOG No.	D-75	D-100	D-125	D-150	D-200	D-250	D-300
PRICE Per 100	\$3.40	\$4.35	\$5.00	\$6.15	\$6.60	\$7.25	\$7.75

T-62	T-100	T-75	T-125
\$4.70	\$5.20	\$6.00	\$6.60




26P-H105-M \$4.25

## MORTAR BOXES

### EASIER MIXING AND CLEANING

made possible by  
perfectly smooth interior  
no rivets or seams. Body  
and side flanges formed from  
single sheet of heavy rust-  
resistant copper steel and  
painted bright Green.



"VOLUME DISCOUNT"  
LESS 5% - ON ORDERS, 3 OR MORE

NO.	DEPTH	WIDTH	LENGTH	CU. FT.	WEIGHT	GAGE	PRICES
18T-1000-F	10"	28"	48"	6	33 lbs.	18	\$11.25
23T-1100-F	11 1/4"	33"	62"	9	58 lbs.	16	14.45
23T-1200-F	11 1/4"	38"	78"	15	80 lbs.	14	19.10

Can be placed over fire in cold weather. Does not become heavier or dirtier with age, like a wooden box. One-piece welded construction. Will not warp, shrink or leak. Boxes will nest. Rounded corners.

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



## • BUILDING AND SAW HORSE BRACKETS •

### No. 20P-4500-M Roof Bracket

Made of 2 pieces 12 ga. steel securely fastened together with heavy rivets. For wood, asphalt or composition roofs. Inside lip prevents plank from gouging, outside lip prevents plank from sliding. For 2" x 6" plank.

Aluminum finish.  
Packed 1 dozen  
to carton, weight  
per dozen, 22 lbs.



**\$0.90** Each

**\$10.35** Dozen


### No. 20P-2560-M Folding Scaffold Bracket

Made of 1-1/2" x 1-1/2" x 1/8" steel angle with 6" wide 1/4" thick support base at top to eliminate sway. Three slotted holes in support angle allow fastening with nails or No. 20P-2566-E hook with wing nut. Small hole in brace angle at bottom to hold lower end in place. Projects 40" from face of building. Holes punched in horizontal leg for fastening scaffold plank if desired. Folds down to 10" x 54" length for carrying-saves time-saves space. Aluminum painted finish. Weight each 12 lbs.

**\$5.83** Ea.

No. 20P-2566-M Hook can be furnished to fasten scaffold bracket direct to stud. 1/2" formed bar with wing nut provides plenty of strength. Weight each 3/4 lb.

**\$0.80** Ea.




### ALL METAL FOLDING SAW HORSE LEGS

These legs fold compactly and can be transported easily. The Alligator Grip Jaws firmly grip the wood cross piece, with provision for even more positive anchorage by means of nails through holes provided in the tabs adjacent to the jaws.


Legs are formed from 14 gauge steel and are heavy enough to support considerable weight and stand rough handling. Durable aluminum paint.

Packed 2 pair per carton.  
5% handling charge on  
broken cartons.



No.	Height	Weight Per Carton	Price Per Pair
11P-7024-M	24"	20½ lbs.	\$3.25
11P-8030-M	30"	24 lbs.	3.85

### DALTON FULLY MECHANICAL SAW HORSE LEGS



Convert 5 pieces of lumber into a sawhorse - without nails, bolts, or mitering of legs.

**FULLY MECHANICAL** - A twist of the wingnut locks legs and rail in place.

**SAFE** - Sawhorse cannot slip or pull apart.

**STURDY, DURABLE** - Not Bulky. Made of heavy gauge steel, fabricated for strength with rust-resistant finish.

**CONVENIENT, PORTABLE** - Assemble sawhorses where needed, dismantle for storage or transporting.

**ECONOMICAL** - Use lumber over and over... no waste.

No. 11P-1000-M  
Weight 6½ Lbs. Pair

**\$2.55** Pair Or **\$2.45** Pair \*  
\* In 6 Pair Cartons

# FLAMEGAS SALAMANDER

## • SAFE • DEPENDABLE • CLEAN • ECONOMICAL

- OPERATES WITH OR WITHOUT FAN
- SAVES FUEL
- OPERATES ON 11" WATER COLUMN PRESSURE
- 100% SAFETY CONTROL
- 40,000 TO 60,000 BTU's
- 110 VOLT FAN MODEL OR 6 & 12 VOLT FAN MODEL \*
- TAKES COLD AIR FROM FLOOR
- DIRECTED HEAT FLOW

The Flamegas Salamander is the All-Purpose Heater for Contractors, Plasterers, Painters, Electricians, Plumbers as well as other tradesmen where Heat is Required to keep the job going. This is your answer.

This unit is also used as portable temporary heat in Factories, Warehouses, Construction Field Offices, Guard Houses, Foundries, and many other places where central heat is not practical. Equipped with 100% Safety Controls and nine-hundred and fifty cubic foot per minute fan, this unit offers the best uniform heat with complete safety of operation.

The lower BTU input saves you fuel. With the fan to move and direct the heat thru the building you do not waste fuel heating the ceiling space before your workmen can benefit from the heat.

(The 40,000 BTU unit will operate for fifty hours on one (100#) cylinder of fuel).

Height ..... 43"  
Width ..... 16"  
Depth ..... 11"  
Weight ..... 29 lbs.

\*Specify Voltage Desired

NO. 13P-110-I


**\$70.65** **\$67.60**

1-2

3 OR MORE

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





# NuTone Built-In Intercom-Radio Music Systems



**A Home Broadcasting Network  
For Your Protection and Pleasure  
All Components Are of Very Highest Quality**

A blessing for a busy mother . . . to save her energy and time. No walking to distant rooms to hear from her family. She speaks softly and yet is heard in every corner of the house . . . or in just one room.

The whole family enjoys it . . . favorite radio programs or recorded music can be piped to any room or all rooms. Save the cost of many separate radios or separate record players. Just plug in electric phonograph or tape recorder for music inside home . . . or for outside patio.

A "baby sitter" while mother is busy working or entertaining. It is useful in so many ways . . . to speak to strangers without opening the door . . . to use as a night watchman while family is asleep.

Remote stations can be placed in every important room . . . and each station can originate calls to any other room without walking to the master control to turn switches on. Every inside remote station has its own variable rotary control. Privacy setting — no eavesdropping.

Many exclusive features. Master control station has 8 remote station selector switches. Speaker 4" round, 3.2 ohm, 110-120 volts, AC-DC.

## AM-FM DELUXE INTERCOM-RADIO-MUSIC-SYSTEM

7 superheterodyne tubes plus rectifier. Power consumption 42 watts. Tone control. **3 or More**

No. 14E-2016-D—Copper Anodized. Shpg. wt. 28 lbs. **\$119.67 \$112.19**

No. 14E-2015-D—Brushed Chrome. Shpg. wt. 28 lbs. **\$119.67 \$112.19**

## AM STANDARD INTERCOM-RADIO-MUSIC-SYSTEM

6 superheterodyne tubes. Power consumption 30 watts. **3 or More**

No. 14E-2011-D—Copper Enamel. Shpg. wt. 26 lbs. **\$86.33 \$80.94**

No. 14E-2012-D—Aluminum Enamel. Shpg. wt. 26 lbs. **\$86.33 \$80.94**

Both sets include master control station, 3 inside remotes, 1 weather-proof outside remote, all wire, fittings and antenna wire. Complete, easy-to-follow installation instructions.

### Built Into Wall — No Exposed Wires

#### [1] MASTER CONTROL

13 3/4" wide x 9 3/8" high x 4" deep. Fits between 16" studding. Surface plate 15 1/8" x 11 3/8".

#### [2] INSIDE REMOTE

7" wide x 5 1/2" high x 2" deep. Surface plate 7 1/8" wide x 6 3/8" high. Desert sand finish.

#### [3] OUTSIDE REMOTE

Housing 4 1/8" wide x 5 1/8" high x 2" deep. Surface plate 4 3/8" wide x 5 7/8" high. Gold anodized finish. Will not rust.









# NuTone Door Chimes

All door chimes operate on 110-120 volts, AC-DC.

Make your home more INVITING with a pleasant friendly "hello". NuTone door chimes are beautiful to hear, attractive to see.

Add elegant charm to hallway, living room, or kitchen with contemporary and traditional models to suit mood of any interior.



**[A] Chord-Tone.** Distinctive modern design. Desert sand cover with gold-flecked grille cloth. 2 chords for front door, 2 notes for rear door. 7 1/2" x 9 1/2". Shpg. wt. 4 lbs.  
**No. 14E-L30-F .....\$9.07**

**[B] Mt. Vernon.** Beautiful hammered colonial design in brass. 2 notes front door, 1 note rear. 7" x 11 3/4". Shpg. wt. 3 1/2 lbs.  
**No. 14E-L20-F .....\$7.77**

**[C] Provincial.** Traditional grace . . . in a chord chime! Walnut finish cover with antique grille. 2 chord tones for front, 2 notes for rear. 8 1/4" x 10" x 3 3/8". Shpg. wt. 4 1/2 lbs.  
**No. 14E-L32-F .....\$9.72**

**[D] Chorale.** New elegance. Gold anodized grille and tubes. 4 or 8 notes front door, 1 note rear, 1 different note 3rd door. Transformer included. 7 3/4" x 14 1/8" x 3 1/2". Shpg. wt. 6 1/2 lbs.  
**No. 14E-L38-F—Walnut .....\$20.97**  
**No. 14E-L38-F—Lim'd Oak .....\$20.97**

**[E] Chime and Clock.** Polished wood cabinet, brass decoration. 4 or 8 Westminster chords for front door, 1 chord rear, 1 different chord 3rd door. Transformer included. 12 1/4" x 8 5/8" x 3 1/2". Shpg. wt. 10 lbs.  
**No. 14E-L60-F—Lt. Walnut .....\$41.97**  
**No. 14E-L60-F—Ebony .....\$41.97**

**[G] Supreme.** Limed oak or ebony finish with four long brass tubes. 4 or 8 notes for front door, 2 notes rear, 1 note third door. With transformer. 10 3/8" x 48 1/2" x 5". 11 lbs.  
**No. 14E-L42-F—Lim'd Oak .....\$29.97**  
**No. 14E-L42-F—Ebony .....\$29.97**

**[H] Coronet.** 3 long brass tubes. 2 notes front door, 1 note rear. 8 1/2" x 39 3/4" x 2 7/8". Shpg. wt. 7 lbs.  
**No. 14E-L33-F—Walnut .....\$11.02**  
**No. 14E-L33-F—Lim'd Oak .....\$11.02**

**16 VOLT CHIME TRANSFORMER.** Not shown. Use with A, B, C, H. Also for oil, gas heating, and air conditioning systems. Mounts anywhere. UL approved. 2 1/4" x 2 5/8" x 2".  
**No. 14E-101-F—Wt. 1 lb. ....\$1.92**

**PUSHLIGHT.** Button, nite-lite, nameplate 1 1/2" x 3". Gold.  
**No. 14E-PB8-F—1/2 lb. ....\$1.63**  
**STARBRITE.** Gold anodized 2" x 3".  
**No. 14E-PB17-F—1/2 lb. ....\$1.63**





# Add Splendor and Value in Your



## MOST POWERFUL! . . .

NuTone range hoodfans employ an entirely new principle of "air movement" as designed by NuTone aerodynamic engineers. The most powerful exhaust system on the market.

## MOST BEAUTIFUL! . . .

NuTone range hoodfans are available in 4 beautiful finishes with modern matching splash plates. There is a finish to blend with any kitchen color scheme. Smart design also includes angled corners to permit cabinet door to open wide.

## EASIEST TO INSTALL! . . .


The fan housing is installed in the hood at the factory. The hood is prewired to outlet box. Fan and light with switches are prewired at factory leaving only 2 power lines to be connected to the outlet box. Hood mounts easily with only 4 screws (included). Simple and complete installation instructions are included with every unit.

Every home needs good ventilation in the kitchen to keep air cool, fresh, and clean . . . to prevent greasy film from settling on walls and furnishings . . . and to get rid of any offensive cooking odors before they can circulate and spread into other rooms of the house.

NuTone's hoodfans act like a huge vacuum cleaner in the kitchen. They pull out odors, grease, moisture, and

excess cooking heat. They prevent damage to cabinets and walls . . . save costly redecorating . . . furnishings stay clean and bright. No peeling paint due to excess kitchen moisture.

The hood that TRAPS heat, grease, and odors RIGHT OVER THE RANGE COOKING ZONE. The fan portion changes the air over the range 33 times a minute—exhausts quickly.



### DELUXE RANGE HOODFAN

10" fan exhausts 1275 cu. ft. of air per minute. Fan and concealed "non-glare" light controlled by 2-speed pushbutton switch. Horizontal exhaust for outside wall installation or vertical through back of cabinet above for inside wall installation. Fits standard 3 1/4" x 10" ducts. Matching splash plates are 22" high. Hoodfans 6 1/4" high, 18" deep. 110-120 volts, 60 cycles, AC.

### DELUXE RIBBED COPPER ANODIZED

		6 & Over
No. 14E-1217-C—30" Hoodfan.	27 lbs.	\$57.52 \$54.06
No. 14E-SP17-C—30" Sp. Plate.	4 lbs.	\$8.75 \$8.20
No. 14E-1227-C—36" Hoodfan.	28 lbs.	\$58.90 \$55.36
No. 14E-SP27-C—36" Sp. Plate.	5 lbs.	\$10.15 \$9.51
No. 14E-1237-C—42" Hoodfan.	33 lbs.	\$60.29 \$56.66
No. 14E-SP37-C—42" Sp. Plate.	6 lbs.	\$11.55 \$10.83

### DELUXE STAINLESS STEEL

		6 & Over
No. 14E-1218-C—30" Hoodfan.	30 lbs.	\$63.74 \$59.90
No. 14E-SP18-C—30" Sp. Plate.	6 lbs.	\$12.95 \$12.14
No. 14E-1228-C—36" Hoodfan.	32 lbs.	\$67.20 \$63.16
No. 14E-SP28-C—36" Sp. Plate.	8 lbs.	\$15.75 \$14.76
No. 14E-1238-C—42" Hoodfan.	34 lbs.	\$70.67 \$66.41
No. 14E-SP38-C—42" Sp. Plate.	9 lbs.	\$18.55 \$17.39

### JET-FLO RANGE HOODFAN

Powerful 8" fan exhausts 725 cu. ft. air per minute. Exhausts vertically through back of cabinet above for inside wall installation—or horizontally for outside wall installation. 110-120 volts, AC. Fan and concealed "non-glare" light are controlled by 2-speed pushbutton switch. Matching splash plates 22" high. Hoodfans 6 1/4" high, 18" deep.

### JET-FLO ALUMINUM ENAMEL HOODFAN

		6 & Over
No. 14E-1111-C—30" Hoodfan.	23 lbs.	\$30.43 \$28.60
No. 14E-SP11-C—30" Sp. Plate.	7 lbs.	\$3.51 \$3.29
No. 14E-1121-C—36" Hoodfan.	25 lbs.	\$31.82 \$29.90
No. 14E-SP21-C—36" Sp. Plate.	8 lbs.	\$3.85 \$3.61
No. 14E-1131-C—42" Hoodfan.	27 lbs.	\$33.36 \$31.35
No. 14E-SP31-C—42" Sp. Plate.	10 lbs.	\$4.20 \$3.94

### JET-FLO COPPER ENAMEL HOODFAN

		6 & Over
No. 14E-1115-C—30" Hoodfan.	23 lbs.	\$40.80 \$38.35
No. 14E-SP15-C—30" Sp. Plate.	7 lbs.	\$8.75 \$8.20
No. 14E-1125-C—36" Hoodfan.	25 lbs.	\$42.19 \$39.65
No. 14E-SP25-C—36" Sp. Plate.	8 lbs.	\$10.15 \$9.51
No. 14E-1135-C—42" Hoodfan.	27 lbs.	\$43.73 \$41.09
No. 14E-SP35-C—42" Sp. Plate.	10 lbs.	\$11.55 \$10.83

### NU-TONE OVEN HOODFAN


AT LAST—Kitchen cabinets and the entire kitchen can be protected from damage caused by scorching heat, grease, and smoke which escapes from any built-in oven when the door is opened. Exhausts right amount of air without disturbing baking temperatures. Removable filter, hood, fan for easy cleaning.

Exclusive, compact design wastes no cabinet space . . . means easier installation. Easy-to-follow instructions. Styled to blend with all built-in ovens.

Motor shielded from oven fumes. Won't interfere with oven vents. UL approved. Brushed chromed hood. Order both hood and fan power unit (110-120 volts AC) for complete oven-hoodfan.

No. 14E-1409-C—24" Hood.	Wt. 3 lbs.	\$9.00
No. 14E-1419-C—27" Hood.	Wt. 4 lbs.	\$9.00
No. 14E-1429-C—32" Hood.	Wt. 4 lbs.	\$9.00
No. 14E-1460-I—Power Unit.	13 lbs.	\$24.04

Matching Splashplate for Every Hood





# Home with NuTone Built-Ins for Your Kitchen




You will find exactly the right type of NuTone exhaust fan to fit any kitchen or range location. 8 basic models for wall and ceiling. Your choice of pull-chain or wall automatic, ceiling automatic or vertical discharge types. All engineered to give years of quiet, powerful, trouble-free performance.

Grilles are anodized aluminum and cannot rust

(10-year guarantee on finish) . . . protected against stains and tarnish. Easy to clean . . . removable grille and fan assembly.

All NuTone exhaust fans are UL approved—and are 110-120 volts, 60 cycles, AC. Snap-in motor and blade assembly. Easy to install. Use 10" models for medium and large kitchens, 8" models for small ones.




**MODEL 870 TWIN-BLOWER FAN**

(Not Illustrated)

For kitchen cabinet and ceiling installation with exclusive patented "snap-in" assembly for easy cleaning. Side of housing interchangeable for vertical or horizontal discharge. Has double centrifugal blower wheels. Baffle housing around motor prevents grease from reaching motor. Housing 8"x8"x14", grille 9-13/16"x15-13/16", duct size 3 3/4" x 10". Moves 300 CFM free air. Grille has snap hinge removal — no tools required. Operates by toggle switch or 3-speed switch. Weight, 17 lbs.

No. 14E-870-I—Alum. Grille \$24.69 \$23.20\*

No. 14E-871-I—Cop'r. Grille \$24.69 \$23.20\*




**A** Ceiling or inside-wall fan: Automatically operated by wall switch. Housing 3 3/8" deep to fit standard 2 x 4 stud construction. Connects with standard 3 1/4" x 10" furnace duct. See accessories on Page 59 for filter, 3-speed switch, wall cap, or eave cap.

10" blade. Grille 13" diameter. Exhausts 900 cu. ft. per minute. 1/38th H.P. motor.

No. 14E-851-I—Wt. 14 lbs. \$24.39 \$22.93\*

8" blade. Grille 10 1/2" diameter. Exhausts 700 cu. ft. per minute. 1/80th H.P. motor.

No. 14E-831-I—Wt. 10 lbs. \$18.35 \$17.25\*



**C** Pull-chain wall fan: Fits wall thickness 5 to 10 3/8". Pressure type blade. Weather-tight shutter outside house. Pull-chain operated. Outside plate 13 3/4" sq.

10" blade. Grille 13" sq. Exhausts 1100 cu. ft. air per minute. 1/38th H.P. motor. 11 1/8" diameter wall opening.

No. 14E-811-I—Wt. 14 lbs. \$23.89 \$22.46\*

8" blade. Grille 10 1/2" sq. Exhausts 600 cu. ft. air per minute. 1/80th H.P. motor. 9 1/8" diameter wall opening.

No. 14E-801-I—Wt. 12 lbs. \$18.47 \$17.36\*



**D** Vertical discharge ceiling fan: Ventilates through ceiling into attic, out roof. Has damper section. Order filter, 3-speed switch, or roof cap. See page 59.


10" blade. Grille 13" diameter. Exhausts 1100 cu. ft. air per minute. 1/38th H.P. motor. Housing fits into 11 1/8" diameter opening.

No. 14E-849-I—Wt. 11 lbs. \$21.51 \$20.22\*

8" blade. Grille 10 1/2" diameter. Exhausts 725 cu. ft. air per minute. 1/50th H.P. motor. Housing fits into 9 1/8" diameter opening.

No. 14E-821-I—Wt. 10 lbs. \$15.78 \$14.83\*

\*PRICES FOR SIX OR MORE ASSORTED FANS PER ORDER



## NuTone Built-In Food Center

Completely out-dates every other food preparation appliance! EACH ATTACHMENT GUARANTEED TO OUT-PERFORM ANY COMPARABLE APPLIANCE ON THE MARKET! Dozens of exclusive patented features! Save your valuable workspace from "counter-clutter" and "cord-tangle". Save time and sore muscles by eliminating the carrying of awkward, heavy separate appliances from inaccessible storage places. Save money, too (you buy only one motor instead of five).

Easy to install . . . in counter over drawer, "dead" corner, or inside a drawer. When not in use, recessed motor leaves counter smooth and free. Stainless steel top. Sealed against water entry.

**STARTER SET . . .** You can order all 5 appliance attachments with the power unit and you have the COMPLETE food center . . . or if you prefer you can order the power unit plus any attachment to give you a STARTER SET. Extra attachments can be purchased later—as you wish.



**MOTOR UNIT**

Built-in under the counter. Range of 6 speeds. 1/5 H.P. 340 watts, 110-120 volts, AC. Wt. 10 lbs.  
No. 14E-220-F \$28.90



**MIXER**

3 1/2 qt. motor driven bowl. Easy to hold in one hand. Non-drip, all-around pouring rim. Wt. 4 1/2 lbs.  
No. 14E-171-F \$13.57



**BLENDER**

6 speeds. Break resistant. Handy triangular shape. Safety sealed cutting blades. Wt. 1 1/2 lbs.  
No. 14E-172-F \$4.73



**MEAT GRINDER**

Exclusive vertical design. Meat stays juicy and tender. No splattering. Lightweight. Wt. 4 1/2 lbs.  
No. 14E-177-F \$16.97



**KNIFE SHARPENER**

Flexible disks sharpen safely. No damage to blade temper. Removable cap catches shavings. 1 lb.  
No. 14E-174-F \$4.05



**FRUIT JUICER**

Family size. Holds 10 full glasses. Includes reamer and strainer. Uses NuTone mixing bowl. Wt. 1 1/2 lbs.  
No. 14E-173-F \$2.69



Your Bathrooms  
Will Be More  
Luxurious  
with

## NuTone Bathroom Built-Ins



## NuTone Built-In Scale

### BUILT-IN BATHROOM SCALE

Weight-conscious Americans have made the bathroom scale a MUST in every home—but the big question is . . . "Where to store the scale when it is not in use?" Now NuTone has the perfect answer to solve this problem . . . with a BUILT-IN bathroom scale which folds into the wall . . . leaving the floor unobstructed.

No more stumbling . . . no more fumbling with portable types of bathroom scales. The NuTone built-in scale folds out of the way.


\*PRICES FOR SIX OR MORE ASSORTED NUTONE PRODUCTS PER ORDER

Outside door of NuTone bathroom scale can be painted to match your bathroom wall.

Scale mechanism is of the finest quality. Fingertip control of "spring action" door permits scale to fold down from wall, with plenty of room for even the stoutest person. No protruding handle. Easy to install between standard 16" studding in existing homes. 25 1/4" high. Complete instructions included. Shipping weight 33 lbs.

No. 14E-550-I—White Enamel .....\$23.31 \$21.85\*

No. 14E-555-I—Anodized Alum. ....\$33.31 \$31.23\*




There are many months when bathrooms are too chilly for comfort or good health. Even in homes with central heating—AUXILIARY HEAT is needed early in the morning after the furnace has been turned down all night . . . or in off-seasons. NuTone CEILING heaters are SAFEST . . . for QUICK HEAT.

### (A) RADIANT CEILING HEATER

A NuTone RADIANT heater is the perfect answer to fast, effective, safe, bathroom heat. In seconds a cold bathroom becomes comfortably warm . . . pleasant for everyone . . . especially babies or small children. Turn the wall switch and instantly . . . healthful infra-red heat spreads its relaxing warmth throughout the room. Specially designed to "bounce" heat in all directions. Heat radiates thoroughly . . . no nearby scorchers . . . no far-away shivers. Exclusive safety cooling system . . . no over-heating. Housing—13 1/8" diameter, 7 1/2" deep, 3 adjustable mounting brackets permit fitting from 0" to 3/4" ceiling. 1000 watts. 3412 B.T.U. Reflector with outside grille—16 1/4" overall diameter, 2" overall extension from ceiling. 110-120 volts, AC.

No. 14E-920-F—Shipping weight 13 lbs. ....\$17.97 \$16.85\*



### (B) HEAT-A-VENTLITE

It's a CEILING HEATER—plus an EXHAUST FAN—plus LIGHTING . . . The only ceiling fixture of its kind with TWO BLADES! Propeller for circulating warm air—and blower wheel to exhaust lingering odors and damaging bathroom steam. Best of all, the exhaust fan automatically shuts off when the circulating fan for the heater is moving. Enclosed heating element gives years of trouble-free operation. Housing—13 1/8" diameter, 7 1/2" deep, 1/2" flange to be flush with plaster. 3 adjustable mounting brackets assure accurate flush mounting on ceiling. Grille 16 1/4" diameter. 1475 watts. 5200 B.T.U. Motor 60 cycle AC, 110-120 volts. Anodized aluminum grille guaranteed for 10 years.

No. 14E-909-F—Shipping weight 21 lbs. ....\$43.27 \$40.57\*

Model 911 1800 Watts 6300 B.T.U.

No. 14E-911-F—Shipping weight . . . lbs. ....\$46.60 \$43.70\*



### (C) VENT-A-LITE

Now you can have an exhaust fan PLUS overhead lighting in the ceiling of your bathroom . . . BOTH IN ONE COMBINATION UNIT. Fan blower is quiet and moves just the right amount of air without causing drafts. It's ROUND . . . to provide more and better lighting . . . enough to cover the entire bathroom area. Easier to install between the ceiling 2 x 6 joists. Hinged lens for replacement of bulbs. Housing 6 1/8" deep, 10 1/2" diameter. 1/2" plaster flange. 3 adjustable mounting brackets. Grille 13 1/4" diameter. 1/16th H.P. motor. 110-120 volts, AC.

No. 14E-866-F—Ship. wt. 15 lbs. ....\$24.39 \$22.93\*

### (D) BATHROOM FAN

A compact exhaust fan for all types of bathrooms. Fits standard round duct. Anodized aluminum grille 9 1/4" x 7 3/8". Housing 7 7/8" x 6 3/4" x 8 3/8". 1/68th H.P. motor, moisture proof, snap-in mounting. 110-120 volts, AC.


No. 14E-881-I—Wt. 9 lbs. ....\$17.15 \$16.12\*





# • NEW NUTONE HEATER AND BATH FAN •


## MODEL 928 ELECTRIC CEILING HEATER SURFACE MOUNTED



NuTone's Model 928 Surface-Mounted Ceiling Heater competes price-wise with any other type of installed heater. Anodized Aluminum reflector guaranteed not to rust or tarnish. Mounts on standard junction box just like other electrical fixtures. Ceiling plate 5" diameter. No extra heat lamps or heating elements to buy. U.L. approved.

1000 Watts - 3412 B.T.U.

## MODEL 883 WALL OR CEILING EXHAUST FAN




EXTRA THIN-  
FITS 2"x4" WALL STUDDING

This new Nutone Blower Fan is designed for ceiling or 2"x4" wall mounting. May be used vertical or horizontally. It has 3" round discharge duct and will move 100 CFM (free air). Grille is anodized aluminum with bright finish. Simple installation - unit is composed of the fan housing and three mounting brackets, requires 7-1/4"x8-7/8" cutout. U.L. approved.

No.	Dia.	Ext.	Wt.	1-5	6 or more
14E-928-F	13 3/4"	8-7/8"	7 lbs.	\$12.64	\$11.85

No.	Grille Size	Wt.	1-5	6 or more
14E-883-I	8-9/16"x10-7/16"	8 lbs.	\$15.78	\$14.83

# Broan electric bathroom heaters



1500 Watt Model







Compact, good-looking, with lustrous chrome fronts. For built-into-wall installation. Ideal for warming bathroom, dressing room or kitchen. A real comfort-maker on those chilly between-season days. Motor driven fan assures even heat distribution. Grille designed so that children and pets cannot contact the electrical or mechanical working parts of the heater. Motor is self-oiling, offers no radio or TV interference.

Model No.	Specification	Wt. lbs.	Prices	
			1-3	4 or more
17E-1500-F	1500 Watts 120 Volts 60 Cycle A.C. 5000 B.T.U. 10 1/4"x13" Wall Opening	13 1/2	\$18.65	\$18.10
17E-1515-F	Same as above with thermostatic control.	13 1/2	24.80	24.05
17E-1200-F	1200 Watts 120 Volt 60 cycle A.C. 4000 B.T.U. 7 3/4"x13"x4" Wall Opening	8 1/2	14.60	14.15
17E-1212-F	Same as above with thermostatic control.	8 1/2	20.65	20.05









1200 Watt Model

## ACCESSORIES FOR "ALL" FANS AND RANGE HOODS



Code	Number	DESCRIPTION	Shipping Weight	Price 1 to 5	Price 6 or More
A	14E-897-F	Transition Elbow 90° 4"x12" to 3 1/4"x10"	2 lbs.	\$3.43	\$3.21
B	14E-838-F	Outside Wall Cap Fits 3 1/4"x10" Ductwork	3 1/2 lbs.	2.80	2.63
C	12E-212-F	Flush Wall Cap with Grille Fits 3 1/4"x10" Ductwork	3 1/2 lbs.	3.57	3.40
D	12E-214-F	Eave Cap with Grill Fits 3 1/4"x10" Ductwork	2 1/2 lbs.	3.57	3.40
E	12E-216-F	90° Elbow using 3 1/4"x10" Standard Furnace Pipe	1 1/4 lbs.	1.79	1.71
F	12E-218-F	90° Elbow for Horizontal Discharge. Ductwork 3 1/4" x 10" with Atmospheric Damper.	3 1/2 lbs.	2.32	2.21
F	14E-894-F	Elbow for model 820 Fan and 1100 Series hood.	3 1/2 lbs.	2.45	2.30
G	12E-219-F	Reducer for Vertical Discharge Fits Standard 8" Dia. Duct with Atmospheric Damper.	1 1/4 lbs.	1.65	1.57
G	12E-220-F	Reducer for Vertical Discharge Fits Standard 10" Dia. Duct with Atmospheric Damper.	2 lbs.	1.99	1.89
H	12E-240-F	Round to Rectangular Transition. 3 1/4"x10" Rectangular to 6" Round Ductwork.	2 1/4 lbs.	1.79	1.71
H	14E-886-F	Round Transition 3 1/4"x10"x7" round.	2 lbs.	1.89	1.78
I	12E-245-F	Three Speed Wall Switch. Fits Standard Single Outlet Box 2 1/2" Deep. 110-220 Volt, 60 Cycle A.C. Only.	1 lb.	3.98	3.79
J	14E-834-F	Round Filter 9 1/2" Dia. for 848, 849, 851 Fans	2 lbs.	1.40	1.31
J	14E-854-F	Round 11 1/2" Dia. Filter.	3 lbs.	1.55	1.45
K	14E-835-F	Roof Cap. Adaptable for all Standard Size Ducts up to 10" Dia.	5 1/2 lbs.	4.87	4.56
L	14E-874-F	3 1/4"x10"x10" Duct. White.	2 1/2 lbs.	1.51	1.41
M	14E-862-F	Bathroom Fan Time Switch - (1 Hour).	14 oz.	5.25	4.93
N	14E-879-F	Filter for Model 870 and 871 Fans	1 lb.	2.77	2.60
O	14E-895-F	Damper Section	1 lb.	1.75	1.64
P	14E-888-F	Flat Elbow Fits 3 1/4"x10" Duct.	4 lbs.	2.45	2.30
Q	14E-885-F	Wall Cap for 4" Round Duct.	2 lbs.	1.75	1.64
R	14E-100-F	Round Duct 8" Diameter 12" Long	3 lbs.	1.07	1.00
R	14E-887-F	Round Duct 7" Diameter 12" Long	3 lbs.	1.07	1.00
-	14E-875-F	Installation Kits for installing 870-871 Fans thru kitchen cabinets. (not illustrated)	1 lb.	2.07	1.94



ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






# • RESIDENTIAL AND COMMERCIAL VENTILATING FANS •

**MIAMI**
**Carey**
**CLIMAX ventilating fans -**
**models for kitchen, laundry, bathroom and recreation room.**

## PRICED FOR THE BUDGET HOME

The "ENGINEERED" Fan that makes it possible to equip every home with a ventilating fan, regardless of cost. Job and Laboratory Tested. Guaranteed by The Philip Carey Mfg. Company to give quiet, dependable, economical operation...to discharge grease-laden air from kitchen, laundry, bathroom and recreation room. Quality at this low price is only possible through Carey production know-how and mass distribution. One-piece grille allows maximum air flow. Powered by induction-type motor guaranteed for five years, bronze oil-impregnated bearings, no radio - TV interference. Snap-in assembly of propeller and motor unit insures easy installation, easy cleaning. Gray enamel finish housing. Power requirement: 110-120 volts, 60 cycle A.C.



### thru ceiling fans - 8" and 10" models

Model No.	Description	Shipping Wt.	Prices		
			1-5	6-24	25 or more
12E-2690-I	8" Thru Ceiling Fan, 11¼"x11¼" white enamel grille, wall switch operated. 550 CFM	8 lbs.	\$9.93	\$9.42	\$8.95
12E-2700-I	Same as above except with chrome grille. Reducer for vertical discharge or elbow for horizontal discharge available (see accessories section).	8 lbs.	10.33	9.80	9.31
12E-2740-I	10" Thru Ceiling Fan, 12½"x12½" chrome grille, wall switch operated. 700 CFM	12 lbs.	14.48	13.74	13.05

### automatic wall fans - 8" and 10" models

			Prices		
			1-5	6-24	25 or more
12E-2710-I	8" Wall Fan, 11¼"x11¼" white enamel grille, pull chain and/or wall switch operated, for walls 5" to 10-1/8" thick. 550 CFM.	13 lbs.	\$12.26	\$11.64	\$11.05
12E-2720-I	Same as above except with chrome grille.	13 lbs.	12.81	12.15	11.55
12E-2760-I	10" Wall Fan, 12½"x12½" chrome grille, pull chain and/or wall switch operated, for walls 5" to 10-1/8" thick. 700 CFM.	15 lbs.	17.26	16.38	15.56


### combination wall & ceiling - 8" and 10" models

		Shipping Wt.	Prices		
			1-5	6-24	25 or more
12E-2020-I	8" Combination Wall or Ceiling Fan, 3-speed or regular wall switch operated, chrome grille.	10 lbs.	\$14.25	\$13.52	\$12.82
12E-2040-I	10" Combination Wall or Ceiling Fan, chrome grille, 3-speed or regular wall switch operated.	16 lbs.	18.12	17.20	16.34

8" FANS USE 9¼" DIAMETER WALL OPENING - 10" FANS USE 11¼" DIAMETER

## CAREY COMMERCIAL EXHAUST FANS

force air type (wall switch operated)




Powerful, quiet-running exhaust fans made in 10", 12" and 16" blade sizes. 10" fan develops 1600 RPM, while 12" and 16" fans develop 1500 RPM. Listed by Underwriters' Laboratories, Inc. Easily installed - fully accessible for cleaning. Automatic shutters are with all models. Shutters open automatically when fan motor is started, close when motor is stopped. Shutters close tight - open up to 85°. 12E-2800-I dia. wall or ceiling opening is 11-1/4". 12E-2810-I dia. wall or ceiling opening is 12-15/16". 12E-2820-I dia. wall or ceiling opening is 17-1/4".

Model	Blade Size	Inside Dia. Ring	CFM Free Air	Shipping Weight	Prices	
					1-5	6 or more
12E-2800-I	10"	10-3/4"	700	14 lbs.	\$20.30	\$19.26
12E-2810-I	12"	12-7/16"	900	20 lbs.	25.00	23.74
12E-2820-I	16"	16-3/4"	1400	31 lbs.	32.30	30.64

## LAU AUTOMATIC ATTIC EXHAUST FAN

with or without automatic wall shutter



Lowcost direct drive attic exhaust fan to relieve attic heat. The fan starts when temperature reaches approximately 95° - and continues to operate until temperature drops to approximately 80°. Through this operation, heat that would normally penetrate into living quarters, is largely alleviated. In air-conditioned homes, this lowering of attic temperatures causes the air-conditioning unit to operate less frequently, reducing the heat load and operating cost.

SPECIFICATIONS: 115V, 60 cycle, single phase, 3.2 amps, 1900 C.F.M. free air, resilient mounted and permanently lubricated motor.

No.	Fan Size	Approx. R.P.M.	Motor H.P.	Wt. lbs.	PRICES	
					1-5	6 or more
29E-1657-I	16"	1550	1/15	16	\$30.05	\$28.50
10T-1520-M	(Wall Shutter)			9	5.25	4.97

Optional Automatic Shutter Price Must Be Added To Fan Price If Desired

ALL ITEMS THIS PAGE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



**MIAMI**  
**Carey**

# FAN AND HOOD COMBINATION

CHOICE OF COPPERTONE OR STAINLESS STEEL - SPLASH PLATES TO MATCH



Actual size is  $\frac{1}{4}$ "  
less than nominal  
size. Fan is mounted  
for LEFT HAND discharge

ALL METAL PARTS BONDERIZED AFTER FORMING.

The new Miami-Carey range hood and fan combination is manufactured of heavy gauge cold rolled or stainless steel with rigid multi-weld seams. Fan equipped hoods fitted for horizontal or vertical discharge with quiet, efficient fan, fully enclosed in hood - does not take up valuable shelf space in cabinet, Modern, pushbutton controls - 3 speeds for fan, switch for light, Fan and light completely wired at factory, saves installation time and costs. Hoods are equipped with baffle plate to catch grease. Easily removed for cleaning. Mitered corners on all hood models prevent interference with adjoining cabinet doors. Models also available without fans or lights for use with separate wall fans.

Hood Size - 19" deep x  $6\frac{1}{2}$ " high x 30"-36"-42" long

RANGE HOOD WITH BLOWER FAN					SPLASH PLATES		
Size	Finish	No.	1-5	6 or more	No.	1-5	6 or more
30"	Coppertone	12E-3030-C	\$28.60	\$27.10	12E-2030-I	\$3.22	\$3.05
30"	Stainless Steel	12E-3130-C	38.95	36.95	12E-2130-I	11.65	11.05
36"	Coppertone	12E-3036-C	29.25	27.75	12E-2036-I	3.50	3.32
36"	Stainless Steel	12E-3136-C	40.30	38.25	12E-2136-I	13.95	13.25
42"	Coppertone	12E-3042-C	29.85	28.35	12E-2042-I	3.90	3.70
42"	Stainless Steel	12E-3142-C	41.55	39.45	12E-2142-I	16.20	15.40
Average Weight				29 lbs.	Average Weight 10 lbs.		
Models without fans					BLANK RANGE HOOD		
Size	Finish	No.	1-5	6 or more	No.	1-5	6 or more
30"	Coppertone	12E-4030-C	\$15.85	\$15.05	12E-5030-C	\$12.30	\$11.70
30"	Stainless Steel	12E-4130-C	26.30	24.95	12E-5130-C	22.75	21.60
36"	Coppertone	12E-4036-C	16.55	15.70	12E-5036-C	12.98	12.35
36"	Stainless Steel	12E-4136-C	27.60	26.20	12E-5136-C	23.90	22.70
42"	Coppertone	12E-4042-C	17.20	16.35	12E-5042-C	13.65	12.95
42"	Stainless Steel	12E-4142-C	28.90	27.45	12E-5142-C	25.30	24.00
Average Weight				18 lbs.	Average Weight 16 lbs.		

## NEW NUTONE 1600 SERIES RANGE HOOD AND FAN


THE FAN HOUSING IS UNDERNEATH TO SAVE SHELF SPACE IN CABINET

- Built-in pushbutton switches to control light and 2 speed fan.
  - Double lights illuminate range (Bulbs not furnished).
- The hood is prewired to outlet box - saves time and labor. "Plug-in" motor for fan - no extra wiring needed. One piece motor brackets for ease of installation.
  - Decorative molding gives hood greater rigidity and beauty.
- Factory installed Venturi fan housing (for greater power) is inside of hood - reduces installation time and cost.
- Removable thumb nut holds grille in place. Grille matches hood.
  - Fits wood or steel cabinets  $11\frac{1}{2}$ " to  $13\frac{1}{4}$ " deep.

Trouble-Free Performance.


Guaranteed by NuTone's \$500,000.00 Bond.

Transition duct (4"x12" to  $3\frac{3}{4}$ "x10") and Filter for fan included  
Hood Size - 18" Deep x  $6\frac{1}{4}$ " High x 30" - 36" - 42" Length



**NOW!**

Horizontal discharge through back of hood and directly through wall



RANGE HOOD AND FAN PRICE				MATCHING SPLASH PLATES					
Size	Finish	No.	Wt.	1-5	6 or more	No.	Wts.	1-5	6 or more
30"	Copper Enamel	14E-1611-C	25 lbs.	\$34.26	\$32.15	14E-SP11-I	7 lbs.	\$3.51	\$3.29
30"	Anodized Alum.	14E-1615-C	22 lbs.	44.75	41.99	14E-SP15-I	4 lbs.	8.75	8.20
30"	Copper Anodized	14E-1616-C	22 lbs.	44.75	41.99	14E-SP16-I	4 lbs.	8.75	8.20
36"	Copper Enamel	14E-1621-C	27 lbs.	35.66	33.46	14E-SP21-I	8 lbs.	3.85	3.61
36"	Anodized Alum.	14E-1625-C	24 lbs.	46.15	43.30	14E-SP25-I	5 lbs.	10.15	9.51
36"	Copper Anodized	14E-1626-C	24 lbs.	46.15	43.30	14E-SP26-I	5 lbs.	10.15	9.51
42"	Copper Enamel	14E-1631-C	29 lbs.	37.22	34.93	14E-SP31-I	10 lbs.	4.20	3.94
42"	Anodized Alum.	14E-1635-C	26 lbs.	47.71	44.76	14E-SP35-I	6 lbs.	11.55	10.83
42"	Copper Anodized	14E-1636-C	26 lbs.	47.71	44.76	14E-SP36-I	6 lbs.	11.55	10.83

## STANTHONY MODEL 400 DELUXE VENTILATING HOOD

"THE BEST WAY TO VENTILATE A KITCHEN"

Two Finishes ... Antique Copper or Antique Silver

Three Sizes ... 30" - 36" - 42"

The new "400" twin-wheel blower with two-speed control has extra power. Blower unit is mounted on slides and pulls out like a drawer for easy servicing. Three grills, centrally located, provide an evenly balanced discharge over the ventilated area.

Ideal for remodeling, or when cabinets are not desired above the range. Model 400 as shown has an electric clock and is available in two sizes - 15" or 27" high for ceilings with soffits or without soffits.

All Stanthony ventilating hoods are warranted to be free from defects in material and workmanship for a period of one year.

### SPECIFICATIONS

Stanthony twin wheel blower rated at 550 CFM., three grease filters, two 40-watt incandescent lamps, automatic safety switch, two-speed switch for blower. All pre-wired, ready to install. Motor is 115 Volt, AC.

Specify Size and Finish When Ordering

### ALL SIZES ONE PRICE

No. 18E-400-C  
Single 2 to 5 6 or more  
\$97.13 \$80.94 \$77.70

### Average Weight 50 lbs.

### MATCHING SPLASH PLATES

No. 18E-240-I  
Single 2 to 5 6 or more  
\$ 4.89 \$ 4.29 \$ 4.13

Average Weight 8 lbs.



HOOD SIZE: 18-3/8" Deep At Bottom, 12-1/8" Deep At Top x 9" Deep Plus 15" or 27"

NOTE: For Complete Selection Of Fan Accessories, For ALL Models Above, See Page 59

ALL ITEMS ABOVE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# **NU TONE** TRADE MARK

## **DOOR CHIMES**

FOR KITCHEN • HALLWAY • LIVING ROOM


### **CHAMPION**



Trim tailored design with two notes for front door; one note, rear door. Gleaming plastic cover in modern styling. Available in white and Silver ornament or ivory with gold.

14E-L12-F.....\$3.22  
Package-12 2.97  
Wt. 1 lb. 4 oz.


### **RYTHMATIC**



A beautiful continuous chiming door chime. Has repeating chime for front door, plus two notes for rear door and one note for third door. Comes in fluted ivory cover with Gold finish or white with Silver.

14E-L21-F.....\$6.47  
Package-6 5.97  
Wt. 2 lbs.


### **HARMONY**



Sleek, NuTone beauty sounds 2 rich notes for front door; 1 for rear door. Comes in lustrous ivory plastic with Gold finished tubes or white with Silver. Contains new, enclosed power mechanism.

14E-L16-F.....\$5.17  
Package-6 4.77  
Wt. 2 lb. 8 oz.


### **DECORATOR**



This new, modern chime has desert sand plastic cover with brass grill. Sounds two rich notes for front door and one note for rear door.

14E-L17-F.....\$4.52  
Package-6 4.17  
Wt. 1 lb. 8 oz.

### **JEFFERSON**



Hand-rubbed Mahogany cabinet. Colonial Hall Clock has 8 or 4 note Westminster door chime. Chime and Telechron electric clock operate on 24 V transformer included in package. Etched dial matches 4 long

brass tubes. Selector switch sounds 8 or 4 Westminster notes for front door—2 notes rear door, different single note for third door. Has volume control—plus additional tone adjustment brackets.

Model..... 14E-L46-F  
Width..... 10 7/8"  
Height..... 57 1/2"  
Depth..... 5 1/2"  
Unit Ship. Wt..... 13 lbs.  
Std. Pkg. of 1..... \$53.97

### **2 NOTE NON ELECTRIC DOOR CHIMES**

#### **TWO-NOTE CHIME**

Solid brass nameplate outside—beautiful Oyster White or Walnut cover on the inside. Adjustable, fits metal or wood doors, 3/4" to 2 1/4". (For doors thicker than 2 1/4" or for installation in walls up to 9" ask for shaft extension EX 310) Wt. 1 1/2 lbs.

No.  
14E-302-F



Package 6  
\$3.22.....\$2.97

#### **DOOR KNOCKER CHIME**



Solid brass nameplate is outside—beautiful Oyster White, or Walnut cover is inside. Adjustable, fits metal or wood doors 3/4" to 2 1/4". (For doors thicker than 2 1/4" or for installation in walls up to 9" ask for shaft extension EX 310) Wt. 1 lb. 12 oz.

No.  
14E-308-F


Package-6  
\$5.49.....\$5.07

### **NU TONE PUSHBUTTONS**


14E-PB1-F Round	14E-PB11-F Pacesetter	14E-PB3-F Modern	14E-PB4-F Jewel
Brass	Brass	Black and Chrome	Brass
Width 3/4" Height 3/4"	Height 3/4" Width 2 11/16"	Height 3" Width 7/8"	Height 3" Width 1 3/8"
30¢	37¢	85¢	85¢

## **TROUBADOUR CHIMES BY MIAMI-CAREY**

America's newest and finest line of door chimes. Engineered for perfect performance—created and color-styled by leading designers.



A



B

### **RECESSED CHIMES**

#### **A Sonata—No. 12E-M17-F**

Chrome finish frame. White grille with chrome finish starburst medallion. 2 notes front door. 1 note rear door. Wall opening 6 3/8" square, 2 1/8" deep. Frame overall 7 7/8" square.

No. 12E-M18-F—Same as above with brass finish frame and brass finish starburst medallion.

Packed 6 in. Wt. 17 3/4 lbs.  
1—\$5.80 ea. 6 pack \$5.38 ea.

#### **B Tempo-Time—No. 12E-M15-F**

Clock-Chime with brass finish frame and recessed clock face in white. 2 notes front door. 1 note rear door. Wall opening 6 3/8" square, 3 1/8" deep. Frame overall 7 7/8" square. Clock operates from chime transformer (16V).

No. 12E-M16-F—Same as above with chrome finish frame.

Packed 6 in. Wt. 15 lbs.  
1—\$11.00 ea. 6 pack \$10.20 ea.

#### **C Raven—No. 12E-M26-F**

Midnight black cover with brass finish trim and comet medallion. 4 brass finish tubes. 2 notes front door. 1 note rear door. Volume control and 16V transformer model (MT75) included. 8 1/4" x 14".


Packed 4 in. Wt. 32 3/4 lbs.  
1—\$13.80 ea. 4 pack \$12.80 ea.

#### **D Starburst—No. 12E-M22-F**

Mahogany finish cover with brass finish starburst medallion. Two brass finish tubes. 2 notes front door. 1 note rear door. 7 1/2" x 11".

No. 12E-M21-F—Same as above with lined oak finish cover.

Packed 6 in. Wt. 14 lbs.  
1—\$4.60 ea. 6 pack \$4.26 ea.




C

#### **E Constellation—No. 12E-M25-F**

Brown crinkle finish cover, brass finish resonator tubes and trim. Black and gold color on white celestial insert. 2 notes front door. 1 note rear door. 8 1/4" x 11 3/4".

Packed 6 in. Wt. 20 1/2 lbs.  
1—\$7.70 ea. 6 pack \$7.10 ea.




E

#### **F Rhapsody—No. 12E-M29-F**

Midnight black cover with brass finish trim and comet medallion. 4 brass tubes. 4 notes front door. 1 note rear door. Volume control and 16V transformer (MT75) included. 8 1/4" x 46 1/2".

Packed 4 in. Wt. 40 lbs.  
1—\$16.25 ea. 4 pack \$15.05 ea.



D

F

ALL DOOR CHIMES SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**




## • ELECTRIC WALL CLOCKS •

DECORATOR-STYLED FOR EVERY ROOM IN THE HOME OR OFFICE

Three models of beautiful sculptured SYROCO Wood... Three models by Howard Miller. Each synchronous, self-starting, front-set electric movement was thoroughly tested before shipment and is guaranteed against defects in workmanship and materials for one year. When ordering specify model number, diameter of face, type of finish and quantity of each desired.

The Famous "Ball Clock", 14" dia., four models with brushed brass spokes and black hands, choice of balls and center. Red or white center and balls. Brass center with black or natural birch balls.

No. 34E-4755-F \$21.30 \$20.25\*



Walnut dial, numbers and hands are white. Sunburst decoration available in green and chartreuse; orchid and orange; other and orange. Dia. 15 1/2"; Depth 2 1/2".

No. 34E-2236-F \$17.75 \$16.90\*



12 1/2" square, 2 1/2" depth. Dial shades of blue or beige mosaic tile with black hour indicators and hands, walnut case.

No. 34E-2232-F \$28.40 \$27.00\*



DAISY, 11 1/2" dia. correlates with modern and traditional. Black or copper finishes.

No. 35E-3584-F \$9.30 \$8.85\*

\*Price for 3 or more assorted clocks on one order.  
All clocks average approx. 3 lbs.



No. 23E-502-F



No. 23E-522-F

RECESSED WALL CLOCKS


Two sizes 9" or 12" diameter  
Brass-Copper-Aluminum finish.

One price for all three


1-2 3 or more

\$10.65 \$10.15

Movement Recesses into 4" Outlet Box



No. 23E-518-F



### NEW RECESSED CEILING HEATER AND LIGHT WITH OPTIONAL EXHAUST FAN

Model BF6LH Combination Heater—Light—Exhaust Fan



All three in one! Saves 66% of installation time over individual heater, light and exhaust fan! Complete with special wall switch which allows separate use of fan forced heater, light and exhaust... has indicator light to show when heater is in operation.

Features instant ribbon element, powerful blower wheel, concave glass diffuser lenses, rust-proof, mirror-bright anodized aluminum frame. Takes two 60 watt bulbs. Fits between joists. 110V AC, 60 cycle, single phase. 1320 watts, 4500 BTU, 175 CFM exhaust discharge.

Combination Fan Forced Heater—Light—Model BH6L

Compact fan heater and light combination with same features as above, less exhaust. Uses powerful pressure blower blade. Switch not included.

Number	Type	Wts.	1-5	6 or more
21E-BF6L-F	Heater-Light-Exhaust Fan.....	16 Lbs.	\$42.90	\$40.30
21E-BH6L-F	Heater-Light.....	12 Lbs.	32.97	30.98

### NEW SURFACE MOUNTED CEILING HEATER • LIGHT • AIR CIRCULATOR



THERM-O-LITE

Because THERM-O-LITE is mounted right on the ceiling it is economical to install (no "Built-in" requirements) and costs less than 3 cents an hour to operate plus saving the expense of starting home heating systems on chilly mornings or evenings. Model 15E-1451-F is wired to permit fan to circulate air without the heater operating. Model 15E-1450-F fan and heater operate simultaneously. The THERM-O-LITE is backed by a 5-year warranty on motor and a full 12 months on all parts.

Size: 14 3/4" long; 8 1/2" wide; 5" deep. Wired for 2 lamps up to 75 watts, motor 30 watt, element 1450 watt PYROFLEX—delivers 5500 BTU; housing is chrome finished with Corning Albalite glass.

THERM-O-LITE is U. L. and C. S. A. approved and also bears union label of I. B. E. W. of A. F. L.

Number	Type	Wts.	1-5	6 or more
15E-1450-F	Heater and light only.....	10 Lbs.	\$21.05	\$19.78
15E-1451-F	Heater, light, air circulator....	11 Lbs.	26.33	24.74

ALL ITEMS ABOVE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • Windsor BALL - BEARING ATTIC FAN •

★ WITH 10 YEAR FACTORY-TO-USER GUARANTEE

- Simple, low-cost installation. Fan rests on framed ceiling opening eliminates the necessity of installing a plenum chamber (suction box).
- Particularly adaptable for attics with low head-room.
- Balanced, deep-pitched blades deliver large air volume at low operating speed, smoothly and quietly.
- Built-in lifetime lubrication — sealed fan-shaft ball bearings and sealed ball bearings in motor end shields are grease packed and require no additional lubrication.
- Heavy-duty, lifetime motor is resilient (rubber) hub mounted, has built-in thermal overload protector.
- Fan rests on a cushion of rubber which absorbs sound and vibration.

FOR HORIZONTAL DISCHARGE



## • ACCESSORIES • "MARK TIME"

AUTOMATIC TIME SWITCH

THE EASY-TO-INSTALL ALL PURPOSE TIME SWITCH

No. 17E-9015-I

Used with any ATTIC FAN it offers the ideal switch control . . . set it for the length of time (up to 12 hours) you think the fan will be needed and forget it! Will turn the fan off automatically at the desired time.

1 to 9 Switches \$4.95 10 or more Switches \$4.75

## AIR-FLO


AUTOMATIC WALL SHUTTER



- Aluminum Finish
- Counter-balanced Louvers
- Salt Spray Treated
- Weather Stripped
- Quiet Operating

No.	SIZE	WTS.	1-4	5 or more
10T-2400-M	24x24	21 lbs.	\$ 9.35	\$ 8.85
10T-3000-M	30x30	27 lbs.	11.40	10.85
10T-3600-M	36x36	40 lbs.	18.85	17.90

ALUMINUM  
AUTOMATIC CEILING SHUTTER



Aluminum Louvers, Rigid Steel Frame, Neutral Aluminum Color. Equipped with Fusible Links. Sturdy, Quiet and Attractive. Operates Automatically.

PRICED FROM **\$45.35**  
IN LOTS OF TEN

Windsor Two-Speed Fans Available — Add \$11.50 To Prices Below.  
Includes 2 Speed Wall Switch.

U. L. APPROVED  
RATED IN ACCORDANCE WITH THE  
STANDARD TEST CODE BY  
A & M COLLEGE OF TEXAS

NUMBER	BLADE SIZE	NET PRICE ONE SHIPMENT			CFM RATING	FAN SPEED RPM	H.P. MOTOR	OVERALL FAN DIMENSIONS	PACKED SHIPPING WEIGHT
		1-4 Fans	5-9 Fans	10 or more					
10E-2400-I	24"	Each \$50.40	Each \$47.25	Each \$45.35	5270	674	1/4	31" x 31"	68 Lbs
10E-3000-I	30"	53.55	50.20	48.20	8450	549	1/3	37" x 37"	79 Lbs
10E-3600-I	36"	60.60	56.85	54.55	12,300	358	1/2	43" x 43"	98 Lbs
10E-4200-I	42"	60.00	56.25	54.00	14,500	300	1/2	48" x 48"	109 Lbs
10E-4800-I	48"	104.40	97.90	93.96	18,200	286	1/2	55" x 55"	147 Lbs

When Ordering 5 or more Fans, Quantity Prices maybe applied to Assorted Sizes.

NUMBER	FAN SIZE	OPENING SIZE	OVERALL DIMENSION	NET PRICE		PACKED SHIPPING WEIGHT
				1-4 SHUTTERS ONE SHIPMENT	5 or more ONE SHIPMENT	
10T-2626-M	24"	26" x 26"	28" x 28"	\$ 8.70	\$ 8.25	12 Lbs.
10T-3030-M	30"	30" x 30"	32" x 32"	10.50	10.00	15 Lbs.
10T-3032-M	30"	32" x 32"	34" x 34"	11.45	10.85	17 Lbs.
10T-3442-M	36"	34" x 42"	36" x 44"	14.45	13.75	20 Lbs.
10T-3838-M	36"	38" x 38"	40" x 40"	14.40	13.65	23 Lbs.
10T-3454-M	42"	34" x 54"	36" x 56"	17.55	16.65	29 Lbs.
10T-4242-M	42"	42" x 42"	44" x 44"	16.45	15.60	26 Lbs.
10T-4654-M	48"	46" x 54"	48" x 56"	20.90	19.85	35 Lbs.

NOTE  
For special size shutters  
Write For Quotation.

NOTE: 48" FAN NOT AVAILABLE WITH OUR 2 SPEED MOTOR — 2 SPEED MOTOR MANUFACTURED BY DELCO DIV. OF GENERAL MOTORS

\*1-YEAR WARRANTY ON THE G.E. MOTOR, THE S.K.F. BEARINGS, AND THE FAN BELT

ATTIC FANS AND SHUTTERS SHIPPED F.O.B. OUR ST. LOUIS, OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • EVERSARP CHAIN SAWS •

## WITH THE NEW "FLAT-PAK" DESIGN

PACKS MORE POWER IN LESS SPACE, WITH LESS WEIGHT . . . FOR EASIER HANDLING

Here are the chain saws that take the work out of wood cutting! No matter how tough the wood, or the kind of cutting: felling, pruning, trimming, or wood production, Eversarp Chain Saws—with new "Flat-Pak" design — save hours of work and effort. And because all of the features in the Eversarp Chain Saws have been field tested for years, they're guaranteed to give complete satisfaction.

- High pressure Oiler Pump provides constant chain lubrication
- Large Capacity Tank—easy to fill
- Large Oil Reservoir
- Oregon Chipper Chain—the finest!
- Toggle Switch—positive, on-off action

- Automatic Recoil Starter
- Larger, top-positioned Trigger, easier to use
- Spring loaded Trigger Lock keeps carburetor partially open for easy starting
- Insulated spark plug—Choke



The best ever for felling timber, limbing, thinning, bucking



Cuts posts, beams, ties, quickly —with less work



Ideal for clearing, cutting cord wood




Works in any position



"Flat-Pak" Design cuts flush to ground

### 4 H. P. MODELS



### 6 H. P. MODELS

- Covered Sprocket and Clutch—stays cleaner, safer!
- Oregon Guide Bar with hardened tail and rails, welded tip
- Concealed, positive, built-in Chain Tightener —will not break!
- Plastic Grips—no hand contact with cold metal

- All-Position Carburetor permits maximum cutting efficiency in every position
- Aircraft designed engine. Needle bearing, connecting rods and wrist pin
- New Departure Ball Bearing crankshaft

## FEATURE FOR FEATURE THE FINEST DIRECT DRIVE CHAIN SAWS MADE

### • SPECIFICATIONS AND PRICES •

No.	H.P.	Size Cut Bar	Wts.	Price
36E-416-C	4	16"	27½ lbs.	\$143.93
36E-420-C	4	20"	28 lbs.	147.85
36E-423-C	4	23"	28½ lbs.	151.85
36E-623-C	6	23"	30½ lbs.	169.00
36E-626-C	6	26"	32 lbs.	176.45
36E-630-C	6	30"	33 lbs.	184.35

- Designed by one of America's outstanding chain saw designers—designer of the first direct drive chain saw.
- All features fully field tested for years.
- Nation wide service organization.
- Light weight, extra strong magnesium housing.
- All controls right at your fingertips.

EVERSHARP CHAIN SAWS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# SKIL ELECTRIC TOOLS

## HEAVY-DUTY, BALL BEARING SAW

### SKIL 6 1/2" MODEL 552 SAW

LIST PRICE \$69.50

Excellent for home workshop or light construction use, this powerful new saw handles the toughest cutting jobs. Bevel cuts 2" dressed lumber at 45° cross-cuts up to 2-3/16". Big-capacity motor and hardened steel helical gears deliver full cutting power. Perfectly balanced design means easy handling, more accurate cuts. Universal motor operates on AC or DC up to 60 cycles. Speed 6100 r.p.m. Overall length, 10". Net weight, only 11 lbs. Complete with 6 1/2" combination blade, wrench, 3-wire cord, connector.




Model 25E-552-H Net Wholesale Price each \$51.90

### SKIL 7 1/4" MODEL 553 SAW

LIST PRICE \$89.50

Carpenters and home craftsmen find Model 874 gives easy one-hand operation on every cut with the extra cutting capacity expected from a real professional saw. It will outwork and outperform other 7 1/4" makes on the toughest framing and rafter cuts. Gives truly heavy duty performance with powerful, oversize motor and precision ball and needle bearings. Cuts 2-7/8" in depth, 2-1/8" at 45° bevel at speed, 6000 r.p.m. Overall length, 11 1/4". Tool weighs only 13 1/4 lbs. Complete with 7 1/4" combination blade, wrench, 3-wire cord, connector.




Model 25E-553-H Net Wholesale Price each \$66.80

### SKIL 8 1/4" MODEL 554 SAW

LIST PRICE \$97.50

Here's a big, versatile saw unequalled for cutting power in wood, metal, stone or composition. Every cutting job ... residential construction, home repair or plant maintenance ... is handled by this rugged, all around 8 1/4" saw. And it's now offered at a new low price to give contractors, builders and homeowners a famous quality saw with every professional feature found on only the most expensive makes. Cuts a full 2-7/8" on cross-cuts; up to 2-1/8" on 45° bevel cuts. Speed 5700 R.P.M. Overall length, 11-7/8". Net weight, 14 1/2 lbs.



Model 25E-554-H Net Wholesale Price each \$72.80

#### SKIL SAW BLADES


		Net Wholesale Price		
		6 1/2"	7 1/4"	8 1/4"
23E-1000-M	Combination Blade	each \$2.15	\$2.15	\$2.45
23E-2000-M	Cross Cut Blade	each 2.15	2.15	2.45
23E-3000-M	Rip Blade	each 2.15	2.15	2.45

Complete Skil line of electric tools - Available -  
Write for Wholesale Price on any item.

## HIGH SPEED, SUPER-DUTY SAWS

7 1/4" MODEL 857 SAW—CUTS 2 3/8 INCHES LIST PRICE \$99.50  
8 1/4" MODEL 858 SAW—CUTS 2 3/8 INCHES LIST PRICE \$115.00

Two, new saws with ultra-high blade speed of 7,000 r.p.m. Powerful motors develop over 2 horsepower. All ball-bearing construction. Has direct reading scales for precision depth and bevel adjustments. Push-button blade lock permits fast blade changes. Equipped with combination blade diamond arbor and 5/8" round-arbor inner and outer blade washers; rip fence, blade wrench, 3-wire cord and connector. Shipping weight, Models 857, 18 1/2 lbs.; 858, 19 1/4 lbs.




Model 25E-857-H Net Wholesale Price \$89.65  
Model 25E-858-H Net Wholesale Price \$103.60

## SKIL SUPER DUTY SAWS

A compact, powerful, lightweight saw—ideal for the carpenter-builder on all residential construction. Rips, cross-cuts and makes full 45° bevel miters on all 2" lumber. With power to spare, SKIL's new 6 1/2" wormdrive saw won't slow-up or stall even in green or wet lumber, in metals or other highly resistant materials. Exclusive SKIL "vari-torque" clutch protects against saw damage and kickback. Blade speed, 4750 r.p.m. Vertical cutting depth, 2-3/16"; at 45°, 1-3/4". Net wt., 13 lbs. Shipping weight, 20 lbs.

6 1/2" MODEL 367 SKIL SAW —  
Cuts 2-3/16 Inches




LIST PRICE \$95.00

Model 25E-367-H Net Wholesale Price Each \$85.60

## SKIL JIG SAW MODEL 514

This new, compact Jig Saw makes just about every cut imaginable. Straight lines, curves, short radius and irregular shapes—this versatile saw makes them all! Cuts 2-inch lumber ... even makes it own starting hole in walls, baseboards and floors. Powerful 1/2" stroke operates at 3350 r.p.m. Cuts hardwood, plywood, metal plastic and all types of composition material. Length overall, 9". Net weight, 3 3/4 lbs. Shipping weight, 5 lbs. Most efficient operation: 1/2" soft wood; 3/8" hard wood. Equipped with hollow-ground blade, 3-wire cord. Wrench, 2 extra blades supplied.



LIST PRICE \$47.50

Model 25E-514-H Net Wholesale Price each \$33.75

## JIG SAW BLADE

Blade designed to give best all-around wood cutting performance and efficiency. For Model No. 514 Saw.  
25E-1953-M Metal Cutting.....\$4.40 set  
25E-1954-M Wood cutting, scroll, pocket and roughing cuts on thin sections.....\$3.60 set  
25E-1950-M Wood cutting, finish cutting of wood and plastic laminates.....\$3.85 set

\*Available in packages of 6 only.

ALL ELECTRIC TOOLS SHIPPED PREPAID - ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# SKIL

PORTABLE TOOLS


## ELECTRIC TOOLS

### SKIL DRILLS

#### 1/4" DRILL MODEL 503

List Price \$20.35


A sparkling new 1/4" drill that performs as good as it looks. Powerful new 2 amp motor delivers plenty of power to drive bits and other accessories in hardwood, metal, masonry. And new precision helical gears transmit this power smoothly, quietly to cut for greater drilling torque. Universal motor, DC and AC up to 60 cycles. No-load speed, 2500 r.p.m. Overall length, 8 3/4". Net weight 3 1/2 lbs. Shipping weight, 4 1/2 lbs. Model 25E-503-H Net Wholesale Price each \$13.85



#### 1/2" DRILL MODEL 544

List Price \$42.15

Drills 1/2 inch in steel, bores 1 inch in hardwood, drives 2 inch hole saws. Universal motor for D.C. or A.C. up to 60 cycles. No-load speed 500 r.p.m.; full load speed, 300 r.p.m. Spring loaded switch for automatic shut-off and trigger lock for continuous operation. Length overall, 12 1/2 in. Net weight, 7 1/2 lbs.; Shipping weight, 10 lbs. Model 25E-544-H Net Wholesale Price each \$29.35



#### SKIL 4" BELT SANDER MODEL 405

List Price \$89.50

Now, two speeds for rough and fine sanding jobs. This new belt sander has a high speed of 1100 f.p.m. for smoothing down rough lumber and other tough sanding jobs. A low speed of 800 f.p.m. is ideal for fine sanding and removing old paint and varnish. And, this new sander lets you sand flush to vertical edges!. Easy belt-changing mechanism. Universal motor for AC and DC up to 60 cycles. Overall length, 12 1/2". Net weight, 12 3/4 lbs. Shipping weight, 12 lbs. Model 25E-405-H Net Wholesale Price each \$63.65



### SKIL SANDING BELTS

Box of ten assorted sander belts of seven different grits. No. 25E-18849-M . . . . . \$4.95

Type A belts for woodworking. Type D belts for paint, varnish removal.

Part No.	Type	Grit	Description	Wholesale Price*
25E-8843-M	A	1 1/2	medium	\$5.10
25E-8844-M	A	1	medium	4.80
25E-8845-M	A	1/2	medium	4.65
25E-8846-M	A	2/0	fine	4.15
25E-8848-M	D	1 1/2	medium	5.05

\*Available in packages of 10 only

### HEAVY DUTY SKIL DRILLS

#### 1/4" DRILL MODEL 75

This Skil Drill is small, light, compact-but it has even greater power for toughest jobs even greater drilling speed under load for more output per man on every operation. Sturdily built with precision gears, 3 heavy-duty ball bearings and 3 needle-roller bearings. Standard speed of 1800 R.P.M. 7 1/4 inches long. Shipping weight, 5 lbs.



LIST PRICE  
\$52.00

Model 25E-75-H


Net Wholesale Price

\$46.80

#### 1/2" DRILL MODEL 80

List Price \$68.00

New, compact streamlined design now offers users even easier handling and better control than ever before! Rear handle is removable for drilling in cramped areas (between studding, etc.) A new power unit plus improved helical gears equip Model 80 for really fast drilling on tough jobs. Quality construction includes 3 ball and 3 needle-roller bearings for smooth, quiet operation and long tool life. Has detachable pipe handle. Drills 1/2" in steel, bores 1" in wood and drives 2" hole saw. No-load speed 450 R.P.M.-Full-load speed 275 R.P.M. Overall length 12 1/4". Shipping weight 11 lbs.



Model 25E-80-H

Net Wholesale Price

\$61.25

#### SKIL ORBITAL SANDER MODEL 592

New, improved sander. Has over 25 sq. inches of sanding surface; sands flush on 3 sides. One-third of standard size abrasive paper is held tightly over sanding pad by sturdy spring-action paper clamps. With powerful universal motor, sander has speed of 5500 r.p.m. with 3/16 orbital stroke. Die-cast aluminum housing. Paper clamps hold up to 6 sheets of paper. Model 592 weighs 5 1/2 lbs. Shipping weight, 7 lbs.



LIST PRICE  
\$49.95

Model 25E-592-H Net Wholesale Price

each \$35.50

### SAW CARRYING CASE

Heavy gauge steel case with special brackets for saw and spare blades.

Net Wholesale Price

25E-8606-M (for 6" and 6 1/2" saws) . . . . . each \$9.95  
25E-3282-M (for 7 1/4" and 8 3/4" saws) . . . . . each 10.00  
25E-7316-M (for Model 367) . . . . . each 12.60  
25E-8495-M (for Model 857 or 858) . . . . . each 13.50



### EXTENSION CORDS (3 WIRE)

High quality, rubber-covered cords with 3 prong and 3 cavity molded connectors. Automatically grounds tool when plugged in proper wall outlet.

25E-16216- 50 ft. of 16 gauge cord \$6.70  
25E-16217- 100 ft. of 16 gauge cord 12.30  
25E-13722 Adapter-to convert 3 prong tool cord plug to standard two prong plug. For tools of 115 volts only. . . . . \$0.70

ALL ELECTRIC TOOLS SHIPPED PREPAID - ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from


MORGAN - WIGHTMAN



# STANLEY ELECTRIC TOOLS

## H297 Builders kit


## H63 Builders Kit



Self-contained door hanging equipment, will fit doors, mount hinges, and enable operator to sharpen his plane cutters right on the job; no delay in taking cutters to service stations or back to the office. The Hinge Butt Router which is furnished with the kit can also be used for interior moulding cuts, decorative cuts and a thousand other uses in finishing the carpenters jobs. The plane attachment is also available for planing windows, storm sash and inside trim. The sturdy motor which comes with this kit will give you the power you want, when you want it. The new style T-H7 "leaping-frog" templet will mortise for either two or three hinges in door up to 2" in thickness. All packed in a distinctive metal carrying case.

No.	Speed R.P.M.	Motor Size		Voltages*	Net Weight Router	Ship. Weight Kit
		Diam.	Length			
H297	23,000	3-5/8"	7-1/4"	115, 230	8-1/2 lbs.	37 1/2 lbs.
H63	22,000	3-5/16"	7"	115, 230	6 lbs.	36 lbs.

New Model H297 With 7/8 H.P. Motor  
No. 16E-H297-H Wholesale Price \$124.30  
Model H63 with 1/2 H.P. Motor  
No. 16E-H63-H Wholesale Price \$115.70



## SASH AND DOOR HOLDER

For contractors and builders who have to plane doors or do hinge mortising on the job. You do your work with a minimum of set-up and effort. Will hold any normal sized sash, screen, door or other woodwork up to 3-1/8 inches in thickness. Clamps and releases automatically. Net weight, 18 lbs.

No. 16E-156-M . . . . . \$20.50

## DOOR AND JAMB TEMPLETS

### Model No. T-3


The T-3 door and jamb butt templet for steel or wood jambs. Easily adjusted and compact handles doors up to 2-1/2" thick and 8' high. Will mortise hinges from 3" to 5" in size. Model T-3 will mortise jambs with or without stops installed. Designed to mortise two or three hinges per door. Net weight, 5 lbs.

No. 16E-T-3-M . . . . . \$33.60

### Model No. T-H5


Designed for mortising interior and exterior residential doors when door stop is mounted to jamb, it is constructed for speed of operation and simplicity of use. Accurate measurements are not necessary to insure perfect fittings. Designed for cutting two or three hinge mortises on wood doors and jambs. It will handle door thicknesses of 1-3/8" to 2 inches. Net weight 4-3/4 lbs.

No. 16E-T-H5-M . . . . . \$26.15



Model  
T-H5  
Illustrated


## ROUTERS from 1/4 to 1 1/4 H.P.



### H15 and H45

H15 1/4 h.p. Router: A light, fast professional quality tool that will do 90% of your woodworking jobs. Standard Equipment: H14 (1/4 h.p.) motor, GA-H235 Router Base, P-H4009 Wrench.

Speed 27,000 R.P.M. Size 2-5/8" Dia. x 5-3/4" Net Wt. 3-1/4 lbs.  
No. 16E-H15-H Wholesale Price \$31.35



### H264 and H267

H45 1/2 h.p. Router: A powerful, high speed routing machine with threaded motor housing and base for controlled depth of cut, safety shaft locking button, protected brushes and recessed switch. Standard Equipment: H39 (1/2 h.p.) motor, H13 Router Base, P-H4009 Wrench.

Speed 22,000 R.P.M. Size 3-5/16" Dia. x 7" Net Wt. 6 lbs.  
No. 16E-H45-H Wholesale Price \$36.95

NEW H264 7/8 h.p. and H267 1-1/4 h.p. Routers: The only Routers in the world that "spot-light" the working area; brightness increases as the work load increases. Recessed switch automatically locks shaft for safety when changing bits and cutters. Only one wrench required. Precision micro-depth adjustment for settings as fine as 1/4 of 1/64". Cantilevered base and functionally designed grips give stability, balance, comfort. New clamping lever holds or releases motor in base with a flip of the finger. Standard Equipment: H264-H258 (7/8 h.p.) Motor, GA-H279 Router Base, GA-H293 Router Light, P-H4009 Wrench; H267-H260 (1-1/4 h.p.) Motor, GA-H279 Router Base, GA-H293 Router Light, P-H4009 Wrench.


H264 Speed 23,000 R.P.M. Size 3-5/8" Dia. x 7-1/4" Net Wt. 8 1/2 lbs.  
H267 Speed 27,000 R.P.M. Size 3-5/8" Dia. x 7-1/4" Net Wt. 9 lbs.  
No. 16E-H264-H Wholesale Price \$46.65  
No. 16E-H267-H Wholesale Price 61.60

## POWER PLANES

New

H283

H284



NEW! H283 7/8 H.P. and H284 1-1/4 H.P. Planes with new recessed safety switch, new lever locking device for securing motor. New out of way cord. Full 16" shoe. Direct reading bevel adjustment. Standard Equipment: H283: H258 Motor, GA-H258 Arbor, GA-H285 Plane Attachment, H-4166S Cutter. H284: H260 Motor, GA-H285 Plane Attachment, GA-H258 Arbor, H-4166S Cutter. Voltages: 115, 230.

### SPECIFICATIONS

No.	Horse-power	Speed (no load)	Width of Cut	Depth of Cut	Lgth.	Net Weight	Shipping Weight
H283	7/8	23,000	2 1/16"	3/32"	16"	9 lbs., 4 ozs.	11 lbs., 4 ozs.
H284	1 1/4	27,000	2 1/16"	3/16"	16"	9 lbs., 12 ozs.	11 lbs., 12 ozs.

No. 16E-H283-H Wholesale Price \$66.80  
No. 16E-H284-H Wholesale Price 81.75


ALL ELECTRIC TOOLS SHIPPED PREPAID ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • DALTON and MANNING - BOWMAN TOOLS •

## The DALTON *Portable Electric* JIG SAW



Model No.  
11E-5000-H

Complete  
with 5 different  
Blades  
**\$29.97**

**7 SAWS IN 1**

- RIP SAW
- COPING SAW
- SCROLL SAW
- CROSSCUT SAW
- JIG SAW
- BAND SAW
- KEYHOLE SAW

IT CUTS -

- WOOD • PLASTICS
- METALS • COMPO-  
SITION BOARDS
- HARD RUBBER, ETC.

**HEAVY DUTY:  
RIPS AND  
CROSS CUTS 2X4'S**

List Price \$44.95

POWERFUL, PRECISION BUILT—Specially built motor insures fast feeding speeds—no jumping or chattering. Hardened steel gears. Oilite bearings are locked in place. MAKES OWN STARTING HOLE FOR INSIDE CUTS. AIR STREAM BLOWS SAWDUST OFF GUIDE LINE. BLADE CHANGING—If you break a blade, simply remove stub from shaft and put good piece back in saw. GRIP-SWITCH HANDLE is equipped with a recessed slide switch. Motor specially built "Universal" for 115 V, AC-DC, Amp. rating 2.0 RPM 7500. 9½" H x 8-5/8" L. 1750 strokes per minute, 5/8" long. Cable, 3 conductor with plug, U.L. approved, and equipped with anti-kink spring. Weighs only 5 lbs. Shpg. wt. 6½ lbs.

## NEW 1/4" ELECTRIC DRILL

By Manning - Bowman

**LOW COST - WITH  
GEARED KEY CHUCK**



List Price  
**\$21.95**


Never before such outstanding features in a drill at this price. Universal 50-60 cycle, 120 volt AC/DC motor. Full 2.5 ampere rating. No load speed of 1500 r.p.m. Sturdily built with oiled for life bronze bearings, and precision ball thrust bearings. Trigger switch automatically locks and unlocks with no external buttons. Housing is of bright finish die cast aluminum. U.L. approved. Shipping Wt. 4 lbs.

THE DRILL WITH SUPER-USEABLE POWER

No. 19E-1257-H

Wholesale Price **\$10.95**

## 7"-7¼" HAND SAWS 1¼ HP MOTOR



**MANNING-BOWMAN**

Model 1055 is a 7" blade saw with sleeve bearings and 2 conductor power cord. Model 256 is a 7¼" blade saw with 3 conductor power cord and is an all ball bearing saw - Top buy at this price.

### • SPECIFICATION •

Max. cut of 1055 - 2-7/16" ... Max. cut of 256 is 2-9/16" ... Max. @ 45° of 1055 - 2-1/16"; Max. @ 45° of 256 is 2-3/16" ... All models employ a Universal 120 volt 50-60 cycle AC/DC motor of 1¼ HP ... Saw arbor speed 5000 RPM ... Helical drive gears ... Rear mounted depth and angle adjustments ... Calibrated ripping guide supplied ... Die-cast aluminum housings with bright finish ... Shipping weight 12 lbs.

**Our Price**

No. 19E-1055-H (List Price \$39.95) **\$26.60**  
No. 19E-256-H (List Price \$49.95) **33.30**

## NEW DALTON PORTABLE JIG SAW



Complete  
With 3 Different  
Blades  
**\$19.97**

Model No.  
11E-6000-H  
Will Cut  
A 2x4

Does the work of 7 saws - rip, jig, coping, scroll, band, crosscut and key-hole saw.

IT SAWS -

- CURVES • CIRCLES
- STRAIGHT LINES
- INTRICATE DESIGNS

List Price \$29.95

Lowest priced portable jig-saw loaded with appealing sales features for the hobby and home handyman market. Will cut wood, plastics, metals, composition boards, hard rubber, leather, etc. Features new square reciprocating shaft that prevents the blade from twisting—gives you clean true cuts. 1750 strokes per minute, 5/8" long. Powered by 115V, AC-DC motor. Light weight, die-cast aluminum housing with grip-switch handle for cooler handling. 5¼" H x 7" L. Complete with 3 saw blades and Allen wrench. 6 ft. U.L.A. 3-cond. cord set with adapter. Weighs only 4 lbs. Shpg. wt. 5½ lbs.

### EXTRA BLADES FOR BOTH DALTON JIG SAWS

No.	Type Blade	Per Set	Set Price
11E-4010-M	Coarse Wood	6	\$1.20
11E-4020-M	Fine Wood	6	1.20
11E-4030-M	Knife Blade	3	.80
11E-4040-M	Metal Cutting	3	.80
11E-4050-M	Extra Long, Wood	3	.80

## NEW 3/8" ELECTRIC DRILL

By Manning - Bowman

**PRICE - POWER  
PERFORMANCE**




List Price  
**\$29.95**

This is the most recent addition to the McGraw-Edison tool line. 2.6 ampere rating, 120 volt AC/DC Universal 50-60 cycle motor. Oiled for life top quality bronze bearing with precision ball thrust bearing on the chuck spindle. Geared key chuck. Capacity is 3/8" in hard metals and 1" in wood and plastics. No load speed of 1000 r.p.m. and full load speed of 500 r.p.m. Housing is of bright finish diecast aluminum. UL and CSA approval. Shipping weight, 5 lbs.

No. 19E-158-H

Wholesale Price **\$17.35**

## MANNING BOWMAN GRINDER NO. 950



The outstanding performance of this tool makes it a very useable item. Couple this with such features as adjustable tool rests, adjustable eye shields and a built-in work light and you have a portable tool unmatched anywhere in its price class.

List Price **\$24.95**

### • SPECIFICATIONS •

115 volt 50-60 cycle AC only motor ... 1/12th HP ... 4½" x ½" x ½" fine and coarse grinding wheels ... 3500 RPM is correct grinding speed ... Eye shields are plastic and adjustable and removable ... Tool posts adjust to keep pace with wheel wear ... Shipping weight 10 lbs.

No. 19E-950-H

Wholesale Price **\$16.63**

### PORTABLE SAW ACCESSORIES

Prices for Extra Blades - ½" RD. Arbor

No. 19E-1055A-M - 7" Combination Blade ..... \$2.00  
No. 19E-1055B-M - 7" Cross Cut Blade ..... 2.00  
No. 19E-1055C-M - 7" Rip Blade ..... 2.00  
No. 19E-1055E-M - 7" Planer Blade ..... 2.75  
No. 19E-1050-M ..... Metal Carrying Case ..... 6.65

ALL ELECTRIC TOOLS SHIPPED PREPAID-ON ORDERS TOTALING \$100.00 OR MORE


Materials Wholesale from **MORGAN - WIGHTMAN**



# • DINING ROOM and ALL PURPOSE FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.

(C)  
\$32.55



(D)  
\$28.70



(E)  
\$37.60



(G)  
\$29.85




(H)  
\$29.30




(B)  
\$23.10



(F)  
\$32.50



(A)  
\$32.15



## "VOLUME DISCOUNT"

LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. Horizon designed fixture is a refreshing new approach to interior planning. Capturing new grace, new lines in shimmering brass. Width 19½", Length 12½". Solid brass - highly polished finish. Wt. 15 lbs. No. 31E-373-F

\$32.15 ea.

B. The fixture with clean sweeping lines has opal glass shades and the lustrous brass with dramatic black trim accents add glamour to any room. Width 15", length 24". Finished in polished brass, made of solid brass. Weight 7 lbs. No. 31E-263-F

\$23.10 ea.

C. Here is a lighting unit truly attractive inspired by the flight of the jet and the speed of the satellite. A truly advanced concept in modern lighting design. It will add unlimited drama and confer a pre-eminent splendor over all it surveys. 1 light, 150W. Dia. 16", pulley style adjustable to 54". Also available in pendant style, length 30". Finished in satin

chrome and polished brass. Specify style fixture.

No. 31E-999P-F (Pulley Style) \$32.55 ea.

No. 31E-998-F (Pendant Style) \$27.60 ea.

D. Modern lighting for the most important location in the home. A modern fixture giving magnificent lighting that dramatizes the room furnishings without dominating them. 3 light with round ring spreader metal bullets. Finished in polished brass. Spread 18", overall length 24". Weight 8 lbs. No. 28E-543-F

\$28.70 ea.

E. This masterpiece of high fashions will be perfect in any home and any decorative theme. A dramatic new form for luxury dining. Three way lighting, equipped with medium base socket. Use 50-100-150W. Or, if more light is desired use 30-200-230W. Bottom switch control. Dia. 20", length 36". Finished in polished brass. Weight 13 lbs. No. 31E-355-F

\$37.60 ea.

F. Symbolic lighting for the rich bounty of decorating possibilities in today's modern rooms, giving this ceiling lighting an air of festive rightness for rooms where people come together, finished in polished brass, 12 lights. Width 26", length 30". Weight 14 lbs. No. 31EA-912-F

\$32.50 ea.

G. This fixture is today's elegance crafted in metal and glass. 5 lites, frosted shades with vertical clear lines. Spread 20" length 38", body length 17". Finished in ebony and brass. Wt. 10 lbs. No. 28EA-745-F

\$29.85 ea.

H. As forward looking as space travel, this dramatic fixture is for important places in distinguished homes. Finished in solid polished brass 2 light, Bowl Dia. 14", length 8". Wt. 4 lbs. No. 31EA-489-F

\$29.30 ea.

ALL FIXTURES THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • DINING ROOM and ALL PURPOSE FIXTURES •

PRESENTING MORGAN-WIGHTMAN'S FINEST QUALITY LINE OF LIGHTING.

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



"VOLUME LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
DISCOUNT" LESS 10% ON FIXTURE ORDERS OVER \$300.00.

- A. True colonial with hand cut frosted shades and clear crimped top. Fixture is solid polished brass— 5 light. Spread 22"; overall length 33" weight 9 lbs.  
13EB-840-F \$16.45 ea.
- B. Early American pendant fixture, finish polished brass with yellow or white ceramic reflector. Frosted chimney, wired with 3-way key socket for 50-100-150W bulb. 42" length; 16" spread; weight 12 lbs.  
28EB-1050-F \$26.10 ea.
- C. Another star-burst for flush ceiling mounting. 12 lite with a 22" spread; 4" height; polished brass finish. Weight 8 lbs.  
13EA-106-F \$12.67 ea.
- D. A fixture of charm and elegance, unique beauty in pull down styling. A 3 light dark matchsticks on translucent white parchment shade. Equipped with 3 way switch, spread 22". Finished in polished brass with etched glass. Adjustable from 17" to 50". Weight 10 lbs.  
13EB-347B-F \$22.40 ea.
- E. Unsurpassed for charm and elegance with unique "Tennis Weave" parchment reflector interwoven with gold threads. Preforated metal baffle on top. Glass diffuser is of ceramic white "Swiss Dot". Adjustable from 17" to 52", spread of 19" with 4 lights. Finished in polished brass. Weight 13 lbs.  
28EB-704-F \$25.10 ea.
- F. Elegance crafted in metal and glass a modern styled fixture. Made for the modern home to go with the modern way of planning. Spread 22½", height 33". Finished in polished brass, with clear glass shades. Weight 15 lbs.  
13EB-8555-F \$22.40 ea.
- G. A new pulley type fixture in the early American idea. Finish, polished brass with yellow or white ceramic reflector. Frosted chimney, wired with 3 way key socket for 50-100-150W bulb. Length 31" extending to 60", 19" spread. Weight 15 lbs.  
28EB-1150-F \$34.35 ea.
- H. Star-burst for those who desire the newest in modern design. Highly polished brass. Available in three sizes: 12 or 18 lite with a 22" spread; 21½" height. Also 24 lite with a 33" spread; 24" height. Lamps not included. Average Weight 15 lbs.
- |             |                        |             |
|-------------|------------------------|-------------|
| 13EB-112A-F | (12 lite)              | \$19.43 ea. |
| 13EB-118A-F | (18 lite)              | \$26.93 ea. |
| 13EB-124A-F | (24 lite)              | \$36.38 ea. |
| 13EB-1000-F | (10W star-burst bulbs) | .60 ea.     |

ALL FIXTURES THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • DINING ROOM and ALL PURPOSE FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



(A) \$26.70



(F) \$10.65




(I) \$18.80


(H) \$25.27




(G) \$9.75



(C) \$17.95



(D) \$6.68



(B) \$10.15



(E) \$19.40

"VOLUME DISCOUNT" LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. Classical modern drop with 3 lights; 15" top canopy; overall length 36". However, cords can be adjusted for shorter length. Polished brass shades and canopy. Weight 7 lbs.

No. 28EC-643-F \$26.70 ea.

B. Ultra modern bubble fixture, the last word for the contemporary home. Has an adjustment from 10" to 60". Cord is of white plastic with brass canopy. Plastic bubble is 16" dia., 7 1/4" high. Weight 3 lbs.

13EC-826-F \$10.15 ea.

C. A contemporary chandelier with polished brass canopy. Has an adjustment from 20" to 60" with 13" polished brass wire spreader. Shades are 9" high x 5 1/2" dia. hung by a white plastic cord. Weight 9 lbs.

No. 13EC-818-B-F \$17.95 ea.

D. Unique beauty for the truly modern home. Designed for use in breakfast and recreation

rooms, kitchen or any dining or living areas. Adjustable from 11" to 60", shades are polished brass 9 1/4" high and have 5 1/2" dia. hung by a white plastic cord. Weight 3 lbs.

No. 13EC-816-F \$6.68 ea.

E. A fixture that will enhance the appearance of any room in the most pretentious contemporary home. Finished in white with white etched glass. Glass size 9 1/2" high x 5 1/2" dia. 13" brass wire spreader. Adjustable from 20" to 60". Weight 12 lbs.

13EC-811-F \$19.40 ea.

F. This versatile fixture is the last word in modern lighting giving you light just where you want it. Finished in polished brass, with an overall length of 25". Weight 2 1/2 lbs.

No. 28EC-641-F \$10.65 ea.

G. The fixture that has styling in the modern made. A fixture that will lend itself to any room in the house. Finished in polished brass with hobnail glass bubble hung by a white plastic cord. Dia. 8", overall length 36". Wt. 2 1/2 lbs.

No. 28EC-5107-F \$9.75 ea.

H. A modern and decorative fixture styled in the modern manner. A fixture for the truly modern home. Polished brass curved bar and stems, frosted glass. Length overall 18"; spread 24"; weight 8 lbs.

No. 28EC-579-F \$25.27 ea.

I. Three light semi-flush fixture a beautiful modern ceiling type unit designed for dining or living areas. Equipped with polished brass gyromatic swivels opal glass "bullet" shades with swedish modern lines. Length 13 1/2"; spread 10" to 22". Weight 6 lbs.

No. 28EC-233-F \$18.80 ea.


ALL FIXTURES THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • DINING ROOM & ALL-PURPOSE FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



"VOLUME LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
DISCOUNT" LESS 10% ON FIXTURE ORDERS OVER \$300.00.

- A. Popular pulley style fixture in black and brass with white frosted glass for 2-75W lamps; diameter 17"; height adjustable from 18" to 56"; weight 8 lbs.  
27ED-717-F \$10.90 ea.
- B. Similar to "A" but available in polished brass and gold beaded glass shade. Wt. 5 lbs.  
27ED-733-F \$13.45 ea.
- C. Budget model pulley style large 15" diameter, adjustable height from 17" to 50" has white glass with brass finish. Wt. 5 lbs.  
13ED-310-F \$8.17 ea.
- D. The modern touch for the living room or bed room. Finished in chrome with satin frosted glass. Spread 17". Weight 4 lbs.  
26ED-1748-F \$5.10 ea.
- E. An attractive budget price ceiling fixture with polished brass and crystal holder with brass banding the white etched glass. Spread 15"; 4 light; height 33½"; weight 9 lbs.  
13ED-1702-F \$6.15 ea.
- F. A modern all purpose fixture with dramatic design. 1 light semi-flush, spread 7½", length 11" with 4"x6" opal glass cylinder with black web decor. Finished in ebony and brass. Weight 3 lbs.  
28ED-88-F \$13.25 ea.
- G. This versatile fixture hangs from the wall to preserve space and to add a smart touch as it raises and lowers and swings left or right to direct light just where you need it most. Glass is white gold beaded with reflector in glossy white finish. All other parts polished brass. Dia. 15"; ext. from wall 18"; Weight 5 lbs.  
13ED-312-F \$11.95 ea.
- H. New pulley style, in polished brass and satin black, white luxtone glass. For 1-100W lamps; diameter 13"; height adjustable from 24" to 64"; weight 4 lbs.  
27ED-709-F \$11.45 ea.
- I. An attractive ceiling fixture in polished brass with gold beaded glass for 2-75W lamps; diameter 17"; height 9½"; weight 4 lbs.  
27ED-734-F \$7.40 ea.
- J. All-purpose fixture wired for 1-lamp up to 150W. 15" diameter; height 10½". Perforated black metal shade with white inside, polished brass trim and white opal glass, wt. 5½ lbs.  
15ED-533-F \$10.05 ea.
- K. Same as "J" but pulley style fixture, adjustable in height from 24" to 62". Natural wood handle for convenience. Weight 6½ lbs.  
15ED-532-F \$16.74 ea.


ALL LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • HALL and FOYER FIXTURES •


ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



I  
\$3.80



J  
\$6.85



C  
\$5.45



D  
\$3.45



F  
\$2.65



N  
\$4.43



G  
\$1.20



B  
\$8.40




E  
\$1.58




M  
\$1.92




L  
\$2.90



K  
\$3.60



H  
\$1.45



A  
\$8.07



"VOLUME DISCOUNT" LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. A very versatile and beautiful fixture designed to add beauty to any room in the house. Clear glass with black fired decoration. Polished brass finish. Width 7½"; height 6"; weight 3 lbs.

15EE-495-F \$8.07 ea.

B. A versatile fixture adding beauty to hall or foyer. Clear glass, white ceramic design. Polished brass finish; width 7"; height 30"; weight 3 lbs.

15EE-494-F \$8.40 ea.

C. A classical round available in polished brass with non-glare glass. Perfect for kitchen, bathrooms and halls. Height 4"; dia. 11½". Recommended 2-75 watt lamps. Weight 3 lbs.

15EE-560-F \$5.45 ea.

D. A very beautiful hall or foyer wall mount fixture. Frosted glass and polished brass. Extends from wall 6"; height 9"; wt. 2 lbs.

13EE-3011-F \$3.45 ea.

E. Adds charm and beauty to any room. With glass frosted with crystal, polished brass holder. Dia. 5"; height 6¾"; fitter ¾"; wt. 1½ lbs.

13EE-1803-F \$1.58 ea.

F. Modern wall bracket fixture. Satin etched glass on polished brass bracket with switch.

Width 4"; height 7¾"; projection 3½"; weight 2 lbs.

27EE-313-F \$2.65 ea.

G. A favorite hall light in hobnail crystal with polished brass fitter. Diameter 5½"; height 7"; fitter ¾"; weight 1½ lbs.

27EE-353-F \$1.20 ea.

H. Hall fixture with satin crystal shade, clear grape design, polished finish. Diameter 6"; height 5¾"; fitter ¾"; weight 2 lbs.

27EE-502-F \$1.45 ea.

I. A modern ceiling or wall fixture. Available in 1-100W lamp as shown or 2-75W lamps with keyless porcelain sockets, asbestos wire leads. 5½" diameter; back plate 5½" diameter; height 9". Furnished in satin aluminum or satin brass. Weight 2 lbs.

27EE-41-F (1 light) \$3.80 ea.

27EE-42-F (2 light) \$7.50 ea.

J. Fits today's modern decor. Available in 1-100W lamp or 2-100W lamps as shown. Perforated metal reflector, white inside, 5-3/8" diameter at bottom. Polished brass swivel. Back plate to match reflector (4-3/8" diameter). Switch knob standard, maximum extension from wall 12". Available in polished brass, polish copper, white or black.

15EE-510-F Brass or copper (1 light) \$5.05 ea.

15EE-520-F (2 light) \$7.60 ea.

15EE-511-F White or black (1 light) \$4.28 ea.

15EE-522-F (2 light) \$6.85 ea.

K. A beautiful hall and foyer fixture. Crystal etched glass and polished brass. Diameter 8½"; height 8-1/8"; weight 1½ lbs.

15EE-509-F \$3.60 ea.

L. The fixture with quality fiberglass pan. Hand-blown, hand-cut crystal glass. Height 4"; diameter 7"; weight 1¼ lbs.

15EE-506-F \$2.90 ea.

M. A very reasonable unit and attractive, satin crystal shade with clear design, polished brass finish. Fiberglass insulated.

27EE-256-F \$1.92 ea.

N. Adjustable type wall or ceiling light. Available in one light as shown or two light. Polished satin aluminum, takes up to 150W regular lamp or up to 150W R40 lamp. Height 10"; weight 6 lbs.

13EE-1751-F (1 light) \$4.43 ea.

13EE-1752-F (2 light) \$7.43 ea.

ALL LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS, MO. OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





- (A) Modern Lantern; satin black with brass trim; white opal glass; roof dia. 7 1/4"; ht. 11 1/2"; extends 8"; wt. 2 1/4 lbs. Matches Duo-Lantern Post (O).  
15EF-955-F .....\$5.94
- (B) Coach Lantern; satin black with brass trim; clear crystal glass; width 6 1/2"; ht. 16"; extends 8"; wt. 3 1/4 lbs. A pair will beautify your doorway.  
15EF-953-F .....\$7.02
- (C) Surface Ceiling Box for 2-60W lamps; satin black finish; screenex glass; 9 1/4" x 9 1/4" x 3 1/4" deep; wt. 3 lbs. Use indoor or outdoor.  
15EF-729-F .....\$3.45  
Same for 1-60W lamp. 7 1/2" x 7 1/2" x 3 1/4" deep; wt. 2 1/4 lbs.  
15EF-727-F .....\$2.76
- (D) Modern Wall Pocket Lantern; black and brass finish; ceramic glass with clear lines; width 5 3/8"; ht. 10 1/4"; extends 4 3/4"; wt. 2 3/4 lbs.  
15EF-973-F .....\$4.56
- (E) Colonial Lantern; black and brass; crystal globe with black ceramic-fired decoration and simulated bevelled panels; width 5"; ht. 16"; wt. 3 lbs. Matches Landscape-Lite (T).  
15EF-966-F .....\$5.10
- (F) Early American Lantern; black with brass trim; clear crystal glass; width 7 3/4"; ht. 8 1/4"; ext. from wall 8 1/2"; wt. 2 3/4 lbs.  
15EF-962-F .....\$5.37
- (G) Early American Lantern; satin black with brass trim and black scrolls; width 7 3/4"; ht. 8 1/4"; scroll spread 22"; wt. 3 lbs.  
15EF-964-F .....\$6.36

- (H) Contemporary Lantern with screenex crystal glass; width 7 1/2"; ht. 9"; wt. 2 1/4 lbs.  
15EF-960-F .....\$3.27  
(Black & Brass)  
15EF-960-F .....\$3.96  
(Antique Copper)
- (J) Numeral Lantern accommodates up to 5 plastic numerals (furnished free); satin black with brass trim; satin frosted panels; width 7 1/2"; ht. 9"; wt. 2 1/4 lbs. Quickly identifies your home at night.  
15EF-968-F .....\$3.63
- (K) Williamsburg type Post Lantern; satin black with brass trim; width 9 1/4"; ht. 24"; wt. 9 1/2 lbs. Graceful and charming.  
15EF-993-F .....\$15.06
- (L) Wrought Iron Post; satin black finish; width 4" x 4"; ht. 84"; finished complete with 1/2" center thin wall tubing; wt. 14 lbs.  
27EF-590-F .....\$7.68
- (M) Modern Post Lantern; black baked-on finish; white reflector; dia. 17"; ht. 15"; wt. 6 lbs. Puts light where most needed.  
15EF-9917-F .....\$12.72
- (N) Steel Lamp Post with ladder rest; satin black finish; dia. 3"; ht. 84"; wt. 12 1/2 lbs. Durable and long lasting.  
27EF-591-F .....\$5.96
- (O) Duo-Lantern Post — 7' post complete with two attractive post lanterns — overall width 20"; ht. 7'6"; each lantern 7" wide x 9" high; satin black finish; white opal glass; wt. 12 lbs. Matches Wall Lantern (A).  
15EF-109-F .....\$15.24

- (P) Numeral Lantern accommodates up to 5 plastic numerals (furnished free); black and brass finish; white ceramic-fired glass; width 9 1/2"; ht. 19"; wt. 7 1/4 lbs. Attractive and practical.  
15EF-992-F .....\$9.33  
Same as above without numeral panel with chimney and clear glass.  
15EF-991-F .....\$10.56
- (R) Steel Lamp Post with ladder rest; adj. ht. 4 1/2' to 8'; satin black finish (inside and out) with aluminum knobs and coupling; wt. 17 1/2 lbs.  
15EF-385-F .....\$9.22
- (S) Lantern and Post combination. Lantern: black and brass finish; width 7 3/4"; ht. 15 3/4". Post: black finish; dia. 2"; ht. with lantern 8'2"; 14" crossbar; wt. 11 lbs. Priced low for use in pairs.  
27EF-595-F .....\$10.92
- (T) Landscape-Lite; satin black finish coach lantern; overall ht. 63" including 3/8" spiked-end rod; furnished with 15' rubber covered cord and plug; wt. 6 lbs. Matches Wall Lantern (E).  
15EF-618-F .....\$5.79
- (U) Portable outdoor adjustable Spot; weather proof heavyweight aluminum accommodates 1 lamp; furnished with 6' of SJT flexible cord with capped end, 6" spike and separate weather proof gasket; wt. 1 1/4 lbs. Will stand free without spike for indoor use.  
15EF-694-F .....\$1.67
- (V) Outdoor adjustable Spot for 2 lamps; weather proof heavyweight aluminum; furnished with 4" box cover; wt. 1 1/4 lbs. Buy several to affix to trees, side of house, etc.  
15EF-6102-F .....\$2.63  
Same for 1 lamp; wt. 1 1/2 lbs.  
15EF-6101-F .....\$1.20  
Same for 3 lamps; wt. 2 lbs.  
15EF-6103-F .....\$3.47


**VOLUME DISCOUNT: Less 5% on fixture orders of \$100 to \$299 — Less 10% on fixture orders over \$300**  
ALL PROGRESS FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE







progress



## modern lighting.

(A) Modern all-purpose flush style for 150W lamp; colored shade (white inside), canopy and decorative ring; pierced white cone; dia. 17"; ht. 10"; wt. 5¼ lbs. Companion to pulley fixture (A) next page.

15EG-538-F .....\$8.13  
(Black Shade)

15EG-538-F .....\$8.88  
(Polished Brass Shade)

(B) Classical 14" — 3 light square; white satin frosted glass; pol. brass finish; baked ivory enamel canopy; wt. 3 lbs. Blends with any period.

15EG-1414-F .....\$3.30

Same as above 12" — 2 light; wt. 2¼ lbs.

15EG-1412-F .....\$2.04

(C) Solid brass 1-75W fixture for wall or ceiling; pol. brass finish, white reflector; dia. 12"; ht. 5"; wt. 2¾ lbs. Has so many uses.

15EG-499-F .....\$5.31

(D) All-purpose flush unit for 2-75W lamps with perforated "jewelled" collar, luxtone glass; dia. 11¾" ht. 5"; wt. 7½ lbs. Brightens decor of any room.

15EG-550-F .....\$7.08  
(Brass)

15EG-550-F .....\$7.08  
(Chrome)

Same as above for 1-100W lamp; dia. 8¾"; ht. 4½"; wt. 3¾ lbs.

15EG-549-F .....\$4.20  
(Brass)

15EG-549-F .....\$4.20  
(Chrome)

(E) Modern all-purpose flush style for 4-75W lamps; two-piece etched glass reflector and diffuser for up and down lighting; pol. brass canopy and moulding; dia. 17"; ht. 10"; wt. 7 lbs. Companion to pulley fixture (B) next page.

15EG-563-F .....\$9.45

Same as above for 3-75W lamps; dia. 15"; ht. 10"; wt. 6 lbs.

15EG-561-F .....\$5.88

(F) Modern 18"-4 light round; golden glass; pol. brass band, finial and canopy; wt. 9 lbs. Companion to (D) and (F) next page.

15EG-2718-F .....\$12.00

Same as above 15"-3 light; wt. 4 lbs.

15EG-2715-F .....\$12.00

(G) Early American Hall light for 1 lamp; pol. brass finish; satin frosted glass; 8½"; ht. 8½"; wt. 1¾ lbs.

15EG-511-F .....\$12.00

(H) Modern all-purpose flush style for 2 lamps; satin brass finish; ceramic-fired glass; dia. 14"; ht. 5½"; wt. 4 lbs. Companion to (K) this page and (C) next page.

27EG-726-F .....\$12.00

(J) Modern wall pull-down for 2-75W lamps; swings left and right, raises and lowers; brass finish; ceramic designed glass diffuser; dia. 14"; extension 19"; turnswitch bottom ring and 10' cord and plug; wt. 9 lbs. Companion to (J) and (L) next page.

15EG-551-F .....\$12.00

(K) Modern wall pull-down for 2 lamps; swings left and right, raises and lowers; ceramic-fired glass diffuser with design; dia. 12"; extension 18"; turnswitch bottom ring and 10' cord and plug; wt. 9 lbs. Companion to (H) this page and next page.

27EG-721-F .....\$12.00  
(Polished Chrome)

27EG-721-F .....\$12.00  
(Polished Brass)

(L) Colonial wall pull-down for 1 lamp; swings left and right, raises and lowers; brass finish; dia. 12" extension 19"; 12' cord and plug; wt. 9 lbs. Companion to (H) and (K) next page.

15EG-553-F .....\$12.00



ALL PROGRESS FIXTURES BEAR THE UNION LABEL OF THE I.B.E.W. OF A.M.

**VOLUME DISCOUNT:** Less 5% on fixture orders of \$100 to \$299  
Less 10% on fixture orders over \$300

ALL PROGRESS FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE





## .. for modern living

(A) Modern pulley style for 150W lamp; pol. brass shade (white inside), canopy and decorative ring; pierced white cone; dia. 17"; adj. ht. from 24" to 62"; wt. 5½ lbs. Matches (A) preceding page.

15EH-537-F (Black) .....\$14.13

15EH-537-F (Brass) .....\$14.88

(B) Modern pulley style for 4-75W lamps; two-piece etched glass reflector and diffuser for up and down lighting; pol. brass canopy and moulding; turnswitch; dia. 17"; adj. ht. from 18" to 56"; wt. 7½ lbs. Matches (E) preceding page.

15EH-564-F .....\$14.07

Same as above for 3-75W lamps; dia. 15"; adj. ht. from 18" to 56"; wt. 6½ lbs.

15EH-562-F .....\$10.44

(C) Modern pulley style for 2-75W lamps; pol. brass trim; ceramic-fired glass; dia. 12"; adj. ht. from 18" to 56"; wt. 5 lbs. Matches (K) preceding page.

27EH-719-F .....\$8.40  
(Polished Brass Shade)

(D) Modern chain style for 2-75W lamps; pol. brass shade; gold beaded glass; dia. 17"; ht. 30"; wt. 7 lbs. Matches (F) preceding page.

27EH-736-F .....\$8.04

(E) Modern chain style for 2-75W lamps; black and brass finish; satin frosted glass; dia. 17"; ht. 30"; wt. 7 lbs.

27EH-718-F .....\$5.94

(F) Modern pulley style for 4-75W lamps; perforated pol. brass shade with natural wood trim; gold beaded glass; dia. 21"; adj. ht. from 24" to 64"; wt. 12 lbs. Matches (F) preceding page.

15EH-536-F .....\$19.50

(G) Ranch style pulley for 100W lamp; pol. brass finish; colored shade with white inside; frosted glass chimney; dia. 14"; adj. ht. from 28" to 68"; wt. 5½ lbs.

15EH-530-F .....\$18.21  
(Polished Copper Shade)

15EH-530-F .....\$18.21  
(Polished Brass Shade)

(H) Colonial pulley style for 3-way 50-100-150W lamp; pol. brass shade (white inside), canopy and hardware; dia. 15"; adj. ht. from 29" to 52"; wt. 8 lbs. Companion to (L) preceding page.

15EH-523-F .....\$22.89

Same in chain style; ht. 36"; wt. 7½ lbs.

15EH-522-F .....\$16.02

(J) Modern pulley style for 4-75W lamps; pol. brass finish; satin frosted glass with contemporary design; dia. 17"; adj. ht. from 18" to 56"; wt. 8 lbs. Companion to (J) preceding page.

27EH-722-F .....\$13.68

Same as above for 2-75W lamps; dia. 14"; wt. 6 lbs.

27EH-720-F .....\$10.59

(K) Colonial pulley style for 3-way 30-70-100W lamp; pol. brass shade (white inside), canopy and hardware; dia. 12"; adj. ht. from 29" to 47"; wt. 5¼ lbs. Matches (L) preceding page.

15EH-519-F .....\$15.24

Same in chain pendant for 1-100W lamp; ht. 30"; wt. 4½ lbs.

15EH-520-F .....\$8.40

(L) Traverse light for 4-75W lamps; pol. brass shade, turnswitch bottom ring, all hardware; ceramic-designed frosted glass diffuser; shade dia. 17"; full 6' traverse track; adj. fixture ht. from 18" to 64"; wt. 11 lbs. Companion to (J) preceding page.






15EH-542-F .....\$18.69




Materials Wholesale from  
**MORGAN - WIGHTMAN**







RECREATION ROOMS



DRAPES



COCKTAIL LOUNGES



PICTURES

(A) Instant start Circline with 1-40W and 1-32W lamps; pol. chrome; dia. 16"; ht. 3 3/4"; wt. 9 lbs. Equivalent to 200 watts of incandescent light.

15EI-462-F (with lamps) .....\$15.57

Same with 1-32W and 1-22W lamps with glass insert; dia. 13"; ht. 4 1/4"; wt. 8 lbs. Equivalent to 150 watts of incandescent light.

15EI-2812-F (with lamps) .....\$12.96

(B) Instant start Circline with 1-40W lamp; pol. chrome; dia. 16"; ht. 3 3/4"; wt. 7 3/4 lbs. Equivalent to 120 watts of incandescent light.

15EI-461-F (with lamp) .....\$10.65

Same with 1-32W lamp; dia. 12"; ht. 3 3/4"; wt. 5 3/4 lbs. Equivalent to 100 watts of incandescent light.

15EI-333-F (with lamp) .....\$8.10

(C) Instant start Circline with 1-40W, 1-32W and 1-22W lamps; pol. chrome; dia. 16"; ht. 3 3/4"; wt. 13 lbs. Equivalent to 275 watts of incandescent light.

15EI-463-F (with lamps) .....\$22.17

(D) Utility fluorescent for 4-20W lamps; pol. chrome ends; width 11"; length 31 1/4"; ht. 2 3/4"; wt. 13 lbs. Ideal for kitchen, office and store.

15EI-9420-F .....\$13.50

Same with ribbed opal-styrene diffuser; wt. 14 lbs.

15EI-9421-F .....\$16.17

(E) Utility fluorescent with ribbed opal-styrene diffuser for 2-40W lamps; pol. chrome ends; width 7"; length 55 1/2"; ht. 2 3/4"; wt. 18 lbs. Excellent for rooms of large area.

15EI-9241-F .....\$19.65

Same as above without ribbed opal-styrene diffuser; wt. 16 1/2 lbs.

15EI-9240-F .....\$15.45

(F) Hinged recessed fluorescent for 2-20W lamps; box 6 3/4" x 24" x 4 1/4" high; frame 8 1/8" x 25 7/8"; pol. chrome frame; polystyrene panel; wt. 10 lbs. Looks smart, easy to clean.

15EI-6220-F .....\$10.95

(G) Strip fluorescent utility light with 1-40W lamp; LPF; width 2 3/4"; length 49"; depth 3 3/4"; wt. 9 lbs.

15EI-2140-F (with lamp) .....\$5.70

Same with 1-20W lamp; LPF; length 25"; wt. 5 lbs.

15EI-2120-F (with lamp) .....\$3.75

(H) Strip fluorescent utility lights with 2-40W lamps; HPPF; width 5"; length 49"; wt. 15 lbs.

15EI-2240-F (with lamp) .....\$11.37

(J) Fluorescent bracket for 1-40W lamp; with polystyrene shield and conv. outlet and knock out for switch on end; width 2 1/4"; length 48 1/4"; extension 4"; wt. 9 lbs. Use vertically or horizontally.

15EI-940-F .....\$12.57

Same for 1-30W lamp; length 36 1/4"; wt. 7 lbs.

15EI-930-F .....\$11.10

Same for 1-20W lamp; length 24 1/4"; wt. 5 lbs.

15EI-920-F .....\$6.90

(K) Pre-wired recess for 1-100W lamp; box size (including wiring compartment) 8 3/4" x 13 1/4" x 4 1/4" deep; pol. chrome frame size 10 1/8" x 10 1/8"; dropped opal glass; wt. 6 3/4 lbs. Installed easily and quickly with a minimum of tools and fuss.

15EI-714-F .....\$8.10

Same for 1-100W lamps; box size 6 3/4" x 15 1/4"; frame size 8 1/8" x 12 3/16"; wt. 6 3/4 lbs.

15EI-715-F .....\$8.10

Same for 1-150W lamp; box size 11" x 15 1/2"; frame size 12 13/16" x 12 13/16"; wt. 9 1/4 lbs.

15EI-716-F .....\$9.60

(L) Hinged recess for 1-100W lamp; box size 8 3/4" x 8 3/4" x 4 1/4" deep; pol. chrome frame size 10 1/8" x 10 1/8"; ceramic glass; wt. 5 1/4 lbs. Modernize your home with these easy-to-install fixtures.

15EI-404-F .....\$4.35

Same for 1-100W lamp; box size 6 3/4" x 10 3/4" x 4 1/4" deep; frame 8 1/8" x 12 13/16"; wt. 5 lbs.

15EI-405-F .....\$4.35

Same for 1-150W lamp; box size 11" x 11" x 4 1/4" deep; frame 12 13/16" x 12 13/16"; wt. 7 lbs.

15EI-406-F .....\$5.70

(M) Hi-Hat with die-cast louvers for 1-150W lamps; pol. aluminum ceiling flange; dia. 6"; box dia. 8 1/4"; depth 8 1/4"; wt. 2 1/2 lbs. Easily installed by "do-it-yourselfer."

27EI-207-F .....\$3.60

Same for 1-75W lamp; flange dia. 6"; box dia. 4 1/2"; depth 7"; wt. 2 lbs.

27EI-205-F .....\$3.58

(N) Hi-Hat for 1-150W lamp; pol. aluminum ceiling flange; dia. 7"; box dia. 5 3/8"; depth 6 3/8"; wt. 2 1/4 lbs.

27EI-206-F .....\$2.85

Same for 1-75W lamp; flange dia. 6"; box dia. 4 1/2"; depth 5 1/2"; wt. 1 1/2 lbs.

27EI-204-F .....\$2.70

(O) Accent light pictures, drapes, tables and other important areas with this recessed Petite Sphere with die-cast aluminum louver for R30-75W lamp; sphere rotates 358° with 35° vertical adjustment; overall width 7 1/2"; sphere width 5 1/4"; recessed ht. 6 1/4"; exposed ht. 3"; wt. 3 1/2 lbs.

15EI-226-F (Satin Aluminum) .....\$9.15

15EI-226-F (Satin Brass) .....\$9.15

Same, without louvers; exposed ht. 2 1/2"; wt. 3 1/4 lbs.

15EI-225-F (Satin Aluminum) .....\$8.10

15EI-225-F (Satin Brass) .....\$8.10

(P) If you prefer your accent lighting on the surface use this surface-mounted Petite Sphere for R30-75W lamp; sphere rotates 358° with 35° vertical adjustment; overall width 6 1/2"; sphere width 5 1/4"; exposed ht. 6 1/2"; wt. 2 lbs.

15EI-222-F (Satin Aluminum) .....\$5.25

15EI-222-F (Satin Brass) .....\$5.25

Same, with louvers; exposed ht. 7"; wt. 2 1/4 lbs.

15EI-223-F (Satin Aluminum) .....\$6.30

15EI-223-F (Satin Brass) .....\$6.30

**VOLUME DISCOUNT:** Less 5% on fixture orders of \$100 to \$299  
Less 10% on fixture orders over \$300

ALL PROGRESS FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


progress



# • BEDROOM FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.


(A) \$1.30 - \$1.65



(C) \$1.50  
1.90



(I) \$11.55




(G) \$4.55





(L) \$5.10

(H) \$6.10 - \$8.05



(F) \$2.30




(E) \$4.60

(D) \$1.30  
1.85



(B) \$1.85



(K) \$3.45

(J) \$10.20

## " VOLUME DISCOUNT "

LESS 5% ON FIXTURE ORDER OF \$100.00 to \$299.00.

LESS 10% ON FIXTURE ORDERS OVER \$300.00

A. Popular square bent glass fixture with 2 lamps-12" and 14". White or rose frosted glass, ivory holder. Weight 2 lbs.  
No. 26EF-122-F (12" size) \$1.30 ea.  
No. 26EF-142-F\* (14" size) \$1.65 ea.

B. Classical Round. A fixture that fits well in any room, this bent glass unit has two lamps; White satin frosted glass. Diameter 12"; wt. 2 lbs.  
No. 27EF-1312-F \$1.85 ea.

C. Modern in every respect, this fixture comes in two sizes: 12" and 14" square for two lamps. White satin frosted glass and ivory holder. Weight 3 lbs.  
No. 26EF-1240-F (12" size) \$1.50 ea.  
No. 26EF-1440-F (14" size) \$1.90 ea.

D. Beautiful ceramic fired glass fixture, 12" or 14" two light. White or Blue frosted. Weight 2 lbs.  
No. 27EF-212-F (12" size) \$1.30 ea.  
No. 27EF-214-F\* (14" size) \$1.85 ea.

\*Note: 14" sizes available in white only.

E. New 16" square - 4 light budget priced fixture. White satin frosted glass with ivory holder. Weight 3 lbs.  
No. 27EF-2716-F \$4.60 ea.

F. Round 12"-2 light silver beaded glass and ivory holder. Weight 2 lbs.  
No. 27EF-2612-F \$2.30 ea.

G. Modern round 15"-3 light features polished brass band and holder-white satin frosted glass. Weight 3 lbs.  
No. 26EF-1520-F \$4.55 ea.

H. Modern Square. A real decorator piece with satin frosted marbled white glass and an ivory enameled canopy. Two diameters: 14" with three lamps and 17" with four lamps. Weight 5 lbs.  
No. 15EF-1814-F (14" size) \$6.10 ea.  
No. 15EF-1817-F (17" size) \$8.05 ea.

I. Our finest bedroom fixture in French gold finish. White jewel glass with heavy 24 carat gold jewel overlay decor. 19" in diameter, 7" in depth-5 lights. Weight 8 lbs.  
No. 28EF-2120-F \$11.55 ea.

J. The fixture with elegance and grace, a truly outstanding fixture. 5 light spread 17", depth 5 1/2". 17" rounded corner square acid etched glass dish with floral & whirlpool design. Finished in polished Brass. Wt. 7 lbs.  
No. 28EF-4917-F \$10.20 ea.

K. Popular round fixture 15" in dia. with 3 lights, a truly budget fixture. White glass with ivory holder. Weight 2 lbs.  
No. 13EF-1700-F \$3.45 ea.

L. Modern Round. A truly beautiful unit with opal white satin frosted glass, polished brass Holder and band. 4 lamps; diameter 17". Wt. 4 1/2 lbs.  
No. 26EF-1700-F \$5.10 ea.


ALL LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • KITCHEN and BATHROOM FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.




(C) \$4.43




(L) \$5.70




(I) \$2.95 - \$5.75



(G) \$7.60




(J) \$2.36




(K) \$4.20




(H) \$1.55



(F) \$3.55 - \$4.50



(M) \$5.70




(A) \$2.28



(B) \$1.88



(D) \$3.68



(E) \$1.90

"VOLUME DISCOUNT" LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. New ceiling fixture with chrome fitter and ceramic fired glass, clear bottom.

	Dia.	Height	Fitter	Light	Wts.	Price
27EG-446-F	6 1/4"	4 1/4"	6"	1	2 lbs.	\$2.28 ea.
27EG-448-F	8 1/4"	5"	8"	2	3 1/2 lbs.	\$3.00 ea.

B. A modern wall fixture with white glass and crystal. Chrome fitter, with convenience outlet. 3 1/4" fitter; extension 7 1/2"; width 4 1/4". Wt. 1 lb.

13EG-556-F	(with pull chain)	\$1.88 ea.
13EG-555-F	(without pull chain)	\$1.70 ea.

C. A ceiling fixture with the square modern design. Opal glass glossy finished. Holder is chrome finished. Hinged to back pan.

	Size				
	Sq.	Height	Light	Weight	Price
13EG-611-F	6"	3-5/8"	1	2½ lbs.	\$4.43 ea.
13EG-612-F	8"	3-5/8"	2	3-3/4 lbs.	5.93 ea.
13EG-613-F	10"	3-5/8"	3	5-1/2 lbs.	7.43 ea.

D. New modern fixture with your choice of polished chrome or polished copper perforated holder and opal glass glossy finished.

	Dia.	Height	Lights	Weight	Price
13EG-572-F	6 1/2"	4 1/4"	1	2 lbs.	\$3.68 ea.
13EG-573-F	8 1/2"	4 1/4"	2	3 3/4 lbs.	\$4.88 ea.

E. Ceramic fired shade with simulated cut glass bottom and a chrome fitter make this an extremely attractive fixture.

No.	Dia.	Height	Fitter	Light	Wts.	Price
27EG-346-F	6 1/4"	4 1/4"	6"	1	2 lbs.	\$1.90 ea.
27EG-348-F	8 1/4"	5"	8"	2	3 1/2 lbs.	2.50 ea.
27EG-350-F	10 1/2"	5 1/4"	10"	2	6 lbs.	3.20 ea.

F. One light circline fixture with permanently mounted (riveted) spring clip lamp retainers. Available in two sizes - for 22 watt lamp or 32 watt lamp. Polish chrome finish.

No.	Dia.	Height	Weights	Price
27EG-C22-F	9 1/4"	3"	2 1/2 lbs.	\$3.55 ea.
27EG-C32-F	12"	3 1/4"	3 1/2 lbs.	4.50 ea.

G. Similar to "F" but using one 22 watt and one 32 watt lamp. polish chrome finish, instant start. Diameter 12"; height 4 1/4". wt. 5 1/2 lbs.

No. 27EG-2232-F \$7.60 ea.

H. A bath fixture with frosted glass (clear bottom) and a chrome fitter. Two models, both have convenience outlet. Fitter diameter 3 1/4"; extension from wall 7"; width 4 1/4"; height 5 3/4"; wt. 1 1/4 lbs.

No. 27EG-342-F (without pull chain) \$1.55 ea.

No. 27EG-343-F (with pull chain) 1.88 ea.

I. A bath unit that is really smart and different. Ceramic fired glass shade, chrome back plate. Two lengths-13" and 24". Back plate diameter 4-5/8"; extension from wall 4 1/2"; height 3 3/4"; (13" length; wt. 3 1/4 lbs.) (24" length; wt. 5 lbs.)

No. 27EG-3013-F (13" - 2 light) \$2.95 ea.

No. 27EG-3023-F (24" - 4 light) 5.75 ea.

J. Another attractive kitchen or bath fixture of bent glass with a ceramic fired design. Width 13 1/2"; extension from wall 4"; height 5"; wired for 2 lights. Wt. 1 1/2 lbs. Has pull-chain and convenience outlet.

No. 27EG-127-F \$2.36 ea.

K. Wall fixture wired for 2 lights. Has ceramic-fired glass shade with clear prismatic top, bottom and front panel and clear prismatic lines. Includes convenience outlet. Length 10 1/2"; height 4 1/2"; projection 4 1/2"; wt. 3 1/4 lbs.

No. 27EG-3021-F (without pull chain) \$4.20 ea.

No. 27EG-3321-F (with pull chain) 4.56 ea.

L. Popular ceiling fixture with ceramic-fired shade and chrome fitter. Wired for 1-100 watt lamp. Height 8 3/4"; width 6 1/2"; fitter 4"; wt. 2 1/2 lbs.

No. 15EG-8604-F (without pull cord) \$1.85 ea.

No. 15EG-8644-F (with 3' pull cord) 2.15 ea.

M. Distinctive kitchen fixture, available with pol. chrome fitter and bottom ring or pol. copper. Satin black shade, white inside. Opal glass globe for 1-lamp up to 150W. Height 10"; shade dia. 13 1/2"; glass dia. 5 1/2"; weight 3 lbs.

No. 15EG-4614-F (Specify finish) \$5.70 ea.


ALL LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • RECESSED - HI-HATS - SHOWER LIGHTS •


ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



Housing for C-D-E




(B) \$5.03



(I) \$4.15

(A) \$8.10




(C)



(D)




(E)




(J) From \$3.35




(K) From \$4.95




Housing for F-G-H



(F)



(G)



(H)

"VOLUME DISCOUNT" LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. A recessed interior where accent lighting gives that added dramatic touch. The sphere rotates 358° with 35° vertical adjustment. Of particular interest is this unit that uses the new, extra-powerful 30W R20 reflector lamp. The spheres are furnished with EZ-4 clips for installation in old construction and hanger brackets for new construction. Available in satin brass or satin aluminum. Recessed height 6 1/4"; overall width 8 1/2"; sphere width 4 1/4"; exposed height 2 1/2". Specify finish desired. Weight 1 1/2 lbs.  
15EH-224-F..... \$8.10 ea.

B. Surface mounted unit specifications same as above. Furnished in satin brass or satin aluminum. Overall width 5-3/8"; sphere width 4 1/4"; exposed height 5-3/8". Specify finish desired. Weight 2 lbs.  
15EH-221-F..... \$5.03 ea.

C,D,E. The new low cost progress "Jiffy" line recessed. Features flip-top hinged junction box, the only recessed box that can be completely wired below ceiling. New "Thumb-lok" clamps patented adjustment for all ceilings. Eliminates framing, carpentry, nails, screws and other fastening devices. Optically designed parabolic reflector eliminates hot spots and shadows. Swing out reflector permits easy installation, inspection and servicing of wiring compartment. Levelizer socket permits instant alignment of bulb contour with ceiling thickness or bulb length.

Type	Watts	Size of Housing Only	Housing and Wiring Compt.	Frame Size
C	100W	6 1/2 dia.	1 1/4"	7-5/8 dia.
D	150W	6 1/2 dia.	1 1/4"	7-5/8 dia.
E	75W	6 1/2 dia.	1 1/4"	8-1/4 dia.

Number	Type	Weight	Price
C. 15EH-5561-F	(Pre Wired)	4 lbs.	\$8.15 ea.
15EH-7761-F	(Unwired)	3 1/2 lbs.	7.20 ea.
D. 15EH-6671-F	(Pre Wired)	3 1/4 lbs.	6.20 ea.
15EH-8871-F	(Unwired)	2 1/4 lbs.	5.40 ea.
E. 15EH-6674-F	(Pre Wired)	3 1/2 lbs.	6.65 ea.
15EH-8874-F	(Unwired)	3 lbs.	5.85 ea.

F,G,H. New square low cost progress "Jiffy" line recessed. Features flip-top hinged junction box, the only recessed box that can be completely wired below ceiling. New "thumb-lok" clamps patented adjustment for all ceiling. Eliminates framing, carpentry, nails, screws and other fastening devices. Optically designed parabolic reflector eliminates hot spots and shadows. Swing out reflector permits easy installation, inspection and servicing of wiring compartment.

Type	Watts	Size of Housing Only	Height	Housing and Wiring Comp't	Frame Size
1	100 W	8" x 8"	5 1/2"	12"	9 1/4" x 9 1/4"
2	100 W	10-1/8" x 10-1/8"	5 1/4"	14-1/8"	11 1/4" x 11 1/4"
3	100 W	9 1/4" x 6 1/4"	5 1/4"	13 1/4"	7 1/2" x 10 1/2"

Number	Type	Weight	Price
F. 15EH-2230-F	1	4 1/2 lbs.	\$6.15 ea.
G. 15EH-2231-F	1	5 1/4 lbs.	8.10 ea.
H. 15EH-2232-F	1	4 3/4 lbs.	8.45 ea.
F. 15EH-3340-F	2	5 1/4 lbs.	7.50 ea.
G. 15EH-3341-F	2	7 lbs.	9.25 ea.
H. 15EH-3342-F	2	6 lbs.	9.55 ea.
F. 15EH-4450-F	3	4 1/2 lbs.	6.55 ea.
G. 15EH-4451-F	3	5 1/2 lbs.	8.50 ea.
H. 15EH-4452-F	3	5 lbs.	8.80 ea.

I. Shower light with heavy gauge steel construction and polished aluminum frame. Has outlet box, porcelain socket, watertight gasket and plaster ring. Diameter 6-7/8"; height 5 1/2"; wt. 2 1/2 lbs.  
No. 27EH-203-F (75 watt) \$4.15 ea.

J. Recessed units with ceramic glass panels and polished chrome frames - not hinged. Height 4 1/4".

No.	Frame Size	Opening Size	Lamps	Wt.	Price
27EH-302-F	8" x 8"	6 1/4" x 6 1/4"	1-60W	4#	\$3.35
27EH-303-F	6" x 9"	4 3/4" x 7 3/4"	1-60W	3 3/4#	3.35
27EH-304-F	10" x 10"	8 3/4" x 8 3/4"	1-100W	5 1/2#	3.95
27EH-305-F	8" x 12"	6 3/4" x 10 1/4"	1-100W	5 1/2#	3.95
27EH-306-F	12-3/16" x 12-3/16"	11" x 11"	1-150W	7 1/2#	5.25

K. Recessed units with "super-chrome" triple plated polished chrome frames, ceramic glass-hinged frame. Completely pre-wired - including separate reflector. Recessed depth 4 1/4".

No.	Frame Size	Rough Opening	Wt.	Price
15EH-412-F	8-9/16" x 8-9/16"	6 3/4" x 11 1/4"	4 3/4#	\$4.95
15EH-413-F	6-9/16" x 9-9/16"	4 3/4" x 12 1/4"	4 1/4#	4.95
15EH-414-F	10-9/16" x 10-9/16"	8 3/4" x 13 1/4"	6 1/2#	5.65
15EH-415-F	8-9/16" x 12-9/16"	6 3/4" x 15 1/4"	6#	5.65
15EH-416-F	12-13/16" x 12-13/16"	11" x 15 1/2"	8 1/2#	6.95


ALL LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • FLUORESCENT AND SLIMLINE FIXTURES •

BALLASTS UNCONDITIONALLY GUARANTEED FOR 3 YEARS  
ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.




An industrial fluorescent with a white enamel body and end plates may be mounted flush or suspended; individual or continuous. Available in standard or slimline instant-start.

Standard Fluorescent - L.P.F. Ballast					
No.	Length	Ht.	Lights	Wt.	Price
13EI-120-FD	24"	3-7/8"	1-20W	3½ lbs.	\$2.25 ea.
13EI-140-FD	48"	3-7/8"	1-40W	7¼ lbs.	3.80 ea.
			Rapid Start Ballast		
13EI-140R-FD	48"	3-7/8"	1-40W	8½ lbs.	\$4.95 ea.
			Slimline Instant-Start		
13EI-196B-FD	96"	3-5/8"	1-75W	14 lbs.	\$10.45 ea.



Two light strip fluorescent similar to one light strip; all specifications the same, both models have knockout for pull chain switch and can be mounted in a continuous run.


Standard Fluorescent					
No.	Length	Ht.	Lights	Wt.	Price
13EI-240S-FD	48"	3-7/8"	2-40W	12-1/4 lbs.	\$6.70 ea.
			Rapid Start Ballast		
13EI-240R-FD	48"	3-7/8"	2-40W	14-1/2 lbs.	7.65 ea.
			Slimline Instant-Start		
13EI-196T-FD	192"	3-5/8"	2-75W	28 lbs.	\$17.85 ea.
13EI-296B-FD	96"	4"	2-75W	28 lbs.	10.45 ea.
13EI-496B-FD	96"	4-3/8"	4-75W	41 lbs.	25.55 ea.



Industrial unit, body finished in gray, reflector is white enamel.


Standard Fluorescent					
No.	Length	Ht.	Lights	Wt.	Price
13EI-240N-FD	48"	4-1/2"	2-40W	14 lbs.	\$7.10 ea.
			Slimline Instant-Start		
13EI-296A-FD	96"	6"	2-75W	30 lbs.	\$14.50 ea.
13EI-496A-FD	96"	6"	4-75W	36 lbs.	31.95 ea.

Add 50¢ for cord and plug and 50¢ for pull chain



Modern two or four light fixture. Spring hinged baffle louvers in 48" sections, white enamel. Curved plastic side panels, end panels satin gray and white enamel. Four types of mounting.

No.	Length	Ht.	Lights	Wt.	Price
13EI-296E-FD	96"	5-1/8"	2-75W	32 lbs.	\$24.25 ea.
13EI-496E-FD	96"	5-1/2"	4-75W	48 lbs.	46.00 ea.




Low cost commercial fixture, has satin gray decorative end covers with white enamel body. Mounts flush with ceiling or can be suspended with our 13EI-F48-M hanger set.

No.	Length	Ht.	Lights	Wt.	Price
13EI-240HD-FD	48-1/4"	6"	2-40W	14 lbs.	\$9.95 ea.
13EI-440HD-FD	48-1/4"	6"	4-40W	21 lbs.	16.05 ea.




48" fluorescent and 96" Slimline Recess. White enamel trim and body self hinged eggcrate louver. See note below for ceiling opening.

No.	Length	Ht.	Lights	Wt.	Price
13EI-240L-FD	48"	7"	2-40W	30 lbs.	\$18.25 ea.
13EI-440L-FD	48"	7"	4-40W	36 lbs.	24.25 ea.
13EI-296L-FD	96"	7"	2-75W	60 lbs.	35.20 ea.
13EI-496L-FD	96"	7"	4-75W	72 lbs.	48.00 ea.



Similar to "F" but without eggcrate louvers. White enamel body, white enamel and chrome end plates. Flush or suspended mounting.

Standard Fluorescent					
No.	Length	Ht.	Lights	Wt.	Price
13EI-4240-FD	49"	5"	2-40W	14 lbs.	\$10.80 ea.
13EI-4540-FD	49"	5"	4-40W	21 lbs.	16.05 ea.
			Slimline Instant Start		
13EI-296M-FD	96-1/4"	6"	2-75W	32 lbs.	\$24.25 ea.
13EI-496M-FD	96-1/4"	6"	4-75W	48 lbs.	46.00 ea.



A commercial unit with spring hinged louver and glass side panels. May be mounted flush or suspended. Body finish is white enamel, end plates are white enamel and chrome.

Standard Fluorescent					
No.	Length	Ht.	Lights	Wt.	Price
13EI-424G-FD	49"	6"	2-40W	18 lbs.	\$13.35 ea.
13EI-454G-FD	49"	6"	4-40W	26 lbs.	20.25 ea.
			Slimline Instant Start		
13EI-296D-FD	96-1/4"	6"	2-75W	32 lbs.	\$22.95 ea.
13EI-496D-FD	96-1/4"	6"	4-75W	48 lbs.	35.75 ea.

## FLUORESCENT AND SLIMLINE CANOPY AND HANGER SET



13EI-S96-FD  
\$2.75 ea. Length 24";  
Wt. 2 lbs. For each  
additional 12" add  
.65¢.



13EI-F48-FD  
\$2.00 ea. Length 24";  
Wt. 2 lbs. For each  
additional 12" add  
.65¢.

## "VOLUME DISCOUNT"

LESS 5% ON FIXTURES ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

ALL ABOVE LIGHTING FIXTURES SHIPPED F.O.B. ST. LOUIS ONLY

Materials Wholesale from **MORGAN - WIGHTMAN**



## • SUSPENDED LIGHTED CEILING •


### NEWEST, MOST GLAMOROUS LIGHTING FOR KITCHENS AND BATHROOMS!

A windowless bath or powder room has more storage space. Built-in shelves and countertop lavatories with cabinets below can be installed. A larger medicine cabinet can replace the window.

In Kitchens, Cabinets Are Readily Accommodated

#### ADVANTAGES OF SUSPENDED CEILINGS

- Can be installed on the bare structural ceiling. Simply spray on a white paint for good reflectance.
- No other lighting fixtures are required in a room equipped with a Sunshine Ceiling.
- Provides more and better shadowless light than daylight through a window. Room can be windowless.
- Electrical channels in Sunshine Ceilings are Underwriters' Laboratories approved. They carry the I. B. E. W. - A. F. L. label.
- Both types of Sunshine Ceilings permit conditioned air to be diffused through or around the ceiling. No visible grille required.



for standard  
5' x 7' and 5' x 8'  
Bathrooms

Now! 2 Sizes  
Available

packaged  
*Sunshine Ceiling*

No.	Width	Length	Suspension	Wts.	Price
30E-244-J	4 ft.	4 ft.	8½ inch	30 lbs.	\$36.30
30E-264-J	4 ft.	6 ft.	8½ inch	42 lbs.	45.20


For modern kitchens or bathrooms, Wakefield has developed a packaged Sunshine Ceiling which "floats" into the room. It consists of two component parts in one package: the electrical channel system for six 100 watt General Electric Coloramic or standard incandescent lamps and a pre-assembled steel grid which holds six 2' x 2' plastic diffusers. The electrical channel is simply attached to the rough ceiling; the 4' x 6' diffuser grid is hooked on to the electrical channel and the diffusing panels laid into the grid. Coloramic bulbs, available in four pastel colors, tint the room with a delicate new effect.

Standardization of size brings real savings. Since the "floating" ceiling does not touch the side wall, there are no wall attachments and great economy in labor is effected. Lamps are not included. Six 100 Watt Lamps required.

## SCHWERD WOOD LAMP POSTS

TURNED WOOD POSTS OF NORTHERN WHITE PINE

Posts are 8 foot high with 3" lantern collars. Eight foot sections of wood are accurately milled and glued together under tremendous pressure, forcing water repellant glue into the wood. Posts are then turned on lathes by skilled wood-craftsmen, and careful tolerances are held to assure detail in design. This construction is stronger and better able to withstand the elements than a solid wood post. Ample space is provided throughout the height of the post for either electric wire or gas pipe. All posts are treated with Wood-Life, a patented solution toxic to bugs and water repellant. Posts are primed with two coats of Lead-Zinc under-coating, grey in color. The lower 18" of each post is dipped in asphaltum paint to give extra moisture protection. Average post weights 35 lbs.



No. 32E-240-M Dia. 4¾" \$24.05	No. 32E-140-M Dia. 4" \$19.75	No. 32E-350-M Dia. 5½" \$30.75	No. 32E-650-M Dia. 5½" \$42.30	No. 32E-850-M Dia. 5½" \$48.40
--------------------------------------	-------------------------------------	--------------------------------------	--------------------------------------	--------------------------------------

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

## ADD A GAS LIGHT FOR A TOUCH OF TRADITIONAL CHARM

### MOONGLOW GAS LIGHT

Moonglow gas lights are available in either mantle type or flame type, however the flame type will burn only natural gas, not L.P. gas. Operating cost for gas lights is about \$1.00 per month in most areas. All Moonglow gas lights are handmade, satin black finish. Bracket for wall mountings is available—add \$5.95 to lamp price.

(Specify mantle or flame type)  
9½" Sq. x 19" High - Wt. 12 lbs.  
No. 33E-100-F ..... \$29.50



EITHER LAMP WILL FIT ALL M-W POSTS

## VERITAS GAS LANTERN

MADE BY

VERITAS OF LONDON

- Lantern body solid copper, hinged door and top
- Frogs and collar are wrought iron
- Exclusive Veritas "Brite-Lite" gas mantle
- Burner with adjustable orifice
- Hurricane-type chimney for mantle protection




12" Sq. x 26½" high - Wt. 20 lbs.  
No. 32E-150-F ..... \$58.50

Materials Wholesale from **MORGAN - WIGHTMAN**



# • OUTDOOR LANTERNS and POSTS •

ALL LANTERNS SOLID ALUMINUM CONSTRUCTION AND SOLID BRASS TRIM  
ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.



"VOLUME DISCOUNT" LESS 5% ON FIXTURE ORDERS OF \$100.00 TO \$299.00.  
LESS 10% ON FIXTURE ORDERS OVER \$300.00.

A. A new smart wrought iron Lantern Post finished in satin black. Width 4"x4"; height 7 ft. weight 16 lbs. Made to fit a 3" Post Holder. Furnished complete with 1/2" center thin-wall tubing. Weight 16 lbs.

24EK-150-F \$6.75 ea.

B. An extremely attractive wrought iron post that will lend itself to any surrounding. Width 4" x 4"; height 7 ft. Weight 18 lbs. Made to fit a 3" post holder. Finished complete with 1/2" center thin-wall tubing.

24EK-370-F \$8.65 ea.

C. Low cost steel lantern post - satin black finish. 2" dia. with 3" holder. Height 7 ft. Weight 5 1/2 lbs.

24EK-50-F \$4.47 ea.

D. New larger wrought iron post - satin black finish. Width 5" x 5"; height 7 ft. Made to fit 3" post holder. Weight 32 lbs.

24EK-401-F \$16.50 ea.

E. A truly modern Lantern available in two

sizes. Finished in satin black with brass trim. French crystal glass with clear lines:

15EK-9912-F (8 1/2"x12 1/2") 4 1/2 lbs. \$9.07 ea.

15EK-9914-F (11"x16 1/4") 8 1/4 lbs. \$14.67 ea.

F. This handsome low and wide lantern is a natural for todays smart, new ranch and split level homes. Heavy "street light" type frosted stippled glass bowl is practically unbreakable. Height 14"; dia. 17"; solid aluminum with satin black finish and polished brass trim. 3" post holder. Weight 6 1/4 lbs.

15EK-9919-F \$9.55 ea.

G. Low-cost post lantern with clear crystal glass. Finished black and polished brass. Width 7 3/4"; height 13 1/4"; weight 3 lbs.

15EK-980-F \$6.05 ea.

H. Budget colonial post lantern with clear crystal glass. Satin black finish with brass trim. Width 7 3/4"; height 15 1/4"; wt. 4 1/4 lbs.

15EK-990-F \$7.85 ea.

I. An attractive post lantern in beautiful

satin black with brass trim. Made with a 3" post holder. Width 8 1/4"; height 13 1/2"; wt. 3 lbs.

13EK-746-F \$5.95 ea.

J. A distinctively different post lantern that fits well with either colonial or contemporary homes. Satin black finish with solid brass trim, opal glass globe. Width 13 1/4"; height 14 1/2"; wt. 6 lbs. Made with 3" post holder.

15EK-9916-F \$11.95 ea.

K. One of our finest post lanterns, available in 2 sizes. Roof and side panels are glazed with plate glass, finish is satin black with polished brass trim.

15EK-9810-F (9 1/2"x17") 6 1/2 lbs. \$10.10 ea.

15EK-9910-F (9 1/2"x19") 7 lbs. \$11.60 ea.

L. Driveway, Walk or Dark Corner Light for 1 lamp up to 100W. Height 8 1/2"; diameter 6 1/2". Green Baked enamel finish, white reflecting surface, clear crystal globe. Accommodates 1/2" conduit. Wt. 3 lbs.

15EK-626-F \$6.35 ea.

ALL LIGHTING FIXTURES SHIPPED F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**



# • OUTDOOR WALL and CEILING FIXTURES •

ALL FIXTURES BEAR UNION LABEL OF I.B.E.W. OF A.F.L.




(N) \$3.45 -




(K) \$3.35




(C) \$1.20




(G) \$9.05




(M) \$4.85




(L) \$2.65



(F) \$3.45




(E) \$1.25



(A) \$5.45




(I) \$6.25




(H) \$1.75



(D) \$7.10



(B) \$2.70



(J) \$2.40

FOR VOLUME DISCOUNT SEE OPPOSITE PAGE

A. A rich and handsome outdoor light available in satin black with polished brass trim. Ceramic glass with clear lines. Lantern width 7 3/4", height 8 1/4", extension from wall 8 1/2". Weight 2 1/2 lbs.  
No. 27EL-596-F \$5.45 ea.

B. The modern outdoor light very suitable for the modern home. Finished in satin black with frosted glass. Height 12 1/2", width 3 3/4", extension 5 1/2". Weight 2 1/2 lbs.  
No. 13EL-710-F \$2.70 ea.

C. Budget priced porch fixture. With brass or black holder. Dia. 3 3/4", height 6", holder 3 1/4". Specify finish desired. Weight 1 1/4 lbs.  
No. 13EL-405-F \$1.20 ea.

D. An extremely attractive as well as outstanding wall mount fixture. With a finish of satin black and clear crystal glass. Width 6 1/2", height 13", extension 6 1/2". Wt. 3 lbs.  
No. 15EL-952-F \$7.10 ea.

E. A Beautiful light indoors or out. Made of rust-resistant - non-corrosive - lead-coated metal. Diameter 4 3/4", height 7 1/4", 5 1/2" projection. Wt. 1 1/4 lbs. Available either in baked copper or satin black. Specify finish desired.  
No. 27EL-600-F \$1.25 ea.

F. New coach lantern with stippled optic glass. Satin black finish with brass trim. Width 5 3/4", height 13", 6 1/2" projection; wt. 2 lbs.  
No. 27EL-589-F \$3.45 ea.

G. An ideal fixture for use inside or outside the home. Satin black finish with brass trim and French crystal glass with clear lines. Width 9"; height 9-1/8"; wt. 4 lbs.  
No. 15EL-978-F \$9.05 ea.

H. Shed a bright light inside or outside with this attractive lantern. Comes in two finishes, either satin black or baked copper. Both finishes the same price. Diameter 5"; height 7 3/4"; projection 5 3/4"; wt. 1 1/4 lbs.  
No. 27EL-597-F \$1.75 ea.

I. An outdoor light made of rust-resistant aluminum with satin black finish. Clear beveled glass. Width 5 1/2"; height 12"; extension 6"; wt. 3 lbs.  
No. 13EL-740-F \$6.25 ea.

J. A classical and handsome fixture in every respect with a satin black finish. Etched glass, open bottom. Diameter 4"; height 7";

extension 4 3/4"; wt. 1 1/4 lbs.  
No. 13EL-720-F \$2.40 ea.

K. An attractive outdoor light made of the finest materials. Available in two finishes: antique copper or black and brass. Width 7 1/2"; height 9"; wt. 2 1/4 lbs.  
No. 15EL-961B-F (black & brass) \$3.35 ea.  
No. 15EL-961C-F (antique copper) \$4.05 ea.

L. An unusually modern and smart fixture for use indoors and outdoors. Comes in satin black with etched glass. Frame size 8 1/2" square; bottom size 6 1/2" square; height 3"; wt. 2 1/2 lbs.  
No. 13EL-101-F \$2.65 ea.

M. Surface ceiling box with frosted glass and satin black finish. Two lamps. 9 1/4" x 9 1/4" square; 3 1/4" deep; wt. 3 1/2 lbs. Now also available in solid brass.  
No. 15EL-731-F (satin black) \$4.85 ea.  
No. 15EL-731B-F (Pol Sld. Brass) \$6.65 ea.

N. Modern wall fixture; black satin finish; white ceramic glass with clear lines. Width 4-3/8"; height 8"; projection 3 3/4"; wt. 2 1/2 lbs.  
No. 27EL-598-F \$3.45 ea.

LIGHTING FIXTURES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • PLATE GLASS WALL and DOOR MIRRORS •

COMPLETE WITH HARDWARE FOR OUR UNIQUE METHOD OF MOUNTING

Our Plate glass mirrors are unconditionally guaranteed  
against silver spoilage and any other defect.

## UNFRAMED 1/4" PLATE GLASS WALL MIRRORS



Wall mirrors have the ability of making a small room look big. A narrow room, for example, will assume greater width. And anywhere in the home - in the living room, bedroom, entrance hall - the magic of mirrors gives a "worth more" feeling.

### RECTANGULAR POLISHED EDGE

No.	Size	Wt.	Price
15B-2631-I	18"x26"	15 lbs.	\$6.40
15B-3031-I	24"x30"	26 lbs.	10.10
15B-3631-I	24"x36"	29 lbs.	11.25
15B-4031-I	30"x40"	40 lbs.	15.55
15B-4831-I	30"x48"	49 lbs.	19.85
15B-6031-I	30"x60"	61 lbs.	25.65
15B-4631-I	36"x46"	59 lbs.	22.90
15B-5431-I	36"x54"	65 lbs.	26.90

### RECTANGULAR 1/2" BEVEL EDGE

15B-2632-I	18"x26"	15 lbs.	7.05
15B-3032-I	24"x30"	26 lbs.	10.70
15B-3632-I	24"x36"	29 lbs.	12.20
15B-4032-I	30"x40"	40 lbs.	16.50
15B-4832-I	30"x48"	49 lbs.	20.80
15B-6032-I	30"x60"	61 lbs.	26.90
15B-4632-I	36"x46"	59 lbs.	24.15
15B-5432-I	36"x54"	65 lbs.	28.45

### SQUARE OR DIAMOND POLISHED EDGE

15B-2021-I	20"x20"	15 lbs.	5.80
15B-2421-I	24"x24"	21 lbs.	7.05
15B-2821-I	28"x28"	27 lbs.	10.10

### SQUARE OR DIAMOND 1/2" BEVEL EDGE

15B-2022-I	20"x20"	15 lbs.	6.40
15B-2422-I	24"x24"	21 lbs.	7.90
15B-2822-I	28"x28"	27 lbs.	10.70



## FULL LENGTH POLISHED PLATE DOOR MIRRORS

Full 1/4" thick with 6 plastic clips for easy mounting - no old fashioned mould to apply.

FULL-LENGTH DOOR MIRRORS - in bedrooms, bathrooms, and entrance halls-impress prospective buyers. They spell real value. Here's a much-in-demand feature that's easy to put up and adds very little to the total cost. These door mirrors are available in four widths - 16, 18, 20, and 24" - and 56, 60, and 68" tall. They fit more than 90% of all interior doors.

### POLISHED EDGE DOOR MIRROR

No.	Size	Wt.	Price
15B-5641-I	16"x56"	24 lbs.	\$10.70
15B-1841-I	18"x68"	35 lbs.	15.55
15B-6041-I	20"x60"	32 lbs.	15.00
15B-2041-I	20"x68"	37 lbs.	17.75
15B-2441-I	24"x68"	45 lbs.	21.90

### 1/2" BEVEL EDGE DOOR MIRROR

15B-5642-I	16"x56"	24 lbs.	11.65
15B-1842-I	18"x68"	35 lbs.	16.80
15B-6042-I	20"x60"	32 lbs.	16.25
15B-2042-I	20"x68"	37 lbs.	19.25
15B-2442-I	24"x68"	45 lbs.	23.45

### VOLUME DISCOUNT BELOW

#### MIRRORS HARDBOARD BACKED

Hardboard backed mirrors can be furnished at no additional cost on special order only, F.O.B. Chicago.


### SPECIAL SIZE MIRRORS

We can supply 1/4" polish plate glass mirrors either framed or unframed with polished or 1/2" bevel edges in ANY SIZE.



Please indicate type of mounting desired

TOGGLE  
BOLT



HANGER



WOOD  
SCREW



## LAVATORY MIRRORS

LOW IN COST  
WITH QUALITY FEATURES

A new low price stainless steel framed mirror with metal back and concealed mounting. Mirrors are of high quality electro-copper plated 1/4" polished plate glass.

Mirrors to suit any taste or room design requirements. Can be installed vertically or horizontally. All mirrors are furnished with theft-proof hanging clips.

Construction Features - Mirrors are No. 1 selected plate glass, copper protected, guaranteed for five years against silver spoilage. Mirror frames of stainless steel channel, buffed to a chrome finish. Mirror backs are zinc-coated steel.



Overall Size

Square cornered 5/16" larger than mirror size

No.	Mirror-Size	Wt. Lbs.	Price
15B-1218-F	12x18	10	\$ 5.20
15B-1420-F	14x20	12	6.10
15B-1620-F	16x20	14	6.65
15B-1622-F	16x22	15	7.15
15B-1624-F	16x24	16	7.80
15B-1824-F	18x24	18	8.95
15B-1826-F	18x26	20	9.60
15B-1828-F	18x28	22	10.10



Industrial Plants  
Office Buildings

Volume Discounts on all mirrors  
Listed on this Page

5% on 6 or more  
10% on 24 or more.

## BATHROOM FLUORESCENT BRACKET LIGHT


A. Trigger start fluorescent with brilliant triple plated chrome ends and chassis. White ribbed polystyrene plastic diffuser equipped with convenience outlet and switch. All units have low power factor.



No.	Watts	Width	Wt.	Price
26E-2120-F	20	24 1/2"	6 1/4 lbs.	\$ 8.45
26E-2130-F	30	36 1/2"	8 1/4 lbs.	110.45
26E-2140-F	40	48 1/2"	9 1/4 lbs.	10.95

B. Polished chrome bracket for use as side lights with bathroom cabinets. Features are furnished with convenience outlet and switch. Width 2 1/4" extension from wall 4". All units have low power factor.

No.	Watts	Width	Wt.	Price
27E-115C-F	15	19"	2 1/2 lbs.	\$3.65
27E-120C-F	20	25"	3 lbs.	4.10



C. A low price incandescent bathroom bracket light, with white glossy finish glass and chrome holder. Furnished with convenience outlet and switch.

No.	Lites	Width	Wt.	Price
13E-578-F	2	14"	2 lbs.	\$2.75
13E-579-F	4	24"	3 lbs.	4.95

MIRRORS SHIPPED F.O.B. CHICAGO WAREHOUSE, LIGHT FIXTURES F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**




# MIAMI EXCLUSIVE ROLLING MIRROR UNITS

**Carey**


America's most versatile mirror unit, with exclusive "plan-it-yourself" features adaptable to the needs of every family. Full-size twin mirrors glide aside at a finger's touch, to reveal wall space aplenty for recessed shelves, storage cabinets, tumbler or soap holders—even a ventilating fan!

The illustrations shown below are intended only to show the flexibility of the Broadview. Behind the right-hand rolling mirror is mounted a bathroom fan. At the bottom, the illustration shows a cabinet designed especially for the Broadview unit—Model 12B-6250-F. Open shelf cabinet illustrated below.

Many other "plan-it-yourself" combinations can be used. For example, put in two 12B-6250-F cabinets, one behind each mirror. Then recess your tumbler holders, soap dishes and toothbrush racks. Or, you can recess the entire wall space behind the mirrors and fit the space with full-length glass shelves.



**Broadview Unit Consists Only of Rolling Mirrors, Top and Bottom Racks, With or Without Light Fixture.**



**OPEN SHELF CABINET  
No. 12B-6250-F**

This cabinet is equipped with four glass shelves, razor blade drop and two toothbrush holders. (No door on this unit. Wall opening required is 14" x 20" x 4 1/4"). Shipping weight is 17 lbs.


1-5 \$6.65 6 or more \$6.25



Model No.	Light	Mirror Size Each	Overall Size	Wt. Lbs.	Price 1-5	Price 6 or More
12B-6200-I	Without	18" x 30"	35 5/8" W. x 31 7/8" H.	40	\$31.05	\$29.50
12B-6201-I	With	18" x 30"	35 5/8" W. x 34 3/4" H.	51	48.55	46.10
12B-6210-I	Without	24" x 30"	47 5/8" W. x 31 7/8" H.	49	39.65	37.65
12B-6211-I	With	24" x 30"	47 5/8" W. x 34 3/4" H.	65	60.45	57.40
12B-6220-I	Without	30" x 36"	59 3/4" W. x 37 3/4" H.	76	54.65	51.85
12B-6221-I	With	30" x 36"	59 3/4" W. x 40 3/4" H.	92	75.45	71.60

## VANINET RECESSED CABINET


Compact, yet roomy, with the clean-lined good looks only stainless steel can provide. Particularly attractive when combined with the new Miami Line mirror units, but can be used alone or in other combinations desired. Twin side compartments and handy open center shelf provide ample storage space for those often used toilet articles.



Model No.	Overall Size	Wall Opening	Wt. Lbs.	Price 1-5	Price 6 or More
12B-605-I	36 5/8" x 10 9/16" x 4 1/4"	35" x 9" x 4 1/4"	27	\$33.30	\$31.60
12B-606-I	48 5/8" x 10 9/16" x 4 1/4"	47" x 9" x 4 1/4"	35	39.95	37.90

**Construction Features** include two electric convenience outlets, toothbrush rack, black Vitrolite bottom shelf at center and two sliding ribbed glass doors.

## COSMETIC SURFACE CABINET



Designed for use separately or with the new Miami Line mirror units. The Cosmetic also provides extra storage space at fingertip level when combined with other Miami-Carey cabinets. Your choice of four rich colors (red, green, blue and ivory), or gleaming white, to blend with many color schemes. Color samples on request.

Model No.	Overall Size	Wall Opening	Wt. Lbs.	Price 1-5	Price 6 or More
12B-610-I	36 5/8" x 10" x 8"	None	31	\$15.00	\$14.20
12B-611-I	48 5/8" x 10" x 8"	None	40	18.85	17.90

**Construction Features**—Cabinet body of Armco "Paint-Grip" Bonderized steel. Twin compartments, one with glass shelf. Two sliding ribbed glass doors.

ALL CAREY ITEMS ABOVE SHIPPED F. O. B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# SLIDING MIRROR BATHROOM CABINETS by MIAMI

Styled by Miami Craftsman, truly representative of the finest in design and construction. They have no equal. Mirrors are No. 1 quality plate glass, Copper protected, guaranteed for 5 years against silver spoilage. One-piece seamless cabinet body of Armco "Paint-Grip" Bonderized Steel. Cabinet frame is stainless steel, polished and buffed to a chrome finish. Interior finish is Miami-Carey "Crystal Snow" white enamel.


*Carey*



Wall Opening  
24-3/8 x 16-1/2  
Overall Size  
25 x 17-7/16

The Carey Budget Model with quality construction. Two bulb edge glass shelves, razor blade drop and tooth brush rack. Plastic door pulls. Mirrors slide on polystyrene tracks, insures easy door glide. Each Mirror 12" x 16"

No.	Mirror	Light	Wts.	1-5	6 or More
12B-2010-I	3/16" Crystal	Without	22 lbs.	\$12.30	\$11.70
12B-2510-I	3/16" Crystal	With	27 lbs.	20.95	19.85
12B-2012-I	1/4" Plate	Without	23 lbs.	13.70	13.00
12B-2512-I	1/4" Plate	With	28 lbs.	22.30	21.15




The Carey Princess Model is moderate priced - designed specially for medium-cost homes. The mirror doors slide on polystyrene tracks - prevents mirror damage. One tooth brush rack, one razor blade drop and two bulb edge glass shelves included.

Each Mirror 13" x 18"

Wall Opening 27" x 19-3/8" x 4" Overall 27-5/8" x 19-3/8"

No.	Mirror	Light	Wts.	1-5	6 or More
12B-2013-I	3/16" Crystal	Without	30 lbs.	\$16.65	\$15.80
12B-2513-I	3/16" Crystal	With	35 lbs.	25.25	23.95
12B-2015-I	1/4" Plate	Without	31 lbs.	18.60	17.65
12B-2515-I	1/4" Plate	With	36 lbs.	27.20	25.80



The custom junior model-produced by the skilled designers and master craftsmen of Miami-Carey. Features mirrors framed, top and bottom, in stainless steel and slide on aluminum tracks. Mirrors are backed with steel to prevent silvering damage. Each Mirror 15" x 20"

Wall Opening 30" x 20" x 3 1/2"

Overall Size 31" x 21-5/8"

No.	Mirror	Light	Wts.	1-5	6 or More
12B-2017-I	3/16" Crystal	Without	35 lbs.	\$19.85	\$18.85
12B-2517-I	3/16" Crystal	With	40 lbs.	28.45	27.00
12B-2019-I	1/4" Plate	Without	36 lbs.	21.50	20.40
12B-2519-I	1/4" Plate	With	41 lbs.	30.15	28.60

Flourescent fixture supplied with above models has chrome end caps and white plastic shield. 29-5/8" long, 2-1/16" high, and projects 3-5/8" from wall. One 20 watt bulb is included, pre-heat type ballast, switch one end, convenience outlet other end. Carries U. L. label.

ALL CABINETS ON THIS PAGE SHIPPED PREPAID ON ORDERS FOR 12 OR MORE.



The "Natcco" deluxe cabinet features brilliantly polished three dimensional picture moulding type frame. Cabinet body is deep drawn from one piece cold rolled steel. Shelves are bulb edge type and fully adjustable. Top and bottom edges of the mirrors are encased in stainless steel. Overhead light fixture equipped with two 25 watt flourescent bulbs for maximum light. Each Mirror 18" x 21"

Wall Opening 33" x 21-1/2" Overall Size 35" x 22-1/2"

No.	Mirror	Light	Wts.	1-5	6 or more
18B-2000-I	1/4" Plate	Without	55 lbs.	\$34.50	\$32.75
18B-2020-I	1/4" Plate	With	65 lbs.	48.10	45.65



The Miami-Carey Custom-The "Top of the Line". Mirrors are framed, top and bottom, in stainless steel, and slide on extruded aluminum tracks. Mirrors have metal backs to prevent damage to the silvering. Three bulb-edge glass shelves and one flat glass bottom shelf are standard equipment. Each Mirror 18" x 20"

Wall Opening 37 1/4" x 22 1/2" x 4-3/8" Overall Size 38-9/16" x 23-5/16"

No.	Mirror	Light	Wts.	1-5	6 or more
12B-1820-I	1/4" Plate	Without	61 lbs.	\$46.05	\$43.70
12B-1821-I	1/4" Plate	With 1 bulb	72 lbs.	59.90	56.85
12B-1822-I	1/4" Plate	With 2 bulb	77 lbs.	66.85	63.45

NOTE: 30 watt bulbs are supplied with lighted models



The Miami-Carey exclusive-designed for homes that cannot use a recessed cabinet. Ideal for remodeling work, can be hung on the wall surface or semi-recessed. Available only as a lighted cabinet with attractive metal shade complete with electrical convenience outlet and switch. Each Mirror 18" x 18"

Wall Opening 36-3/8" x 28 1/2" x 4-3/8" Overall Size 36-1/8" x 28 1/4"

No.	Mirror	Light	Wt.	1-5	6 or more
12-B-1818-I	1/4" Plate	With	61 lbs.	\$35.50	\$33.70

For Project Prices - Write For Special Volume Quotation.

Materials Wholesale from

MORGAN - WIGHTMAN





# BATHROOM CABINETS

## CUSTOM ENSEMBLE

Unmistakable luxury and beauty, combined with flexibility, are the outstanding features of Miami-Carey Ensembles! These planned Ensembles combine soft, generous lighting, abundant storage space and an unequalled degree of convenience and beauty. The twin cabinet arrangement provides "private" storage for the "head" of the house and his lady.


The centerpiece of the Custom Ensemble is a sparkling chromium-framed mirror, permanently attached to the wall with concealed hanging slots.

Individual cabinets on both sides of the center mirror feature storage space equal to that of the largest medicine cabinet. Mirror doors when open create a neat three-way mirror.

Soft, glareless lighting is amply provided by the fluorescent tubular light mounted over the complete unit. This fixture is fitted with two bulbs, instant starter, switch and electrical convenience outlet.

### PRICES AND SPECIFICATIONS

No.	Overall Size			Wall Opening			Wt. Lbs.	Price	
	(W)	(H)	(D)	(W)	(H)	(W)		1-5	6 or More
12B-8400-I	38 3/4"	31 1/4"	10 1/4"	36 1/4"	24 1/2"	4 1/4"	84	\$81.00	\$76.85




Construction - One-piece seamless bodies formed from a single sheet of steel, no open seams or joints to encourage rust or catch dirt. Shelf brackets on the Custom Ensemble are stainless steel.

Mirrors are No. 1 quality plate glass, copper protected, guaranteed for five years against silver spoilage.

Finish - Units are finished in Miami-Carey "Crystal Snow," will not discolor with age, crack, craze or peel. Steel used in these cabinets is Armco "Paint-Grip," Bonderized.

## PERIMETER LIGHTED SLIDING DOOR CABINET

### A CABINET WITH BEAUTY AND DESIGN



The Quadralite  
Most Advanced Sliding  
Door Lighted Cabinet

The Quadralite features full perimeter lighting around the entire outside of the cabinet and, even more, this lighting is selective by means of a four way switch. One flip of the switch and the top and bottom lights go on. One further turn and the top and bottom lights go out and the side lights come on. One more turn and all four lights, top, bottom and sides, go on. This furnishes sufficient light for the entire bathroom, and, in addition, furnishes more than ample light for shaving or make-up without any dark spots or shadows.

SPECIFICATIONS: Outside frame and light fixtures of extruded highly polished and anodized aluminum for long life and durability.

Patented construction features the light fixture and slide track from one extruded section of highly polished aluminum.

Light fixtures are covered by fluted plastic shades for non-glare scientific lighting. Corner cover plates are highly polished stainless steel.

Two sliding door mirrors, generously sized and copper backed, are protected against silvering deterioration.

Cabinet body deep drawn seamless from one piece cold rolled steel. All interior corners smoothly rounded and entire body rust proofed before enameling. Top and bottom of mirrors encased in stainless steel channels.

No.	Mirror Size Ea.	Wall Opening	Overall	Bulb Size	Price	
					1-5	6 or More
18B-3000-I	14" x 18"	27" x 18 1/2"	34" x 25"	Two 25 watt Two 15 watt	\$51.35	\$48.75

## MIAMI CAREY HOTEL CABINET



Construction Features - Hotel cabinet bodies are one-piece construction, no open seams or joints, of Armco "Paint-Grip" Bonderized steel. Finish is Miami-Carey "Crystal Snow" baked-on white enamel. Piano-type hinges are brass, chromium-plated.

Mirror is No. 1 selected plate glass, copper protected, guaranteed for five years against silver spoilage. Mirror frames, top and bottom, are brass, chromium-plated. There is no frame along the vertical edges of the mirror.

Equipment for cabinet includes three bulb-edge glass shelves, one flat glass bottom shelf. Overhead light fixture with a hinged shade of stainless steel, a stainless steel overhead towel rack, a razor blade drop, chromium-plated, and an electrical convenience outlet. No switch on cabinet.


Mirror 18" x 24"; wall opening 16" x 34" x 3 1/2"; overall 18" x 38-5/16".

### PRICES AND SPECIFICATIONS

Model No.	Wt. Lbs.	Price	
		1-5	6 or More
12B-1825-I	43	\$36.60	\$34.75

## MIAMI CAREY MIRROR CABINET MODEL

Again Miami-Carey brings an exciting new "first" to bathroom design. A sure way to glorify and glamorize the modern bathroom. The mirror cabinet is surface mounted saving installation time. Mirrors are furnished in plate or clear D.S.A. glass, mirror frame is stainless steel, polished to a chrome finish. Cosmetic part is compact yet roomy, with clear-lined good looks only stainless steel can provide. The cosmetic provides storage space at fingertip level. Mirrors are copper protected, guaranteed for five years against silver spoilage.



### PRICES AND SPECIFICATIONS

Model	Overall Size	Mirror Type	Wts. Lbs.	Prices	
				1-5	6 or More
12B-630-I	18" x 32"	Clear D.S.A.	17	\$18.75	\$17.80
12B-631-I	18" x 32"	Plate	21	22.90	21.70
12B-632-I	36" x 32"	Clear D.S.A.	35	24.45	23.20
12B-633-I	36" x 32"	Plate	42	29.80	28.25
12B-634-I	42" x 32"	Clear D.S.A.	38	26.65	25.25
12B-635-I	42" x 32"	Plate	49	32.05	30.45
12B-636-I	48" x 32"	Plate	55	42.95	40.75

ALL CABINETS THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



**MIAMI****Carey****BATHROOM CABINETS**

Miami Carey Cabinets give finer, longer bathroom service because, cabinets are made of Armco cold rolled "paint-grip" zinc-coated bonderized steel, are protected from rust, the most constant bathroom problem, by their 3-layer shield.

Miami Carey's "paint-grip" zinc-coated steel plus a mill-bonderized finish guarantees an enamel finish that is smoother and more attractive. Tests prove that this 3-layer process gives an enamel life at least several times longer than on untreated surface.

**MASTER MODEL**

Mirrors are No. 1 selected plate glass, copper protected, guaranteed for five years against silver spoilage. Mirror frames are stainless steel, buffed to a chrome finish.

Light Fixture Wiring is completed at factory. Fluorescent light bulbs furnished. Lighted models carry Underwriters' Laboratories Inspection Label. Shelf Brackets are stainless steel, "U" type, to prevent upsetting of shelves. Two bottom brackets will hold six toothbrushes.

Cabinets are furnished with three bulb-edge glass shelves, one flat bottom shelf, razor blade drop, chromium-plated.

No.	Lights	Mirror	Wall Opening	Wt.	Prices	
					1-5	6 or More
12B-2030-I	Without	16"x22"	14"x20"	27 lbs.	\$15.55	\$14.75
12B-2031-I	With	16"x22"	14"x20 3/4"	42 lbs.	35.50	33.70
12B-2040-I	Without	18"x24"	16"x22"	33 lbs.	19.70	18.70
12B-2041-I	With	18"x24"	16"x22 3/4"	48 lbs.	37.70	35.80
12B-2050-I	Without	20"x28"	18"x26"	42 lbs.	22.75	21.60
12B-2051-I	With	20"x28"	18"x26 3/4"	57 lbs.	43.30	41.05

**BUDGET MODEL**


The smartest line of budget-priced cabinets on the market today, distinctively styled by Miami-Carey craftsmen and designed especially for the project dwelling and extremely low cost home.

The budget model cabinet is fitted with fluorescent light fixtures, complete with switch and convenience outlet. Cabinets are wired and ready for installation in the wall—no extra switch or box outlets necessary. Fluorescent light bulbs furnished with each cabinet are included in the price. U.L. Approved.

The models shown on this page are manufactured of heavy cold rolled steel, one piece construction with no open seams or joints. Mirrors are copper protected, guaranteed for five years against silver spoilage.

BOTH MODELS HAVE 16" x 22" MIRRORS - 14" x 18 3/4" WALL OPENING.

No.	Mirror	Wt.	1-5	6 or more
12B-3021-I	Clear D.S.A.	28 lbs.	\$18.70	\$17.75
12B-3121-I	1/4" Plate	31 lbs.	20.25	19.20


**WALL SURFACE CABINETS****DELUX HINGED  
DOOR MODEL**

High styling in a cabinet at a very low price. A truly fine quality wall surface, swinging door cabinet. For installations where space is at a premium. Mirrors are copper-protected. Cabinets are of cold rolled steel finished in baked-on white enamel. The delux is furnished with two steel shelves, mirror frame is of white enamel, hinges are of the butt type.

No.	Mirror Size	Body Size	Wt. Lbs.	Price	
				1-5	6 or more
12B-1813-I	13"x18"	12"x16"x3 1/2"	8	\$4.05	\$3.85

**IMPERIAL SLIDING DOOR MODEL**

A beautiful sliding-door cabinet ideal for the small bathroom, or as an extra cabinet needed to store the family medicines. Mirrors are copper-protected. Cabinets are cold rolled steel, finished in "baked-on white enamel". Two glass shelves are furnished with each cabinet.



No.	Mirror Size	Body Size	Wt. Lbs.	Price	
				1-5	6 or more
12B-600-I	10"x14"	19-7/8"x15"x4 1/4"	12	\$6.05	\$5.75

**CUSTOM HINGED  
DOOR MODEL**

The custom cabinet is ideal for every type of budget installation in office laboratory, summer cottage, or as an extra cabinet in the home. Mirrors are copper protected. Cabinets are of cold rolled steel finished in baked-on white enamel. The cabinet is furnished with two glass shelves, mirror frame is of stainless steel. Hinges are of the piano type.

No.	Mirror Size	Body Size	Wt. Lbs.	Price	
				1-5	6 or more
12B-520-I	14"x20"	16-1/8"x17 1/2"x4 1/2"	13	\$5.80	\$5.50

**BUDGET HINGED  
DOOR MODEL**

This is truly the budget model cabinet built with high quality material. Ideal for any type of budget installation. Mirrors are copper protected. Cabinets are of cold rolled steel finished in baked-on white enamel. This cabinet is furnished with two steel shelves, mirror frame is of white enamel, hinges are of the butt type.



No.	Mirror Size	Body Size	Wt. Lbs.	Price	
				1-5	6 or more
12B550-I	14"x20"	14"x18"x4"	10	\$2.80	\$2.65

ALL CAREY CABINETS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor "BUDGET" BATHROOM CABINETS

BATHROOM CABINETS ADD BEAUTY AND CONVENIENCE TO PROJECT OR CUSTOM HOME

Here's fine craftsmanship at budget saving price. A real bonus in quality and enduring style. One of the few cabinets in this price range with the advantage of new square cut modern design and seamless drawn body. Ideal for low cost homes, motels, housing projects and apartments. Designed to provide a lifetime of service and convenience at a price you want to pay. Bodies of heavy seamless one-piece deep drawn steel. Bonderized after forming for maximum corrosion resistance. Mirror frames are of polished stainless steel. Available in plate or window glass mirrors. Plate glass mirrors are guaranteed against silver spoilage. Full length piano-type hinges are furnished with all cabinets. Razor blade disposal slot are standard on all cabinets. Cabinets are furnished with 2 adjustable shelves.

## • SPECIFICATIONS AND PRICES •


No.	Mirror Size	Type Mirror	Wall Opening	Overall Size	Wt.	PRICES		
						1-5	6-19	20 or more
13B-1801-I	14"x20"	Clear DSA	12-1/4"x16-3/8"x3-1/2"	14 1/4"x20 1/4"	13 lbs.	\$5.00	\$4.75	\$4.50
13B-1802-I	14"x20"	1/4" Plate	12-1/4"x16-3/8"x3-1/2"	14 1/4"x20 1/4"	16 lbs.	6.78	6.45	6.10
13B-1805-I	16"x22"	Clear DSA	14"x18-3/4"x3-1/2"	16 1/4"x23"	15 lbs.	5.33	5.05	4.78
13B-1806-I	16"x22"	1/4" Plate	14"x18-3/4"x3-1/2"	16 1/4"x23"	18 lbs.	7.12	6.75	6.40
12B-1824-I	18"x24"	Clear DSA	16"x22"x3-1/2"	18 1/4"x26 1/4"	22 lbs.	8.10	7.40	7.30
12B-1821-I	18"x24"	1/4" Plate	16"x22"x3-1/2"	18 1/4"x26 1/4"	24 lbs.	10.70	9.80	9.65

## SLIDING DOOR CABINET

Timeless classic modern simplicity that blends fashion and function. Two big cabinets in one. Sliding Door Cabinets meet the needs of today's bigger families with double storage, expansive mirror vision, maximum glare, free lighting. Combines luxury features with functional beauty makes the bathroom look lovelier and work more efficiently. Windsor Cabinets sleek, straight line design is a stunning new note in bathroom cabinets. Windsor sliding door cabinets feature sliding plate glass mirrors that can't jog or jar, mirrors are guaranteed against silver spoilage. All sliding door cabinets are supplied with four adjustable stainless shelves-2 on each side of center divider with clips that lock shelves in cabinet-yet easily removed for shelf adjustment. Fluorescent lights are 20 watt with new square cut stainless end caps and classic light diffuser. Light fixtures are bolted thru body of cabinet for rigidity and easy removal. Fixtures are supplied with light switch and convenience outlet, wired to comply with underwriters laboratory standards.

## • SPECIFICATIONS AND PRICES •

No.	Lights	Mirror Size	Rough Opening	Overall Size	Wt. Lbs.	PRICES	
						1-5	6 or More
13B-3021-I	Unlighted	16"x24"	13-5/8"x19-3/8"x3-1/2"	16"x24"	21	\$13.40	\$12.75
13B-3025-I	Lighted	16"x24"	13-5/8"x20-1/8"x3-1/2"	21 1/4"x24"	28	24.90	23.60



## BUDGET MODEL SLIDING DOOR CABINET

PRICED AS LOW AS MOST SWING DOOR CABINETS

Here is the smartest low-priced bathroom cabinet on the market today. The only true recessed budget model Sliding Door Cabinet. This cabinet gives you more features for your building or remodeling dollar. Cabinet is furnished in a gray prime coat paint, giving the advantage of matching the bathroom cabinet with colors in your bathroom. Mirrors are guaranteed against silver spoilage. The budget cabinet is bonderized after forming for maximum corrosion resistance. Two metal shelves and stainless steel pull are supplied with each cabinet.

## • SPECIFICATIONS AND PRICES •

No.	Mirror Size Each	Rough Opening	Overall Size	PRICES	
				1-5	6 or more
13B-68R-I	10"x14"	20 1/2"x15 1/2"x3 1/2"	21-1/8"x16"	\$7.95	\$7.55

If light fixtures are desired with budget Model Cabinet refer to Page 86.

## BEVELED MIRROR HINGED CABINET

WINDSOR IS THE ULTIMATE IN STYLING EXPERT CRAFTSMANSHIP AND HIGHEST QUALITY MATERIALS  
ALL THIS SALES APPEAL AT AN EXCEPTIONALLY LOW PRICE


Beveled plate glass mirror cabinets are created with tasteful simplicity. One of the few cabinets in this price range that offers new contemporary design with venetian styled engraved mirror. ALL CABINETS "BONDERIZED" after forming. Seamless one-piece deep drawn bodies finished in heat controlled ovens. Highest quality long lasting enamel. EXCLUSIVE Stainless adjustable shelves with clips that lock shelves in cabinet, yet easily removed for shelf adjustment. Polished Plate Glass Mirrors guaranteed against silver spoilage. Cabinets have continuous piano-type full length hinges with razor blade disposal slot. Lighted models have gleaming stainless steel fluorescent fixtures with 2-15 watt tubes and shadowless light diffusers. End caps are squared and made of polished stainless steel. Lighted models are wired to comply with underwriters laboratory standards. Light switch and convenience outlet are supplied on lighted models.

## • SPECIFICATIONS AND PRICES •

No.	Lights	Mirror Size Ea.	Rough Opening	Overall Size	Wt. Lbs.	PRICES	
						1-5	6 or more
13B-3170-I	Without	12"x16"	24-1/2"x17-1/8"x3-5/8"	25-5/8"x18"	23	\$14.40	\$13.80
13B-3175-I	With	12"x16"	24-1/2"x17-1/8"x3-5/8"	25-5/8"x20"	28	19.65	18.65
13B-6170-I	Without	14"x18"	26"x17-1/2"x3-1/2"	27-1/4"x20"	27	15.45	14.65
13B-6175-I	With	14"x18"	26"x18-1/4"x3-1/2"	27-1/4"x22"	34	21.80	20.65

ALL CABINETS ON THIS PAGE SHIPPED PREPAID ON ORDERS ON ORDERS FOR 12 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






# COLONIALchromium accessories by **MIAMI Carey**

Now! Lower Priced




SOAP, TUMBLER AND  
TOOTHBRUSH HOLDER  
12B-8005-I . . . . \$3.30  
With Crystal Soap Tray  
Wt. 16 oz.




COMBINATION TUMBLER  
and TOOTHBRUSH HOLDER  
12B-8007-I . . . . \$1.06  
Wt. 7 oz.


SOAP AND GRAB  
With Crystal Soap Tray  
12B-8004-I . . . . \$3.10  
Wt. 1 lb. 5 oz.



PAPER HOLDER  
Chrome Roller  
12B-8002-I . . . . \$2.80  
Wt. 16 oz.



TUMBLER HOLDER  
12B-8000-I . . . . \$2.25  
Tumbler Not Included  
Wt. 16 oz.



SOAP HOLDER  
With Crystal Soap Tray  
12B-8001-I . . . . \$2.25  
Wt. 16 oz.

**Graceful Styling**—Brilliant beauty and rugged strength are combined in the new Colonial Chromium Accessories for the cost-conscious home. Their graceful, modern lines are beautifully accented by the smooth, sparkling chromium finish, blend well with almost any style of bathroom decoration.

**Triple-Coated Finish**—Colonial Accessories are triple-coated for enduring beauty and service. *First*, a coating of pure copper. *Second*, a coating of nickel. *Third*, a heavy coating of pure chromium. The result is a finish of lasting beauty unmatched in comparably-priced accessories.



TUMBLER HOLDER  
12B-8006-I . . . . \$1.12  
Wt. 8 oz.



SINGLE ROBE HOOK  
12B-8031-I . . . . 72¢ each  
Wt. 3 oz.




DOUBLE ROBE HOOK  
12B-8032-I . . . . 89¢ each  
Wt. 4 oz.



SOAP DISH  
12B-8008-I . . . . \$1.06  
Wt. 8 oz.




DIAMOND  
CLEAR PURE  
LUCITE TOWEL RING  
12B-8050-I . . . . Wt. 11 Oz. . . \$1.95



GLASS SHELF

12B-8028-I - 18" . . . \$2.47  
Wt. 2 lbs. 9 oz.

12B-8029-I - 24" . . . \$2.65  
Wt. 3 lbs. 3 oz.




PAPER  
HOLDER

CHROME ROLLER  
12B-8011-I . . . . \$1.93  
Wt. 12 oz.  
WOOD ROLLER  
12B-8012-I . . . . \$1.64  
Wt. 11 oz.



DETACHABLE TYPE TOWEL BAR  
12B-8035-I . . . . \$1.27  
Wt. 9 oz.



TOWEL BAR  
12B-8018-I - 18" . . . \$2.04  
Wt. 1 lb. 8 oz.  
12B-8020-I - 30" . . . \$2.39  
Wt. 2 lbs. 2 oz.  
12B-8019-I - 24" . . . \$2.20  
Wt. 1 lb. 10 oz.

## "VOLUME DISCOUNTS"

LESS 5% WHEN ORDER TOTALS 25 ACCESSORIES  
LESS 10% WHEN ORDER TOTALS 50 ACCESSORIES

## SPECIAL "JOB PACKED" SETS

### SIX PIECE MATCHING SET CONSISTING OF THE FOLLOWING:

12B-8008-I Soap Dish - 12B-7030-I Soap & Grab  
12B-8007-I Tumbler & Toothbrush Holder  
12B-8018-I Towel Bar - 12B-8019-I Towel Bar  
12B-7026-I Paper Holder - Wood Roller

SET NO. 12B-6000-I Wt. 6 lbs. \$10.50

### SEVEN PIECE MATCHING SET CONSISTING OF THE FOLLOWING:

12B-8008-I Soap Dish - 12B-8031-I Robe Hooks  
12B-8018-I Towel Bar - 12B-8019-I Towel Bar  
12B-8004-I Soap & Grab - 12B-8007-I Tumbler  
And Toothbrush Holder - 12B-8002-I Paper Holder -  
Chrome Roller

SET NO. 12B-7000-I Wt. 6 lbs. \$12.50



COMBINATION  
SOAP and GRAB


Horizontal  
- 8" long

12B-8017-I . . . . \$2.35  
Wt. 1 lb. 2 oz.



COMBINATION  
SOAP and GRAB  
Vertical  
- 8" Long

12B-8016-I . . . . \$2.35  
Wt. 1 lb. 2 oz.



## INSTALLATION CLAMPS FOR RECESSED FIXTURES

Simplifies installation. Saves time and labor. Eliminates "framing-in" wood blocking or setting in cement. Can be used to install any screw-on type recess fixture.

No. 12B-4870-I . . . . . Wt. 11 oz. . . . . 46¢ Each

ALL ACCESSORIES SHIPPED PREPAID ON ORDERS TOTALING \$100.00 MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# ...lavatory fixtures by **HALL-MACK**

## BUILT IN VANITY SHELF

The Concealed Vanity Shelf is made in two models:

16B-3410-I The recessed box is steel with hammertone metallic finish. The finish protected by a full length glass plate. In the upper left hand corner is a convenience outlet for electric razor or other use. At the right hand side is a toothbrush holder. The frame around the sliding mirror panels is chromium plated brass with closed joints.

16B-3420-I The same as above except that it has no convenience outlet nor glass plate, and the frame is polished stainless steel instead of chrome plated brass.


No. 16B-3420-I  
\$18.70  
No. 16B-3410-I  
\$21.55



### RELAXATION UNIT

No. 16B-3000-I is a chrome bound recessed fixture of great utility. One section holds a roll of toilet paper. Another holds cigarettes, matches and an ash tray. In the center is a mirror backed recess shelf for books, small magazines, decorative toiletries, a plant, or an Airwick bottle. Fixture is reversible so that toilet paper can be located at left or right side as desired.

Wall Opening 20½" x 6¼" x 4"  
Over-all of Flange: 21¼" x 7¼"  
16B-3000-I Wt. 8 lbs. \$14.00



The revolving chrome bound turns easily on this beautiful utility fixture . . . exposing or hiding toilet articles at the touch of a finger. Wall opening 6½" x 8½" x 3½" overall 7½" x 8½" Specify lug type if wanted for setting in cement. All solid brass construction - chrome plated. 12B-8090-I. Wt. 5 lbs. \$13.05

Wall opening, both models: 28¾" x 7¾" x 4". Overall of frame, both models: 30" x 9". Average Wt. 25 lbs.


## THRIFTY LINE ACCESSORIES BY **MIAMI Carey**

Though inexpensive, Thrifty (projection type) accessories should not be confused with the many cheap stamped and wired accessories on the market. Thrifty (projection type) accessories are made of Zamac die-cast metal and are triple-plated for everlasting protection.

• NOTE •  
QUANTITY  
DISCOUNTS  
ON OPPOSITE  
PAGE


### GLASS SHELF

12B-7140-I - 4" x 18" Wt. 2 lbs. .... \$1.47  
12B-7141-I - 4" x 24" Wt. 2¼ lbs. .... 1.58



### TOWEL BAR

12B-7118-I - 5/8" x 18" Wt. 8 oz. .... \$1.24  
12B-7124-I - 5/8" x 24" Wt. 9 oz. .... 1.32  
12B-7130-I - 5/8" x 30" Wt. 10 oz. .... 1.55



### PAPER HOLDER

12B-7110-I - Chrome Roller Wt. 7 oz. .... \$1.12  
12B-7109-I - Wood Roller Wt. 6 oz. .... .84



### SOAP DISH

12B-7105-I - Drainless  
Wt. 6 oz. \$0.72



TUMBLER AND  
TOOTHBRUSH HOLDER  
12B-7106-I Wt. 6 oz. .... \$0.72



VERTICAL SOAP DISH  
AND GRAB BAR  
12B-7111-I - 8"  
Wt. 10 oz. \$1.50



ROBE HOOK  
12B-7108-I  
Wt. 1 oz. \$0.29

### SPECIAL "JOB PACKED" SETS


SIX PIECE MATCHING SET

CONSISTING OF THE FOLLOWING:


12B-7105-I - Soap Dish - 12B-7108-I Robe Hook  
12B-7106-I - Tumbler and Toothbrush Holder  
12B-7118-I - Towel Bar - 12B-7124-I Towel Bar  
12B-7109-I - Paper Holder - Wood Roller  
Set No. 12B-7166-I Wt. 2¼ lbs. \$4.95

## BRASS RECESSED "TIME SAVER" ACCESSORIES - FIT STANDARD TILE SPACE


"TRIPLE CHROME PLATED" Wall openings: - 4-1/4" x 4-1/4" x 1-5/8" Except Paper Holders 5-1/4 x 4-1/4 x 1-1/8".




12B-7030-I Soap Holder  
and Grab Bar  
(with plastic tray)  
Wt. 13 oz. .... \$2.47



12B-7028-I Soap Holder  
(with plastic tray)  
Wt. 9 oz. .... \$1.90



12B-7029-I  
Tumbler Holder  
Wt. 9 oz. \$1.90



12B-7026-I Paper Holder  
(Wood Roller)  
Wt. 14 oz. \$2.00  
12B-7027-I Paper Holder  
(Chrome Roller)  
Wt. 14 oz. \$2.33

ALL ITEMS THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$100.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# SHOWER-BEAUTY®

## AMERICA'S MOST BEAUTIFUL TUB ENCLOSURE AND SHOWER DOOR

don't be fooled by inferior doors with dangerous 1/8" glass.  
All glass in SHOWER BEAUTY doors is a full 7 32" thick!

### No. 21B-270-1 TUB ENCLOSURE

#### HEAVY RUSTPROOF ALUMINUM


Feature a custom designed bathroom in your homes—makes any 5 or 5½ ft. recessed tub a glamorous shower enclosure! Takes less than 30 minutes to install. Comes complete in one carton, nothing else to buy! Silent, double overhead, ball bearing rollers. Hammered frosted glass-7/32" thick. Neoprene rubber glass channels.

### SHOWER DOOR No. 14B-640-I

#### JAMBS ADJUST TO

#### OUT-OF-PLUMB WALLS WITHOUT FILLERS

Now—a complete Shower Door, with glass already installed, is shipped to you individually cartoned. Now—you can order your Shower Doors ahead of time for your buildings—store them in your warehouse as they come from our factory—ready for instant installation. Specify your sizes for openings required—DOORS ADJUST FROM 23½" to 26-3/8". No cutting! No glazing! No extra parts! Gleaming, thick, rust-proof aluminum, hammered frosted glass-7/32" thick. Self draining splash. Continuous piano hinge.



Enclosure  
58"  
High

## Install SHOWER-BEAUTY in 15 to 30 minutes!

Designed for Any Type of Wall.

The Shower-Beauty comes complete, individually cartoned, in one compact package—with everything needed for instant installation. Waterproof mastic included.



1. Screw side jambs to wall



2. Secure bottom rail with mastic



3. Slide doors into position

FOR NEW CONSTRUCTION: Install the Shower-Beauty directly to the bare wall—before the tile is applied. Follow the same installation procedure listed below:

FOR EXISTING CONSTRUCTION: Take the two side jambs and screw them to the wall. Cut the bottom and top rails to fit. Secure bottom rail to tub with mastic—you do not drill into tub. Slip both doors into channel of top rail and place in position.

#### SPECIFY SHOWER DOOR SIZE

Sizes A 23½" to and including 24-3/8"  
B 24½" to and including 25-3/8"  
C 25½" to and including 26-3/8"  
All shower doors 64" high

SAND ETCHED DESIGNS AVAILABLE FOR SHOWER DOORS IN SWAN, FISH AND HERON DESIGN AT \$2.75 EXTRA.

No. 14B-640-I SHOWER DOOR			No. 21B-270-1 5' TUB ENCLOSURE		
PRICES			PRICES		
1-4	5-9	10 or more	1-4	5-9	10 or more
\$28.75	\$27.35	\$26.00	\$31.75	\$30.50	\$28.55

Weight 45 Lbs.

Add \$7.00 to above for 5½' enclosure  
Weight 95 Lbs.

TUB ENCLOSURES SUPPLIED WITH SAND ETCHED DESIGNS AT NO EXTRA COST. AVAILABLE IN SWAN, FISH OR HERON DESIGN.


## LAVANITY BOWLS AND FAUCETS

### PORCELAIN ENAMELED STEEL BOWLS 10K-700-F

Designed for the modern bathroom and powder room. Easy and quick to install. Furnished in gleaming white or beautiful pastel colors.

### PORCELAIN ENAMELED CAST IRON BOWLS 10K-500-I

Combining the durability and beauty only obtainable in cast iron. Available in white or pastel colors to match those of major manufacturers.



Number	Bowl Size	Weights	Prices		
			White	Color	*Hudee Frame
10K-700-F	19-1/2" x 15-3/4"	11 lbs.	\$10.00	\$11.00	\$3.80
10K-500-I	19-1/2" x 15-7/8"	40 lbs.	15.00	16.00	3.80


BOWLS AND FAUCETS ABOVE FIT LAVANITY UNITS NEXT PAGE.

\*NOTE: HUDEE FRAMES ARE INCLUDED WITH LAVANITIES PAGE 95

ALL ITEMS ABOVE SHIPPED F.O.B. ST. LOUIS OR CHICAGO


## FAUCETS COMPLETE WITH POP-UP WASTE

### STANDARD



28K-B422-M  
Wt. 5 Lbs. \$7.05

### HEAVY DUTY



28K-B419-M  
Wt. 5 Lbs. \$7.90

Materials Wholesale from **MORGAN - WIGHTMAN**



# Glissade

## MAT-A-DOR VANITIES

### IN STUNNING SMART STYLING

Glissade offers their symphony of beauty. Your choice of many, many beautiful variations—all of them based upon the main theme of Beauty, Utility and Quality. Glissade Bathroom Vanities have styling with a living room look. These well styled vanities feature one-piece post-formed formica counter top. No creases, no cracks or crevices. Guarantees permanent non-leak protection. Legs are tapered with brass ferrules, adding graceful

Oriental styling. All models have a height of 31½" with a 2" backsplash. Tops have a ½" overhang on both sides, with a 1" overhang in front. Vanities are priced without basin and faucet. Stainless steel rim and cutout for basin are furnished. Your choice of basin and faucet, see page 94.

#### EL GRECO KROWN 19B-200-F

Top Width	PRICE	
	1-2	3 or More
23½"	\$57.20	\$55.05
29½"	58.75	56.50
35½"	67.95	65.30
41½"	72.65	69.85
47½"	78.65	75.65
53½"	86.65	83.30

AVERAGE WT. 30 LBS. PER FOOT

#### EL GRECO KROWN

El Greco Krown is available in baked enamel hardboard sliding doors and side panels in four solid decorator colors of white, pink, blue and green. Gold star monogram available on request.

Top and cabinet are available in two dramatic formica patterns, tawny walnut and white sequin.



#### SHOJI KROWN 19B-100-F

Top Width	PRICE	
	1-2	3 or More
23½"	\$68.90	\$66.30
29½"	73.05	70.25
35½"	79.65	76.60
41½"	86.95	83.60
47½"	92.95	89.40
53½"	101.45	97.55

AVERAGE WT. 30 LBS. PER FOOT

#### SHOJI KROWN

The Shoji Krown is available in natural transplastic sliding doors and side panels in real-leaf and confetti pattern. Colors available are white, pink, blue and green.

Top and cabinet are available in two dramatic formica patterns, tawny walnut and white sequin.



#### AMERICANA KROWN (Not shown)

Americana Krown is available in formica sliding doors and side panels. Formica patterns available are tawny walnut and white sequin. Panels can match or contrast top and cabinet patterns.

Top and cabinet are available in two dramatic formica patterns, tawny walnut and white sequin.

The Americana Krown vanity is priced the same as the Nordic Wenwood.

#### NORDIC WENWOOD 19B-300-F

Top Width	PRICE	
	1-2	3 or More
23½"	\$62.45	\$60.00
29½"	68.50	65.85
35½"	73.15	70.30
41½"	79.15	76.10
47½"	89.05	85.65
53½"	94.45	90.80

AVERAGE WT. 30 LBS. PER FOOT

#### NORDIC WENWOOD

Nordic Wenwood is a fully formica vanity with post-formed formica piano hinged doors. Available in two dramatic formica patterns of tawny walnut and white sequin.



#### MAT-A-BAR 19B-600-F

Top Width	PRICE	
	1-2	3 or More
23½"	\$23.05	\$22.20
29½"	28.80	27.70
35½"	34.60	33.25
41½"	40.35	38.80
47½"	46.15	44.35
53½"	50.95	49.00

Above prices do not include Chrome Legs.

Legs—Price, Per Pair.....\$3.48

#### MAT-A-BAR

Mat-A-Bar is available in two dramatic formica patterns of tawny walnut and white sequin.



#### DOUBLE KROWN SHOJI 19B-500-F

Top Width	PRICE	
	1-2	3 or More
59½"	\$124.00	\$119.25
65½"	129.40	124.45
71½"	138.95	133.60

AVERAGE WT. 30 LBS. PER FOOT



#### DOUBLE KROWN SHOJI

Double Krown Shoji is available in natural transplastic sliding doors and side panels in real-leaf and confetti pattern. Colors available are white, pink, blue and green.

Top and cabinet are available in two dramatic formica patterns, tawny walnut and white sequin.

#### FORMICA COLORS

• Silver Ash

• White Marble • Grey Milano  
• Pink Milano • Black Milano

Additional Formica colors are available on special order. Allow two weeks delivery, with shipment F.O.B. Brooklyn, New York.

**NOTE**—Vanities are priced without basin and faucets. Stainless steel rim and cutout for basin are furnished. For your choice of basin and faucet see page 94.

When ordering specify door color, top and cabinet color desired.

ALL GLISSADE VANITIES SHIPPED F. O. B. OUR ST. LOUIS OR CHICAGO WAREHOUSE






## beautiful red birch **Windsor** kitchen cabinets

WINDSOR BIRCH CABINETS are made of select red birch with attractive grain patterns. They are accurately machined, carefully assembled... specially designed jigs and presses insure uniformity. Modern pulls and hinges are brushed copper, blending perfectly with the warmth of birch. Wall cabinets have hanging strips top and bottom... screws are provided for attaching cabinets to the wall and for fastening cabinet together. Back and shelves are  $\frac{1}{2}$ " plywood... shelves are dadoed in the side panels.


### DOORS

Select red birch on solid, warp-resistant chip-core,  $1\frac{1}{2}$ " lumber banded, full  $\frac{3}{4}$ " thick with  $\frac{3}{8}$ " lip.




### FRAMES

Rails— $2\frac{5}{32}$ " solid hard wood—are doweled and glued. Ends are dadoed into rails and there is no face nailing. Overhang of  $\frac{1}{4}$ " on front frames.




### FINISHED ENDS

All cabinets have  $\frac{1}{2}$ " birch plywood ends. All ends finished. Cabinets finished inside as well as outside with clear lacquer. Cabinets shipped completely assembled, pre-finished and equipped with hardware. Base cabinet ends extend 1" behind back for easy installation.



### DRAWER CABINETS

Top drawer divided for silver, and third drawer is metal bread drawer, in 15", 18", and 24" drawer cabinets. All drawers have sloping fronts of selected birch-faced solid core, with hand-pulls concealed. Sides and backs are of  $\frac{7}{16}$ " solid wood, bottoms of plywood. Three-point nylon suspension assures easy glide action: guide at rear of drawer supports and guide drawer on mid-rail above... serves as stop to prevent accidental withdrawal, yet permits easy removal for cleaning.





# • WINDSOR CABINET SPECIFICATIONS AND PRICES •

SELECT RED BIRCH CABINETS . . . FACTORY FINISHED WITH THE  
NEW ULTRA SMART CONTEMPORARY STYLING . . . LOW IN PRICE!

## TRAY CABINETS

CODE WIDE  
6T 6"  
9T 9"

## BASE CABINETS



Code Wide  
27B 27"  
30B 30"  
36B 36"  
42B 42"  
48B 48"

## SINK FRONTS




Code Wide  
30SF 30"  
36SF 36"  
42SF 42"  
48SF 48"

## RANGE AND SINK BASES



Code Wide  
24RBS 24"

## BASE WHAT-NOT



Code  
12QR  
34 1/2" High  
Left Shown

## BASE CABINETS

CODE WIDE  
9B 9"  
12B 12"  
15B 15"  
18B 18"  
21B 21"  
24B 24"

## BASE CORNER CABINETS



Code Wide  
39BC 39"  
42BC 42"  
48BC 48"

Left Shown

## DRAWER CABINETS



CODE WIDE SILVER BREAD UTIL.  
15D 15" 1 1 2  
18D 18" 1 1 2  
24D 24" 1 - 3



Code Wide  
30RBS 30"  
36RBS 36"  
42RBS 42"  
48RBS 48"



Code  
12HR  
34 1/2" High


## DELUXE SINK CABINETS



CODE WIDE  
54DS 54"  
60DS 60"  
66DS 66"  
72DS 72"  
78DS 78"  
84DS 84"


34 1/2" High  
24" Deep

## ANGLE WALL CABINETS



24" x 24"  
30" High  
CODE 24A

## WALL WHAT-NOT



Code Wide  
45 4" to 5 1/2"  
57 5 1/2" to 7"  
78 7" to 8 1/2"  
30" High  
Specify Width


## OVEN CABINETS



84" High x 24"  
Deep. Furnish  
Mfg. Name and  
Model No. of  
Oven

Code Wide  
240 24"  
270 27"


## BROOM CABINETS



Code  
18BR  
18BR  
Deep  
12"  
24"

Broom and  
Utility  
Cabinets  
are 84"  
High

## CORNER CABINETS




CODE  
33LS

WITH  
LAZY  
SUSAN


CODE  
36LS

## WALL CABINETS



ALL WALL CABINETS  
ARE 30" HIGH 12"  
DEEP  
CODE WIDE  
12W 12"  
15W 15"  
18W 18"  
21W 21"  
24W 24"

## RANGE CABINETS



Code Wide Code Wide  
30R 30" 39R 39"  
33R 33" 42R 42"  
36R 36" 48R 48"

## REFRIGTOR CABINETS



ALL REFRIGTOR  
CABINETS ARE 12"  
HIGH, 12" DEEP  
CODE WIDE  
24X 24"



Code Wide Code Wide  
30X 30" 39X 39"  
33X 33" 42X 42"  
36X 36" 48X 48"

## CORNERWALL CABINETS



ALL CORNERWALL  
CABINETS ARE 30"  
HIGH, 12" DEEP  
CODE WIDE  
24W-C 24" 36W-C 36"  
27W-C 27" 39W-C 39"  
30W-C 30" 42W-C 42"  
33W-C 33" 48W-C 48"

## RANGE CABINETS



ALL RANGE CABINETS  
ARE 18" HIGH, 12"  
DEEP  
CODE WIDE  
24R 24"

- All single door wall cabinets are now completely reversible, simply turn the cabinet over - no need to order right or left hand.
- Single door base units are flexible, simply hang door right or left, using holes pre-bored in rails.
- Oven and broom cabinets are made so that top rail can be cut down. This allows cabinets to be installed at any height desired from 84" down to 81".
- All base units are 34 1/2" high and 24" deep.

Refrigerator Cabinets available.  
Write for quotations

Code	Number	Weight	Price
Wall Cabinets 30" High			
9W	22K-5090-F	15 lbs.	\$13.80
12W	22K-5120-F	21 lbs.	14.95
15W	22K-5150-F	25 lbs.	16.15
18W	22K-5180-F	28 lbs.	17.30
21W	22K-5210-F	32 lbs.	18.45
24W	22K-5240-F	36 lbs.	19.60
27W	22K-5270-F	38 lbs.	20.05
30W	22K-5300-F	43 lbs.	24.20
33W	22K-5330-F	46 lbs.	25.35
36W	22K-5360-F	48 lbs.	27.10
39W	22K-5390-F	51 lbs.	28.20
42W	22K-5420-F	56 lbs.	29.40
48W	22K-5480-F	62 lbs.	31.70

Code	Number	Weight	Price
Refrigerator Cabinets			
24X	22K-6240-F	18 lbs.	13.80
30X	22K-6300-F	20 lbs.	15.55
33X	22K-6330-F	22 lbs.	16.15
36X	22K-6360-F	24 lbs.	16.70
39X	22K-6390-F	26 lbs.	17.30
42X	22K-6420-F	28 lbs.	17.85
48X	22K-6480-F	31 lbs.	19.00

Code	Number	Weight	Price
Range Cabinets 18" High			
24R	22K-7240-F	25 lbs.	16.15
30R	22K-7300-F	28 lbs.	19.00
33R	22K-7330-F	32 lbs.	19.60
36R	22K-7360-F	35 lbs.	20.15
39R	22K-7390-F	37 lbs.	20.75
42R	22K-7420-F	41 lbs.	21.30
48R	22K-7480-F	47 lbs.	23.05

Code	Number	Weight	Price
Wall What-Nots 30" High			
45	22K-5045-F	11 lbs.	5.50

Code	Number	Weight	Price
57	22K-5057-F	14 lbs.	6.20
78	22K-5078-F	16 lbs.	6.90
Angle Corner Cabinets 30" High			
24A	22K-5024-F	44 lbs.	27.05
Corner Wall Cabinets 30" High			
24W-C	22K-8240-F	34 lbs.	17.85
27W-C	22K-8270-F	36 lbs.	19.00
30W-C	22K-8300-F	41 lbs.	20.15
33W-C	22K-8330-F	44 lbs.	21.30
Over Oven Cabinets 24" High			
36W-C	22K-8336-F	41 lbs.	23.05
39W-C	22K-8339-F	43 lbs.	24.75
42W-C	22K-8342-F	47 lbs.	25.90
48W-C	22K-8348-F	53 lbs.	28.20

Code	Number	Weight	Price
Base Cabinet 34 1/2" High			
12B	22K-1200-F	36 lbs.	22.45
15B	22K-1500-F	38 lbs.	23.60
18B	22K-1800-F	43 lbs.	24.75
21B	22K-2100-F	46 lbs.	25.90
24B	22K-2400-F	51 lbs.	27.10
27B	22K-2700-F	64 lbs.	31.10
30B	22K-3000-F	61 lbs.	33.40
36B	22K-3600-F	67 lbs.	35.70
42B	22K-4200-F	79 lbs.	38.60
48B	22K-4800-F	85 lbs.	40.90

Code	Number	Weight	Price
Drawer Cabinet 34 1/2" High			
15D	22K-1504-F	51 lbs.	31.10
18D	22K-1804-F	59 lbs.	32.85
24D	22K-2404-F	74 lbs.	36.30

Code	Number	Weight	Price
Tray Cabinets 34 1/2" High			
6T	22K-6000-F	26 lbs.	17.85
9T	22K-9000-F	33 lbs.	19.60
Sink Fronts			
30SF	22K-3001-F	20 lbs.	16.15
36SF	22K-3601-F	24 lbs.	17.85
42SF	22K-4201-F	30 lbs.	19.58
48SF	22K-4801-F	33 lbs.	21.30

Code	Number	Weight	Price
Base Corner Cabinets 34 1/2" High			
39B-C	22K-3903-F	64 lbs.	30.50
42B-C	22K-4203-F	69 lbs.	31.70
48B-C	22K-4803-F	75 lbs.	34.00
Range and Sink Bases			
24RBS	22K-2410-F	48 lbs.	22.45
30RBS	22K-3010-F	58 lbs.	28.20
36RBS	22K-3610-F	64 lbs.	30.50
42RBS	22K-4210-F	76 lbs.	32.25
48RBS	22K-4810-F	82 lbs.	35.15

Code	Number	Weight	Price
Deluxe Sink Cabinets 34 1/2" High			
54DS	22K-5400-F	105 lbs.	70.85
60DS	22K-6000-F	109 lbs.	73.70
66DS	22K-6600-F	113 lbs.	75.45
72DS	22K-7200-F	117 lbs.	78.90
78DS	22K-7800-F	120 lbs.	81.80
84DS	22K-8400-F	123 lbs.	84.10
Base What-Nots 34 1/2" H. x 12" D.			
12HR	22K-1000-F	21 lbs.	17.30
12QR	22K-1001-F	21 lbs.	16.70

Code	Number	Weight	Price
Base What-Nots 34 1/2" High			
33LS	22K-3333-F	48 lbs.	38.60
36LS	22K-3636-F	54 lbs.	53.00

Code	Number	Weight	Price
Broom Cabinet 84" x 18" Wide			
18BR	22K-1812-F	65 lbs.	40.32
18BR	22K-1824-F	72 lbs.	47.25

Code	Number	Weight	Price
Oven Cabinets 84" High			
240	22K-2403-F	84 lbs.	55.30
270	22K-2703-F	90 lbs.	58.75

Code	Number	Weight	Price
MISCELLANEOUS ITEMS			
	Base end panel, L or R 11 lbs.	5.15	
	Base filler strip 31" High 3" Wide	1.15	
	Base filler strip 31" High 6" Wide	2.30	
	Base cabinets, doors two sides add 50%		
	Valance boards, per lineal ft.	1.15	
	Wall filler strip, 30" High 3" Wide	1.15	
	Wall filler strip, 30" High 6" Wide	2.30	
	Moulding per lineal ft.	.12	
	Almond sticks (scratch remover) each	1.00	
	Wall cabinets doors 2 sides-add 50%		
	Finished back panels 1/4"		
	Birch, sq. ft.	1.40	
	Furring material, 1/4" Birch, sq. ft.	1.40	
	Salesman Sample-Door & frame only 15" x 15"	3.50	
	Refunded First Order		

WINDSOR CABINETS SHIPPED F.O.B. ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor FULL FORMED CABINET AND SINK TOPS

ALL SINK TOPS AND COUNTER TOPS ARE BUILT TO YOUR SPECIFICATIONS • YOUR CHOICE OF SINK BOWLS, TRIM AND COLOR

THE LOWEST POSSIBLE  
PRICE TOPS  
\$4.50 FOOT

CURVED  
BACK-SPLASH  
WITH SCRIBE

EVER-SANITARY  
COVE

RAISED NO-DRIP  
FRONT EDGE

## FORMICA PATTERNS AVAILABLE

Black Sequin	Powder Blue Linen	Pink Miland
Grey Sequin	Lipstick Red Linen	Antic Miland
White Sequin	Charcoal Linen	Black Miland
Charcoal Skylark	Blue Color Grain	Grey Miland
Primrose Skylark	Coral Color Grain	Grey Pearl
Pink Skylark	Gull Grey Nassau	Green Linen
Aqua Skylark	Sea Mist Nassau	Grey Linen
White Skylark	Bronze Nassau	Tan Linen
Grey Skylark	Honey Beige Nassau	Petal Pink Linen
Blue Skylark	Cameo Nassau	Primrose Linen
Cocoa Capri	Prima-vera Picwood	

Windsor full formed tops made to fit your exact requirements in straight, "L" or "U" shapes. Cut to receive sink or range where designated. Surfaced with Formica (laminated plastic) which is permanently cemented to  $\frac{3}{4}$ " plywood base, then formed in special presses under heat into one-piece tops with  $\frac{1}{2}$ " thick front edge. A continuous sheet of Formica covers complete top depth from top of back splash to the bottom of front edge. Full forming eliminates any metal edging and provides a no drip edge. A coved and rounded 4" back splash creates an easy to clean surface on this modern designed top. End caps supplied on tops if requested at no extra cost to you. When ordering, include a carefully drawn sketch with accurate measurements and location of sink or range when desired. When estimating length for pricing, measure along all back and side edges, add together and figure as a straight top. Then add extra charges below, if any apply. Average weight 6 lbs. per lineal foot.

## FULL FORMED TOPS 14K-100-ID


Each lineal foot in total length of top*	\$4.50 foot
For diagonal corner for lazy susan cabinet add	10.00
For any leg of top over 120" add	3.50
For end splash add	3.95

Metal edged tops available at same price.

Above prices include sink and range cut out only - for sinks, frames and faucets see pages 100-101.

ALL TOPS ARE HEAVILY CRATED TO INSURE SAFE DELIVERY.

TOPS SHIPPED F.O.B. BAYONNE, N.J. FACTORY - ORDERS SHIPPED IN 2 WEEKS.



## GENUINE HARD MAPLE TOPS . . . 1-1/2" THICK

Cabinet top cutting board for permanent installation in home kitchens. These tops are electronically bonded and are sealed against moisture.

- Laminated hardwood
- Edgegrain construction
- Economical cost
- Easily installed
- Individually packaged

## SPECIFICATIONS AND PRICES

No. 24K-2500-Q with 4" Back Splash				
Width	Depth	Weight	1-5	6 or more
18	25	21 lbs.	\$8.75	\$8.30
24	25	27 lbs.	10.80	10.25
No. 25K-3000-Q with 4" Back Splash				
30	25	33 lbs.	\$20.80	\$19.75
36	25	39 lbs.	24.10	22.90
42	25	45 lbs.	26.80	25.45

## Bantam Pantry

Revolutionary 4-in-1 kitchen helper


IT STORES...Every pantry item in one compact unit! Coffee, Tea, Sugar, Flour, Rice, Beans, Seasoning, etc. Contents seen at a glance through Redi-View drawers.

IT POURS...Each amazing canister-container has contour-curved handle for sure grip and pouring convenience. With one hand and in one sweeping motion, merely pull out drawer and pour!

IT MEASURES...No measuring cup, no scooping - just pour the right amount. Four large canister-containers are graduated in cup and corresponding ounces for automatic measuring! Crystal-clear styrene drawers with fitted lids and pouring spouts KEEP FOODS FRESH!

IT SAVES...Time, effort and space in the Heart of the kitchen where every inch and second counts!

No.	Width	Height	Depth	Wt.	Prices	
					1-2	3 or more
23K-100-F	26 $\frac{1}{2}$ "	4-5/8"	7 $\frac{1}{2}$ "	10 lbs.	\$16.25	\$15.40
23K-200-F	23 $\frac{3}{4}$ "	4-1/2"	7-3/8"	9 lbs.		



## DELUXE BANTAM PANTRY

No. 23K-100-F

Sturdy wooden construction, in white with rounded corner. Eight Redi-View plastic canister-containers in three sizes: 6 $\frac{1}{2}$  cups (52 oz.); 3 cups (24 oz.); 1 cup (8 oz.)

## CUSTOM BANTAM PANTRY

No. 23K-200-F

Similar to deluxe model except it has square corners; comes in custom natural hardwood finish (ash, birch or Philippine mahogany), unfinished or clear lacquer.

CABINET TOPS SHIPPED AS NOTED - ALL OTHER ITEMS F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**



# • NEW LAU WALL-NOOK •

## WALL-NOOK

### Applications

- Kitchen
- Patio
- Den
- Recreation Room
- Children's Room
- Hobby Shop
- Garage
- Car Port
- Motel Rooms
- Hotel Rooms
- Stores
- Schools

## Handsome table and bench combination saves 16 square feet!

This sturdy table and bench combination has a multitude of practical applications in every home, school, store or motel. In the closed position, the entire unit is a compact wall cabinet only 4 1/4 inches deep. The unit easily and safely opens to reveal a smart-looking, standard-size table and bench set. A special design and all-welded steel construction make this unit extremely rugged, yet lightweight and easy to operate. Beautiful, long-lasting laminated plastic surfacing tops the table and benches. This "easy to care for" laminate is available in Tan Linen, Grey Linen, Teakwood or Birch. Matching enamel is baked on all metal parts for enduring beauty. Foolproof Lau safety device completely eliminates accidental opening of table by children.


**SPECIAL INTEREST TO BUILDERS.** The new Lau Wall-Nook easily installs in minutes...it's wall-hung and requires only four anchoring screws. Unit is fitted with, stud-finding panels and comes packed with all hardware included. Available in four laminated plastic colors; Grey Linen, Tan Linen, Teakwood and Birch. Specify color when ordering.



### DIMENSIONS


#### OPEN

Table — 23 7/8" x 46 1/2"  
Benches — 12 7/8" x 47 3/4"  
Over-all — 46 1/2" x 52 1/4"



#### CLOSED

4 1/4" deep  
25 7/8" wide  
60" high




No. 29K-25-I

1-2 \$100.70

3 or More \$95.55

Shipping Weight 115 lbs.

### STEPS ILLUSTRATING SIMPLE OPERATION



## KONSTANT HOT

HOT WATER ALWAYS ON TAP

-FOR TRULY INSTANT HOT DRINKS


COMPLETELY AUTOMATIC... KONSTANT-HOT is self filling and maintains near boiling by automatic preset thermostat, giving CLEAR UNTAINTED HOT WATER.

Ten cups of the hottest water INSTANTLY available at all times and heats up to 80 cups per hour.

Imagine the convenience of KONSTANT-HOT for only about 50 cents worth of electricity per month.

Completely safe. Tank is not under pressure. The red nylon handled valve is instantly self closing.


No valuable space required, KONSTANT-HOT is installed easily in any modern kitchen.



No. 30K-80-F  
Price

1-2 \$42.50  
3 or More \$40.30

Weight 15 lbs.




## SWANSON - KITCHEN KADDY

SMARTEST BUILT-IN DISPENSER FOR

- Paper Toweling
- Wax Paper
- Aluminum Foil

Here's the handy answer to the housewife's problem of where to keep the paper toweling, the wax paper, the aluminum foil. This attractive Swanson Kitchen Kaddy neatly keeps these three kitchen items hidden from view yet always ready for immediate use. Size 11-5/8" x 13-3/8". Average Weight 5 lbs.



The Swanson Kitchen Kaddy is designed to fit between any studs that are 16" on center. Do-it-yourselfers, builders and home modernization firms will demand this newest and nicest kitchen built-in. Order your supply today.

COPPERTONE  
31K-1063-F  
Price

1-5 \$9.70 Ea.  
6 or More \$9.20 Ea.

STAINLESS STEEL  
31K-1067-F  
Price

1-5 \$13.90 Ea.  
6 or More \$13.20 Ea.

ANTIQUE COPPER  
31K-1073-F  
Price

1-5 \$13.90 Ea.  
6 or More \$13.20 Ea.

ALL ABOVE ITEMS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**




# • SINK BOWLS - FAUCETS - STRAINERS •

SCHAIBLE DELUXE AND ECONOMY - BOTTOM AND TOP MOUNTED CHROME FAUCETS


ALL FAUCETS HAVE ANTI-SPLASH END TRIM



DELUXE BOTTOM MOUNT  
1 1/4" UNIVERSAL ADJUSTMENT  
FOR STEEL, CAST IRON, AND WOOD  
DECKS.



DELUXE TOP MOUNT  
1 1/4" UNIVERSAL ADJUSTMENT  
FOR STEEL, CAST IRON AND  
WOOD DECKS.



ECONOMY TOP MOUNT  
9/16" ADJUSTMENT FOR STEEL  
AND CAST IRON SINKS


Type	No.	Carton Pack	Carton Weight	Prices	
				1-11	12 or more
A	15K-1646-M	12	65 lbs.	\$10.35	\$9.70
B	15K-1626-M	12	54 lbs.	10.75	10.15
C	15K-1912-M	12	36 lbs.	6.60	6.20
D	15K-5590-M	12	20 lbs.	6.30	5.95

Note - Aerator's may be added to any Faucet for 55¢


## SCHAIBLE SINK STRAINERS

- FIT ALL SINKS WITH  
3 1/2" TO 4" DRILLING.


Flanged-Top 4 1/2" Diameter.  
One Piece Construction Of  
Body And Basket -  
No Moving Parts.



BRASS BASKET STRAINER WITH  
BRASS BASKET CHROME PLATED



STAINLESS BASKET STRAINER  
PERMANENT LIFETIME FINISH




CHROME BRASS BASKET  
STRAINER WITH  
STAINLESS STEEL BASKET

Type	No.	Carton Pack	Carton Weight	Broken Carton	Full Carton
E	15K-2450-M	24	32 lbs.	\$1.90	\$1.75
F	15K-1120-M	24	37 lbs.	2.45	2.30
G	15K-2500-M	24	32 lbs.	2.15	2.05

All Prices include - Tail Piece 1 1/2" x 4" 22 Gauge,  
If Tail Piece is not needed - Deduct ..... 15¢

## DETERGENT SPRAYER

For Quick-Easy Dish-  
washing or rinsing with  
electric dishwasher. A  
small item - but big sales  
appeal to home owner. The  
detergent spray is pur-  
chased as a separate  
unit. (Not useable on  
models without spray).




## Single Lever kitchen mixing faucets

### HYDRAMOLD SPOUT WITH AERATOR

THE ONLY single lever faucet that can be furnished with spray for conventional installation. Fits any type sink - Stainless steel, porcelain steel, cast iron or wood deck up to 1 1/4" in thickness. Single-lever preselects water temperature from hot to cold or any "in-between," controls water flow from a trickle to full force. Separate "tipping" HYSEAL\* valves for hot and cold water close with water pressure, without force, when the control lever is moved to "off" position... eliminate by-passing of hot water and improper mix. All models 8" center to center, with 1/2" I.P.S. supply connections. One-piece cast brass bodies with corrosion-resistant parts... furnished with new style Hydramold spout with "o" ring construction. Double-thickness plating of chrome over nickel. Mirror finish.

\*NO FAUCET FIDDLING, FORCING, DRIPPING-No washers to replace

Type	No.	Carton Pack	Carton Weight	Prices	
				1-5	6 or more
H	15K-1699-M	6	39 lbs.	\$19.75	\$18.55
I	15K-1696-M	6	33 lbs.	15.35	14.45
J	15K-2699-M	6	41 lbs.	25.70	24.15



Prices Below For Bowls Only - No Trim


## SINK BOWLS

◀ SINGLE

DOUBLE ▶

WHITE OR COLORS  
PORCELAIN  
ON

STEEL - CAST IRON



Prices Below For Bowls Only - No Trim



PORCELAIN ON

STEEL SINKS

ACID RESISTING - FLAT RIM - ONE PIECE SEAMLESS MADE FROM DEEP-DRAWING VITREOUS ENAMELING STEEL

All bowls 14 gauge ledge type with 1 1/2" corner radius and 3-5/8" strainer opening. Gleaming white in stock, 6 colors \* Horizonte Blue, Dawn Pink, Seafoam Green, Tropic Tan, Mist Grey and Golden Yellow available from Frankfort, Ind. in one week. Recessed area around bowls to protect adjoining countertop from moisture and allow overflow between bowls.

### SPECIFICATIONS AND PRICES

No.	Type	Size	Wt.	Prices	
				1-2	3 or more
18K-2421-E	Single	24"x21"	27 lbs.	\$8.60	\$8.05
*18K-2124-D	Single	24"x21"	27 lbs.	10.00	9.35
18K-3221-E	Twin	32"x21"	33 lbs.	14.65	13.75
*18K-2132-D	Twin	32"x21"	33 lbs.	18.70	17.55

## AETNA

PORCELAIN CAST IRON SINKS

ACID RESISTING - GUARANTEED 1st. QUALITY-1 1/2" RADIUS CORNERS - FIT HUDEE RIMS-SEVEN BEAUTIFUL COLORS\*

Specify if 3 or 4 hole is desired

\*Colors available - Seafoam Green • Coral Pink • Forest Gray  
• Lace Ivory • Canary Yellow • Sun Tan • Sky Blue

### SPECIFICATIONS AND PRICES

No.	Type	Size	Wt.	Prices	
				1-2	3 or more
10K-2421-F	Single	24"x21"	75 lbs.	\$20.00	\$18.75
*10K-2124-D	Single	24"x21"	75 lbs.	24.65	23.15
10K-3221-F	Twin	32"x21"	96 lbs.	24.00	22.50
*10K-2132-D	Twin	32"x21"	96 lbs.	33.15	32.00
10K-4221-D	Twin	42"x21"	120 lbs.	44.00	41.25
*10K-2142-D	Twin	42"x21"	120 lbs.	48.15	46.20

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**






# STAINLESS STEEL SINKS

1. Permanent Sparkle Finish
2. No Chipping or Cracking
3. Matches any Color Scheme
4. Will Not Rust or Stain
5. Greater Bowl Capacity
6. Far Less Noise than Other Sinks

## SINGLE & DOUBLE COMPARTMENT LEDGE TYPE SINK BOWLS

## SINGLE & DOUBLE COMPARTMENT SELF-RIMMED SINK BOWLS



Standard equipment for hundreds of modern homes and remodeled kitchens. Each bowl with 3/4" centered drain opening is standard. Undercoated with sound deadening material. Splash free narrow center partition. Flange corners die-trimmed on 1/2" radii for installation with Hudee type frames.

Including all the features of the ledge type sinks, plus the better looking, self rimming feature; which eliminates the need for a Hudee type frame. Allows flexible positioning with the unique "slide lock", which provides a positive watertight seal against sink top.


### BAR SINK BOWLS LEDGE TYPE

The unequal beauty of ELKAY bar sinks satisfies the most discriminating requirements for bar, pantry, patio, family room and as an extra sink in the kitchen, too! Deep drawn bowls have straight sides, generous capacity.



### "SIT DOWN" SINK BOWLS LEDGE TYPE

The new "sit down" design in demand by the woman who likes to do her kitchen chores while seated. Shallow bowl acts as a preparation unit for paring and rinsing fruit and vegetables. Available right or left hand - right hand shown.




Type	Number	Size	Wt.	Prices	
				1-2	3 or More
* A	12K-2312-F	21" x 32"	17 lbs.	\$31.60	\$29.70
A	12K-2132-F	21" x 32"	18 lbs.	37.45	35.20
A	12K-2142-F	21" x 42"	22 lbs.	48.75	45.80
* B	12K-2421-F	21" x 24"	13 lbs.	21.95	20.65
B	12K-2124-F	21" x 24"	14 lbs.	22.85	21.45
B	12K-2116-F	21" x 16"	9 lbs.	20.25	19.05

Type	Number	Size	Wt.	Prices	
				1-2	3 or More
C	12K-3321-F	21" x 33"	20 lbs.	\$43.95	\$41.35
C	12K-4321-F	21" x 43"	25 lbs.	55.05	51.75
D	12K-2521-F	21" x 25"	16 lbs.	29.45	27.65
E	12K-1414-F	14" x 14"	7 lbs.	18.60	17.50
E	12K-1417-F	14" x 17"	9 lbs.	22.60	21.25
F	12K-3221-F	21" x 32"	18 lbs.	60.75	57.10

\* BUILDERS SPECIAL BY LEADING SINK MANUFACTURER. EQUAL TO 12K-2132-F AND 12K-2421-F EXCEPT LIGHTER COAT OF SOUND DEADENING MATERIAL

## PACEMAKER



### SINK TOPS

A solid stainless steel sink top at a price which makes them competitive with cast iron tops. Pacemaker sinks are all welded, seamless, sturdy construction. A wide range of sizes to fit every need in apartments, project building and remodeling.

Number	Size, O.A.	Bowl Size	Wt.	Prices	
				1-2	3 or More
12K-4225-F	42" x 25"	16" x 16"	38 lbs.	\$ 74.20	\$ 69.75
12K-4825-F	48" x 25"	18" x 16"	40 lbs.	80.15	75.35
12K-6625-F	66" x 25"	13" x 16"	90 lbs.	111.72	105.00
12K-7225-F	72" x 25"	13" x 16"	100 lbs.	116.36	109.35

NOTE: 4225 and 4825 are single bowl order right or left hand

## ELKAY SINKETTE

### COMBINATION SINK BOWL AND SELF DRAINING APRON





The "sinkette" combines in a single unit a full-size bowl with an integral apron that is pitched for proper drainage. Protects colorful counter tops. The newest addition to modern kitchen equipment, offering an exciting merger of beauty and practicality, at drop-in bowl economy; with a bonus of luxury in the complete sink top.

**H** Sink not shown is similar to type G, above, but includes drainboards both sides of bowl. Bowl of this unit is 18" x 16" and bowl type G, unit is 16" x 16".

Type	Number	Size	Wt.	Prices	
				1-2	3 or More
G	12K-3216-F	21" x 32"	22 lbs.	\$43.90	\$41.25
G	12K-4216-F	21" x 42"	28 lbs.	51.90	48.75
H	12K-5418-F	21" x 54"	35 lbs.	74.50	70.00

Specify hand on type G units - left hand shown

## HUDEE STAINLESS STEEL FRAMES



The HUDEE patented Clamp-Down design feature is the best system of maintaining a positive, watertight, sanitary seal between fixture and counter top.

For Built-in Sinks and Ranges Type "A" frames for flat rim sink bowls with ledge thickness less than 1/2 inch.

Number	Size	Prices		
		1-5	6-24	25 or More
21K-1621-M	16" x 21"	\$3.80	\$3.65	\$3.45
21K-2124-M	21" x 24"	3.95	3.75	3.55
21K-2132-M	21" x 32"	4.20	4.00	3.80
21K-2142-M	21" x 42"	4.65	4.40	4.20
21K-2154-M	21" x 54"	7.35	6.95	6.60
21K-1414-M	14" x 14"	3.80	3.65	3.45
21K-1417-M	14" x 17"	3.80	3.65	3.45


Add 50¢ For Packing on Orders of Less Than 6  
NOTE: All other sizes and types available

SINKS AND FRAMES SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • CONVERTIBLE JET PUMPS AND WATER SYSTEMS •



**CAPACITIES TO 720 G.P.H. DEPTHS TO 80 FEET, 1/3 AND 1/2 HORSEPOWER**

NEW BRASS-KRALASTIC IMPELLER combines two finest materials for the application — Brass for the shroud and impeller eye, and Kralastic for the vanes and bottom cover. The result is smooth internal passages for greater operating efficiency with resistance to abrasion and corrosion. Tough, hard and rigid, Kralastic has extreme strength unaffected by temperature changes.

LONG TROUBLE-FREE OPERATION is guaranteed by heavy duty jet-type motors, drip-proof and overload protected. New Econovert design, with motor bearing built into pump, eliminates need for motor bracket. Extra compactness and stability are added.

It's a revolutionary water system in a number of ways. You get all three — Self-Priming Efficiency, Simplified Convertibility and Low-Priced Packaged Unit — in one water system unequalled in its price class for water handling performance. Barnes positive self-priming is your best assurance of continuous, trouble-free performance. Even with foot valve completely exposed, this modern water system reprimed immediately when water level is regained. Note on back page how Barnes Multi-Vane Diffuser doubles air handling capacity and enables pump body to retain two-thirds of the water at all times, for instant repriming. Most so-called "convertible" units require many extra parts — and a lot of unnecessary work — to convert. Not so the new Econovert II... just one simple ejector connection makes the change from shallow well to deep well service. No extra parts to buy. No tedious removal and reassembling of fittings. Just transfer jet from pump to well pipe — that's all. Never before so much capacity — so many exclusive features — packed into a low-priced self-priming, convertible water system!

## SHALLOW WELL JET PERFORMANCE

HP.	Well Size & Type	Model No.	Discharge Pressure	Suction Lift-Capacity Gal. Per H			
				5 ft.	10 ft.	15 ft.	20 ft.
1/3	SW	36P-38D5-F 36P-38D7-F	20 lbs.	475	415	370	300
			30 lbs.	460	400	355	285
			40 lbs.	415	370	330	270
1/2	SW	36P-58D5-F 36P-58D8-F	20 lbs.	620	540	460	400
			30 lbs.	615	535	455	395
			40 lbs.	610	530	450	390

## DEEP WELL JET PERFORMANCE

HP.	Well Size & Type	Model No. & Pipe Type	Depth to Water-Capacity Gal. per Hour								Operating Pressure
			20 ft.	30 ft.	40 ft.	50 ft.	60 ft.	70 ft.	80 ft.		
1/3	4" DP	36P-38D5-F Double pipe 36P-38D7-F Double pipe	560	470	390	325 270	240	185		20 lbs.	
	2" SP	36P-38D5-F Single pipe 36P-38D7-F Single pipe	560	470	390	325 270	240	185		20 lbs.	
	3" SP	36P-38D5-F Single pipe 36P-38D7-F Single pipe	575	485	405	340 285	255	200		20 lbs.	
	4" DP	36P-58D5-F Double pipe 36P-58D8-F Double pipe		720	590	470 375	300	250	185	22 lbs.	
1/2	2" SP	36P-58D5-F Single pipe 36P-58D8-F Single pipe		720	590	470 375	300	250	185	22 lbs.	
	3" SP	36P-58D5-F Single pipe 36P-58D8-F Single pipe		720	600	485 390	315	265	200	22 lbs.	

Double Pipe Models	H.P.	Less Tank	2 Gal. Tank	13 Gal. Tank	30 Gal. Tank	42 Gal. Tank
36P-38D5-F 36P-38D7-F	1/3	\$54.75	\$63.30	\$77.35	\$86.50	\$93.55
36P-58D5-F 36P-58D8-F	1/2	\$66.05	—	\$86.50	\$95.65	\$102.70
Shipping Wgt. Both Models		40 lbs.	60 lbs.	82 lbs.	102 lbs.	125 lbs.

SINGLE PIPE MODELS: For single pipe deep well models add \$14.50 to above price.

Double pipe package includes: Tank with pump to tank fittings, air volume control, pressure valve, pressure switch, venturi, nozzle and body. Foot valve and pressure gauge not included. Single pipe package includes: Tank with pump to tank fittings, air volume control, pressure valve, pressure switch, foot valve, venturi, nozzle, body, well packer assembly and well adapter with turned couplings.

Pumps models less tank include: Pump, motor and pressure switch.

## DEEP WELL SUBMERSIBLE PUMPS

Barnes Submersible Pumps have balanced design for deep lift and high capacities with minimum motor load. Effective hydraulic design and careful precision manufacturing technique mean that each stage of the Barnes Super-Seal Submersible offers highest efficiency and top performance.

Leaded bronze bearing. Bronze seal plate. Leaded bronze motor shaft bearing. Stainless steel shaft and sleeves throughout.

TEFLON U CUP SEAL. Impeller eye side seal of frictionless Teflon. Prevents interstage leaks — means higher efficiency.

Time proven mechanical seal with ceramic face and anti-friction graphitic compound rotating face. Sealing surfaces located above motor to provide flush away clearance for sand. No seal cavity for sand to collect.

Kingsbury type balanced plate bearing with thrust capacity greatly in excess of weight of rotating parts and hydraulic thrust.

### BARNES SUBMERSIBLE PERFORMANCE TABLES

Model No.	Wts.	Horse-Power	Volts	Stages	Discharge Pressure		Capacities in GPH Pumping Water Level In Feet										PRICES
					P.S.I.		60	80	100	120	140	160	180	200	220	240	
36P-51T4-F	60 lbs.	1/2	115	9	20	660	610	560	500	450	385	315	235	125	\$164.75		
36P-52T4-F	60 lbs.	1/2	230		30	600	550	500	435	380	310	215	110				
					40	540	480	430	370	300	210	100					
					50	480	420	360	290	200							
					60	405	340	270	170								
36P-75T4-F	70 lbs.	3/4	230	13	20	740	710	670	640	600	570	525	490	450	400	\$210.50	
					30	705	670	640	600	565	525	480	440	400	355		
					40	665	625	595	555	515	475	435	395	345	300		
					50	625	585	550	515	470	425	385	340	290	230		
					60	580	540	505	465	425	375	325	275	215	140		
					70	535	500	460	415	365	320	270	200	125			
					80	490	445	400	360	310	260	190	110				
36P-100T4-F	80 lbs.	1	230	17	20	780	760	730	705	680	655	625	600	570	540	\$266.80	
					30	755	730	705	675	650	625	595	565	540	505		
					40	725	695	675	645	620	590	560	535	500	475		
					50	695	670	645	620	590	555	530	500	470	435		
					60	660	635	610	580	555	525	485	460	430	400		
					70	630	605	575	550	515	485	460	425	390	350		
					80	600	570	540	510	485	455	420	390	350	325		


CABLE PACKAGE: Includes cable with molded male connector one end, splicing kit not required.

12/3 size cable 50 feet \$11.25 For each additional 20 feet add \$2.45

10/3 size cable 130 feet \$25.35 For each additional 20 feet add \$4.90

NOTE: Complete Barnes catalog available for any additional needs in pumps or water systems.

BARNES PUMPS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE



Materials Wholesale from **MORGAN - WIGHTMAN**



# SABRE-JET SINGLE and DOUBLE STAGE PUMPS



- ★ New Deluxe Features on All Models
- ★ Capacities to 2700 GPH, Depths to 180 feet, Pressure to 70 lbs./ sq. in.
- ★ 6 Models, Single & Multi-Stage, 1/2, 3/4, 1 h.p.
- ★ Positive Self-Priming at All Depths
- ★ Completely Packaged Pump-and-Tank Units
- ★ Home-Harmonizing Tri-Color Styling



Sabre-Jet motors are heavy-duty, drip-proof brand name motors with over load protection for trouble free operation. The double capacity air separation chamber gives greater air handling capacity with positive priming. Multi-vane diffuser gives more effective air separation for positive priming. Enclosed hydraulic-bronze impellers resist rust and corrosion and operate extra smoothly for maximum water handling capacity. Exclusive U-Cup impeller seal eliminates need for wear rings, and prevents leakage from pressure to suction side. The Sabre-Jet line gives you 6 powerful models, many combinations step-up gradually to provide full coverage for various capacity, pressure and depth requirements.

## SABRE JET SINGLE-STAGE DOUBLE PIPE PUMP

Model Number	H.P.	Well Size and Type	Suction Pipe	Press. Pipe	DEPTH TO WATER IN FEET										Oper. Press. (p.s.i.)	Price Pump Less Tank Av. wt. 65 lbs.	PRICE FOR TANK AND MOTOR		
					40	50	60	70	80	90	100	110	120	130			13 Gal. Tank Av. wt. 122 lbs.	30 Gal. Tank Av. wt. 148 lbs.	42 Gal. Tank Av. wt. 153 lbs.
36P-2450-F 36P-2480-F	1/2	4" D.P. 4" D.P.	1-1/4" 1-1/4"	1" 1"	670	510 520		420	340	270	210				22 23	\$ 96.75	\$108.05	\$117.20	\$120.75
36P-4550-F		5" D.P.	1-1/2"	1-1/4"	1030	840									20	121.60	123.45	132.60	136.15
36P-4590-F 36P-45120-F		5" D.P. 5" D.P.	1-1/2" 1-1/2"	1-1/4" 1-1/4"		810	700	600	490	380 380	310	250	210	180	24 26	127.30	129.15	138.35	141.85
36P-4450-F 36P-4490-F 36P-44120-F	3/4	4" D.P. 4" D.P. 4" D.P.	1-1/4" 1-1/4" 1-1/4"	1-1/4" 1-1/4" 1-1/4"	870	720 650	560	480	390	300 280	230	190	160		24 26 28	124.80	126.65	135.80	139.30
36P-1550-F		5" D.P.	1-1/2"	1-1/4"	1400	1180									20	135.70	137.50	146.70	150.20
36P-1590-F 36P-15120-F		5" D.P. 5" D.P.	1-1/2" 1-1/2"	1-1/4" 1-1/4"		900	810	720	610	500 500	430	360	300	240	28 29	141.40	143.25	152.40	155.90
36P-1450-F 36P-1490-F 36P-14120-F	1	4" D.P. 4" D.P. 4" D.P.	1-1/4" 1-1/4" 1-1/4"	1-1/4" 1-1/4" 1-1/4"	1015	900 680	600	520	440	360 340	290	250	200		29 24 26	138.85	140.70	149.90	153.40

Pump only includes: Pump, motor and press switch on base. Pump and tank system includes: Tank, pump to tank fittings, air volume control, pressure regulating valve, pressure switch, pressure gauge, venturi, nozzle, body and foot valve.

## SABRE JET MULTI-STAGE DOUBLE PIPE PUMP

Model Number	H.P.	Well Size and Type	Suction Pipe	Press. Pipe	DEPTH TO WATER IN FEET										Oper. Press. (p.s.i.)	Price Pump Less Tank Av. wt. 68 lbs.	PRICE FOR TANK AND MOTOR		
					50	60	70	80	90	100	120	140	160	180			13 Gal. Tank Av. wt. 122 lbs.	30 Gal. Tank Av. wt. 148 lbs.	42 Gal. Tank Av. wt. 153 lbs.
36P-2462-F 36P-2492-F	1/2	4" D.P. 4" D.P.	1-1/4" 1-1/4"	1" 1"	510	420 460	390	310	230						30 32	\$110.80	\$122.15	\$131.30	\$134.80
36P-4562-F		5" D.P.	1-1/2"	1-1/4"	840	720									34	135.70	137.53	146.70	150.20
36P-45122-F 36P-45162-F		5" D.P. 5" D.P.	1-1/2" 1-1/2"	1-1/4" 1-1/4"		680	600	510	420	340 220	240 220	160	120		38 42	141.40	143.25	152.40	155.90
36P-4462-F 36P-4492-F 36P-44142-F	3/4	4" D.P. 4" D.P. 4" D.P.	1-1/4" 1-1/4" 1-1/4"	1-1/4" 1-1/4" 1-1/4"	720	620 600	510	420	340 320	220	160	120			32 36 40	138.85	140.70	149.90	153.40
36P-1562-F		5" D.P.	1-1/2"	1-1/4"	1050	800									36	156.80	158.65	167.80	171.30
36P-15122-F 36P-15162-F	1	5" D.P. 5" D.P.	1-1/2" 1-1/2"	1-1/4" 1-1/4"		760	690	620	540	430 270	330 270	230	160	120	40 44	162.50	164.40	173.50	177.05
36P-1462-F 36P-1492-F 36P-14142-F		4" D.P. 4" D.P. 4" D.P.	1-1/4" 1-1/4" 1-1/4"	1-1/4" 1-1/4" 1-1/4"	800	700 690	620	540	430 370	270	230	160			34 38 42	160.00	161.90	171.00	174.50

Pump only includes: Pump, motor and press switch on base. Pump and tank system includes: Tank, pump to tank fittings, air volume control, pressure regulating valve, pressure switch, pressure gauge, venturi, nozzle, body and foot valve.

## PUMP ACCESSORIES

### FOOT VALVE

No.	Size	Price
36P-5547-F	1"	\$2.85 ea.
36P-5548-F	1 1/4"	3.60 ea.
36P-5549-F	1 1/2"	6.20 ea.

### CHECK VALVE

No.	Size	Price
36P-5550-F	1"	\$3.50 ea.
36P-5551-F	1 1/4"	4.50 ea.
36P-5552-F	1 1/2"	6.00 ea.

### PRESSURE GAUGE

36P-5429-F \$1.45 ea.



### PRESSURE GAUGE

36P-1402-F \$4.25 ea.



### AIR VOLUME CONTROL

No.	Use With	Price
36P-5437-F	12 to 42 gal. tanks	\$4.55
36P-5438-F	82 to 120 gal. tanks	6.35



### VERTICAL PRESSURE TANKS

No.	Size Gal.	Dia. 20"	Ht. 32"	Wt. 93 Lbs.	Price
36P-5589-F	42	20"	32"	93	\$ 29.55 ea.
36P-5572-F	82	20"	60"	142	51.40 ea.
36P-5573-F	120	24"	60"	210	66.15 ea.
36P-5574-F	220	30"	72"	400	131.00 ea.




BARNES PUMPS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# Hotpoint AIR CONDITIONERS

## FOR THROUGH-WALL OR WINDOW INSTALLATION



**AIR CONDITIONER FEATURES**




**"MASTER-MIND"  
CONTROL PANEL  
SET IT... FORGET IT**

Hidden from view, yet located right out front for easy access. You dial the comfort you want... cool and dehumidify, circulate. Automatic thermostat keeps coolness you desire. Set it, forget it.



### DOUBLES AS A DEHUMIDIFIER

Wrings out excessive moisture faster than any ordinary dehumidifier. Just remove plug on bottom of unit and place over suitable drain or receptacle.



### "SILENT CIRCULATOR"

Combines the space-saving size of a blade-type fan with the massive silent circulation of a wheel-type blower. Gives you draft-free, full-room circulation without noisy, annoying blasts of air... a big Hotpoint difference!

### CONDENSER SYSTEM

Drainage water carried back from coldcoil is hurled on to the special Hotpoint Condenser where it is evaporated into outside air.

### SIZE...

**Half the Size... Half the Weight of most other 1 Horsepower Air Conditioners**

Thinner... just 15 inches from front to back. And lower, too, to let you see out, let more light in. Insulated side panels may be fitted to almost any standard window to give you a substantial, weathertight installation—and with almost no overhang inside or out. Looks slim, trim and smart from inside or outside your home.

### QUIETNESS...

**"Silent Circulator" Plus Acoustical Insulation for Whisper-Quiet Operation**

Newly-developed Hotpoint fan construction gives full room circulation without annoying "air blasts." Special spring mountings are designed to eliminate motor and fan vibration. Thick blankets of insulation seal out annoying street noises and deaden operation sound. Lets you live cool—quietly. And because you keep your windows closed your home stays cleaner. Dust, dirt can't get in.

### 7000-BTU HOTPOINT POWER-PLUS PORTABLE AIR CONDITIONER

**13K-178A-F... 115 volts, 7½ amps**—uses no more current than your toaster or iron. Features automatic built-in thermostat, air-changer, convenient dial controls plus two-speed fan for power day cooling and economical nighttime operation. Famous Hotpoint five-year protection plan covers one-year warranty on complete air conditioner plus additional four-year repair or replacement contract on sealed refrigeration system.

### POWER...

**Full 1 Horsepower Rating with up to 8000 BTU's Cooling Capacity**

New compact compressor gives you greater cooling in much smaller size. It's full-width cooling, too, because the cool, dry air is circulated from almost entire top width of unit. Power-Plus blower gives you deep penetration of cool air through one or more rooms. Reaches "hot air" pockets which less powerful portable units can't cool. Look for that Hotpoint difference in extra cooling capacity.

### ECONOMY...

**Uses Less Current... No Installation or Delivery Costs**

Because you can carry a Hotpoint Power-Plus Portable home from the store and install it yourself, you save doubly. In most cases, it will operate on normal adequate 115-volt house current with no special wiring required. The Hotpoint Thriftmaster® Unit is economical to operate, and permanently lubricated. Vacuum-sealed against dirt and moisture. Designed for years of trouble-free service.

### 8000-BTU HOTPOINT POWER-PLUS PORTABLE AIR CONDITIONERS

**13K-118A-F... 115-volt, 12-amp model.** Same power-plus features, same size as model 13K-178A-F plus EXTRA BTU CAPACITY.  
**13K-128A-F... 230 volts, 6½ amps.**

### SPECIFICATIONS

Model No.	BTU per Hour ARI 110-56	Hp.	Volts	Moisture Removal PTS per hr.	Circulates Cu. Ft. Per min.	Dimensions	Net Weight Pounds	Price Each
13K-178A-F	7000	1	115 7½ amp	1.95	225	13½" high 22" wide 14⅞" deep	98	\$178.00
13K-118A-F	8000	1	115 12 amp	2.8	225	13½" high 22" wide 14⅞" deep	98	181.00
13K-128A-F	8000	1	230 6½ amp	2.8	225	13½" high 22" wide 14⅞" deep	98	196.00

### BUILDERS WALL SLEEVE KIT

Permits a Through-wall Installation of Hotpoint Air Conditioners. When ordering, specify Type Wall, Wood Frame, Brick Veneer or Solid Brick.

13K-26-F.....\$18.05 ea.

### 11,000-BTU 1½-HP, 12-Amp, 115-Volt Model 13K-218A-F

A full 1½-HP unit yet you can plug it in on any adequate 115-volt house-current circuit. Saves re-wiring costs... lets you install it almost anywhere you want. And the new contemporary design fits in your home... looks trim and smart.

### 14,500-BTU 2-HP, 230-Volt Model 13K-228A-F

Much smaller in size than former 2-HP units. Installs easily in window, transom and walls—from the inside. No ducts, drains, pipes. You can even take it with you if you move. A real power-house and priced to fit your budget.

### 16,000-BTU 2-HP, 230-Volt—Model 13K-328D-F

Has tremendous capacity and powerful circulation to cool larger homes, stores, offices. Moves massive quantities of filtered, cool, dry air—and does it quietly. Easily installs where you want it, because it's thinner, narrower than old-style units.

### SPECIFICATIONS

Model No.	BTU per Hour ARI-110-56	Hp.	Volts 60 cycles	Moisture Removal PTS per hr.	Circulates Cu. Ft. Per min.	Dimensions	Net Weight Pounds	Price Each
13K-218A-F	11,000	1½	115 12 amp	2.8	300	17⅞" high 24⅞" wide 25⅞" deep	160	\$246.00
13K-228A-F	14,500	2	230	4.5	420	17⅞" high 24⅞" wide 25⅞" deep	180	276.00
13K-328D-F	16,000	2	230	4.75	420	17⅞" high 24⅞" wide 25⅞" deep	185	296.00

### BUILDERS THROUGH-WALL KIT

Permits a Through-wall Installation for any size wall.

13K-30-F.....\$7.60 ea.

HOTPOINT AIR CONDITIONERS SHIPPED F. O. B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



# Majestic Home Incinerators

ATTRACTIVELY DESIGNED WITH MODERN SAFETY FEATURES

## GAS • ELECTRIC • FUELLESS




17T-1006-M

### DELUXE

Deluxe model has same capacity as Imperial model. Finished in grey enamel with controls located behind front panel. Available in a fuelless model for economy installation.

1. Heavy density, foil faced 1/2" spun glass insulated casing, with heat-resistant enameled finish.
2. Heavy gauge welded steel rod grates guaranteed for five years.
3. Venturi flue collar in rear smoke outlet draws air from casing interior, mixing with flue gases resulting in more even casing temperatures.
4. Revolutionary suspended burning allows free air passage around the burning refuse.
5. Downdraft action brings air in to the top of the burning refuse draws smoke and odors into the exclusive Turbo-Tunnel to mix with high heat and flame before entering the flue.



### IMPERIAL

17T-1007-M  
17T-1008-M  
17T-1003-M

Imperial model features a beautiful white enamel finish with top control panel in 4" back splasher to allow installation with kitchen counter top. Foot pedal is furnished to lift charging door, without hands.

- Exclusive air-pool "suspended incineration" design
- Super-heated Turbo-Tunnel for complete combustion
- "Top-of-charge" patented downdraft air circulation
- Five-year guarantee on welded steel liners and grates
- "Cool-Touch" air and spun glass insulated casing
- Concealed single-control grate and big ash drawer
- Modern styling in eye-catching Imperial and Deluxe designs

SPECIFY - TYPE OF GAS - Nat., Mfg., L.P.

#### • SPECIFICATIONS AND PRICES •

Type	Number	Pilot or Element Input	Burner or Element Input	Wt.	Price
Gas	17T-1007-M	800 BTU	18,000 BTU	138 lbs.	\$97.50
Electric	17T-1008-M	15V. AC.-12 Watts	4,100 BTU	138 lbs.	97.50
Fuelless	17T-1006-M	No Burner required		125 lbs.	55.25
	17T-1003-M	No Burner required		131 lbs.	65.00

"VOLUME DISCOUNT" LESS 5% ON 3 OR MORE

**CAPACITY 1.5 Bushels - All Models**  
Size 19" Wide, 24 1/2" Deep, 36" High, Flue 6". Required clearance: combustible wall 12" non-combustible wall 4"

## BERNS AIR-KING ELECTRIC DEHUMIDIFIERS

### BERNS DEHUMIDIFIERS FEATURES


- Removable water pan capacity. Approximately 2 gallons
- Permanently oiled. Hermetically sealed system
- Equipped with fittings for permanent drain
- 5 year warranty

Moisture damage is costly. Each year it robs usable, living space in homes...causing untold damage in basements and other damp areas. The AIR-KING DEHUMIDIFIER provides safe, sure protection from this costly moisture damage. It takes care of a large space...more than 10,000 cubic feet can be kept dry with just one Air-King Dehumidifier! It converts damp, musty basements - or other damp areas - into valuable space for family or business use. It makes such areas comfortably dry, healthful and safely usable at all times.




ECONOMY MODEL 21E-16-I

Economy model is finished in two-tone beige body and black grill. Unit capacity is 3 gal. per 24 hours, can keep dry up to 11,000 cubic feet. No. 21E-1050-J. Timer switch is recommended with this model.



DELUX MODEL 21E-20-I

Delux model features new modern design cabinet. Basic unit, and capacity is the same as the Custom model but without the humidistat. We recommend the 21E-1050-J time switch with this model.



CUSTOM MODEL 21E-20H-I

Custom model features built-in humidistat, which allows the unit to be connected at all times, but only operating when needed. No time switch is needed as unit is completely automatic. Unit capacity is 4 gal. per 24 hours, will keep dry up to 13,000 cubic feet.

#### TIMER FOR DEHUMIDIFIERS

The Timer starts dehumidifier once each 24 hours and operates it for the number of hours you select, thus, also saving current. Wt. 2 lbs.

No. 21E-1050-J ..... \$6.63 ea.

No.	Size	H.P.	Wts. Lbs.	Price
				1-2   3 or More
21E-16-I	13"x17 1/2"x18"	1/6	50	\$64.95   \$61.60
21E-20-I	13"x18 1/2"x19 1/2"	1/5	54	75.95   72.05
21E-20H-I	13"x18 1/2"x19 1/2"	1/5	54	84.15   79.80

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • ELECTRIC FOOD WASTE DISPOSERS •

## HOTPOINT DISPOSERS



Hotpoint disposals grind pieces of food waste faster than ordinary disposers because cutting teeth are staggered on the walls of the hopper as well as the flywheel for maximum cutting efficiency. Super-hard nickel alloy cutting teeth pulverize the hardest fruit pits. Hotpoint disposals feature jam-free design. This is done by hammer arms pivoting freely, pushing food wastes against shredders and swinging back to eliminate jams. Sound-deadening gaskets eliminate metal-to-metal contact, stop vibration and minimize noise. Units fit any sink with 3½ to 4 inch drain opening.



## WHIRL-A-WAY DISPOSER

The only disposer with a 10 year warranty. Continuous feed with lifetime grind control, designed and tested for longer life and trouble free performance. The disposer is literally "floated" in rubber at sink connection. This absence of metal to metal contact cuts down noise and vibration. Shredding ring is also encased in rubber giving additional quiet operation. Shredding rings are made of chrome-vanadium steel, one of the hardest, toughest alloys available. Disposer is equipped with an overload device that prevents damage in case foreign material causes the unit to stop.



### HOTPOINT MODEL MW-15

Model 13K-MW15-F Custom de-luxe with switch. Top turns unit on and off. Doubles as a sink stopper.

Height..... 15-1/8" Width..... 7 3/4"  
Depth (Max.)..... 8" Weight...25 lbs.

13K-MW15-F.....\$63.00

### HOTPOINT MODEL MW-14

Model 13K-MW14-F Continuous-feed with removable plug for easy installation with any pump-drain dishwasher.

Height.....15-1/8" Width..... 7 3/4"  
Depth (Max.)... 8" Weight...25 lbs.

13K-MW14-F \$42.50 \$39.95\*  
\* 3 or more

### WHIRL-A-WAY MODEL SD-70

Model 29K-SD70-F Heavy duty with removable knock-out plug for pump-drain dish washers.



Height.....14" Width 6 1/2"  
Depth (Max.)...6 1/2" Weight...22 lbs.

No. 1-2 3-11 12 or more  
29K-SD70-F \$37.05 \$35.65 \$34.20

DISHWASHER DRAIN CONNECTOR..... No. 13K-MX36-F.....\$2.15

## HOTPOINT ELECTRIC WATER HEATERS

All models feature efficient Calrod Magic Circle Heat, and have dependable automatic thermostats, extra-thick glass fiber insulation, a hot water trap and cold water baffle. Tank is made of extra-heavy gauge steel and is hot-dip galvanized inside and out for long life.



### NEW SILVER LINE

Famous Hotpoint quality for less! New round Silver Line models are finished in lustrous silver-gray Permalucent - the same durable finish used on Hotpoint's famous heavy-duty commercial cooking equipment. This attractive baked-on metallic finish not chip, scratch, or peel.

#### SILVER LINE

No.	Gals	Heating - Watts Upper Lower	Wt. Lbs.	Price
13K-3230-F	30	1000 600	175	\$ 67.25
13K-4230-F	40	1250 750	205	80.20
*13K-4235-F	40	4500 4500	205	76.20
13K-5230-F	52	1500 1000	240	86.50
13K-6230-F	66	2000 1250	335	101.50
13K-8230-F	82	2500 1500	380	118.15

#### TABLE-TOP MODELS - WITHOUT TOP

13K-3410-F	30	1000 600	230	\$ 85.20
13K-4410-F	40	1250 750	260	90.50
*13K-4415-F	40	4500 4500	260	90.50
13K-5410-F	50	1500 1000	285	99.20

For Top - on Table-Top Model as illustrated add \$13.00 to above prices

FOR QUANTITY PRICES - WRITE FOR SPECIAL HOTPOINT VOLUME QUOTATION

### TABLE TOP MODELS

New table-top water heaters, only 24 inches wide, take up no more space in your kitchen or laundry than a standard cabinet...and they give you an extra four square feet of porcelain-finish work surface that's acid-resistant and stain-proof.

### NEW! FAST "40" MODELS

\*Quick Recovery  
40 Gallon Heaters  
available in two  
Models.

No. 13K-4235-F  
SILVERLINE  
No. 13K-4415-F  
TABLE TOP

Will Reheat Entire  
Tank In 25 Minutes  
Eliminates the Need  
For Larger Capacity  
Tank

## NATIONAL FIBERGLASS ONE PIECE SHOWER STALL



The one piece fiber glass stall shower is sanitary, shower is seamless, clean. Leakage problems are impossible. Only one trade is necessary for installation. No sub-pan is needed. Single drain. Stalls are resistant to chipping and shattering. Lightweight design without excessive weight yet rugged and durable. One piece fiberglass stall shower is absolutely non-corrodible. Available in a wide variety of colors.

Colors Available: White Base, with webbing of Charcoal Grey, Koko Brown, or sandstone. White Webbing with Base of Sky Blue, Seafoam Green, Coral, Feather Grey and Sandstone. Shower stalls shipped F.O.B. San Francisco, Calif.

No.	Size	Wt. Lbs.	Price
20B-3232-I	32 x 32 x 80	112	\$128.20
20B-3636-I	36 x 36 x 80	145	137.30
20B-4832-I	48 x 32 x 80	170	154.50

Hood Accessory: For 32" stall \$11.90; for 36" stall \$13.10; for 48" stall \$15.60. Write for complete installation sheet and rough in details.

ALL ITEMS ABOVE SHIPPED F.O.B. ST. LOUIS OR CHICAGO - EXCEPT SHOWER STALL AS NOTED.

Materials Wholesale from **MORGAN - WIGHTMAN**



# • AMERICAN GAS HOT WATER HEATERS •

The American water heater nationally known has proven merit. Heaters are A.G.A. approved, fibre glass insulated. Copper bearing steel galvanized tanks are electrically welded. A leader in its field. This fine heater has been engineered to perform efficiently and to recover at a high rate per hour. Equipped with the finest controls. Ideal for individual home or volume housing projects.

## Guarantee:

Glass Lined tanks have a 10 year warranty. 5-year unconditional guarantee, plus 5 year pro-rated guarantee. (Except for commercial installation). 100% Safety Shut-off!

Model No.	Gallon Capacity	Ht.	Dia.	Size Gas Supply	Size Water Conn.	Ship. Wt.	Price	
							1-2	3 or More
11K-5020-ID	20	60"	14 1/4"	1/2"	3/4"	120	\$53.75	\$51.65
11K-5030-ID	30	64"	16 1/4"	1/2"	3/4"	145	60.50	58.10
11K-5040-ID	40	64"	18 1/4"	1/2"	3/4"	175	73.60	70.70
11K-5050-ID	50	64"	20"	1/2"	3/4"	195	100.80	96.85

## GLASS LINED...

Rust free glass-lined water heater, -your insurance against corrosion and heater failure, due to tank scale. Select Glass Lined for built-in satisfaction.

## Guarantee: -

ROCKET tanks have a 5 year warranty. 2 year unconditional guarantee, plus 3 year pro-rated guarantee. (Except for commercial installation).

Model No.	Gallon Capacity	Ht.	Dia.	Size Gas Supply	Size Water Conn.	Ship. Wt.	Price	
							1-2	3 or More
11K-2020-ID	20	60"	14 1/4"	1/2"	3/4"	120	\$52.30	\$50.25
11K-2030-ID	30	64"	16 1/4"	1/2"	3/4"	150	56.30	54.10
11K-2040-ID	40	64"	18 1/4"	1/2"	3/4"	175	65.35	62.80

## ROCKET...

Trouble free operation, pressure-tested before coating for long life. The water heater engineered with product efficiency and purchase economy. Add \$2.50 for L.P.G.

## Guarantee:

One year unconditional factory guarantee against defects in material and workmanship.

Model No.	Gallon Capacity	Ht.	Dia.	Size Gas Supply	Size Water Conn.	Ship. Wt.	Price	
							1-2	3 or More
11K-1020-ID	20	60"	14 1/4"	1/2"	3/4"	120	\$45.00	\$43.25
11K-1030-ID	30	64"	16 1/4"	1/2"	3/4"	145	47.70	45.85
11K-1040-ID	40	64"	18 1/4"	1/2"	3/4"	175	61.25	58.90


## BEDFORD...

Especially designed to give product quality in low priced new construction market. Safety control closes off burner should pilot cut out. Add \$2.50 for L.P.G.

### NATURAL, MIXED and MFG'D GAS

### LIQUIFIED PETROLEUM GAS

Size Vent	Gallon Capacity	B.T.U. Input Per Hour	Recovery Per Hr. At 60°	Recovery Per Hr. At 100°	B.T.U. Input Per Hour	Recovery Per Hour At 60°	Recovery Per Hour At 100°
3"	20	27,500	38.5	23.1	25,000	35	21
3"	30	30,000	42.	25.2	25,000	35	21
3"	40	30,000	42.	25.2	25,000	35	21
3"	50	35,000	45.5	28.4	25,000	35	21



# • SPARTAN SHOWER STALLS •

America's leading shower stall! Each and every model made of heavy-gauge galvanized bonderized steel - plus two coats of white baked enamel! Full length, deep groove construction for fastest assembly. A real time saver! Exclusive rear panel lock insures a positive waterproof joint.

## ECONOMY 17K-3030-ID

30" x 30" x 76"

Spartan's economy priced shower stall, made of the same high quality as other Spartan shower stalls. Furnished with heavy gauge galvanized bonderized steel with two coats of white baked enamel, chrome plated brass shower valves and head. Plastic curtain with hooks and soap dish included. Receptor is black baked enamel.

1-5 Price 6 or More  
\$33.55 \$31.85

Weight 70 lbs.

## ROYAL 17K-3636-ID

32" x 32" x 76" (Not Illustrated)

Similar in construction to the economy. Available in two type receptor, black baked enamel and porcelain enamel.

Black Baked Enamel Receptor  
1-5 Price 6 or More  
\$39.40 \$37.80

Weight 100 lbs.

Porcelain Enamel Receptor

1-5 Price 6 or More  
\$44.40 \$42.60

Weight 105 lbs.


## IMPERIAL 17K-3232-ID

32" x 32" x 80"

Made of extra heavy gauge galvanized bonderized steel. Finished with rounded corners in white enamel. Furnished with chrome plated brass shower valves and head, plastic curtain with hooks and soap dish. Glass shower door with grill as shown, optional extra. See page 94 for prices. Receptor is pre-cast stone.

PRICES  
1 - 5 6 or more  
\$63.15 \$60.60

Weight - 260 lbs.



No. 17K-3232-ID

Imperial available in 36" x 36" x 80" size Add \$10.00 to Price.



No. 17K-3030-ID

Note: All models available in 30" x 30" size at the same prices.

### DOME ASSEMBLY

Available as an extra on all Models \$9.40 Ea. With Light \$14.10 Ea.

WATER HEATERS AND SHOWER STALLS SHIPPED F.O.B. ST. LOUIS, ONLY

Materials Wholesale from **MORGAN - WIGHTMAN**



# Hotpoint Deluxe automatic dishwashers

NOW! ALL MODELS INCLUDE PUMP DRAIN FEATURE .... AT NO EXTRA COST

A Hotpoint Dishwasher automatically makes a home modern, more desirable, easier to sell. It saves the homemaker all the monotonous work of hand dishwashing three times a day - 365 days a year - and gives her more time to enjoy her home. Plan to include a dishwasher in your homes. The Hotpoint deluxe under-counter Dishwasher may be easily installed under a continuous countertop in the kitchen in place of a standard 24-inch cabinet. When installing the undercounter model at the end of a row of cabinets or as a free-standing model, side panels and maple top are available at extra cost. Now available on all models. Accessory kit for natural wood panel (DX4). Enables you to have Dishwasher front match wood cabinets.

Choice of 7 Decorator Colors ... Coral Pink-Sunburst Yellow-New Turquoise-Copper Brown-White-Copperplate-Stainless


## HOTPOINT DE-1 & DD-1 DUAL-CYCLE SPOT-LESS SUPREME DISHWASHER.



New exclusive double deck water action gives you spotless dishwashing at its best - surging jets of water hotter than the hands can stand whirl up from two revolving rotors, one below each rack - this new, exclusive water action is so effective that no pre-rinsing is necessary. Yet it is so quiet all you hear is the whisper of the water as it washes your dishes spotlessly clean. Exclusive new dual-cycle selector. Utensil cycle does pots and pans in just 16 minutes - eliminates soaking badly stuck on foods. Just load them and push the "Utensil" button. Two five minute washes plus a thorough rinse loosen and flush away stuck on soil. For ordinary loads of dishes, glasses, silver and lightly soiled pots and pans just push the "Normal" button. Everything goes through a full cycle and is double washed, double rinsed and electrically dried, spotlessly. Roll-R-Racks roll out separately.

Model DD-1 is the same as the DE-1 except it has the conventional impeller in bottom of tub, that moves 70 gallons of water per minute, during the double rinsing cycle.

No.	All Colors	Stainless or Copperplate
13K-DE1-F	\$255.90	\$269.10
13K-DD1-F	222.90	236.10




MODEL  
DE-1  
Illustrated

## HOTPOINT DC-1 DELUXE DISHWASHER




Double Washing - two complete five minute washes - each with fresh detergent - scrub away every trace of food soil and dulling film. Double Rinsing - Everything is rinsed twice in water hotter than hands can stand. Impeller in bottom of tub whirls water up, into and around dishes at rate of 70 gallons per minute thoroughly rinsing over surface of every piece. Safety Interlock Switch - Automatically shuts off current and stops all action if door is accidentally opened in all models. Roll-R-Racks roll out separately for easy loading. They hold over five dozen pieces of china and glassware plus silverware, a complete service for eight. Two position upper rack adjusts to provide space for 10½ inch dinner plates or 6¾ inch glasses. Both racks are cushion coated to protect fine china and glassware.

No.	All Colors	Stainless or Copper Plate
13K-DC1-F	\$200.90	\$214.10



## HOTPOINT DB-1 DELUXE DISHWASHER



Large Capacity Racks - Racks roll out for easy loading - hold a complete service for eight. Lower rack may be loaded through center space in upper rack, or upper rack may be removed for greater loading convenience. Both racks are cushion-coated to protect fine china and glassware. Out-washes ordinary dishwashers because it washes everything twice - with fresh detergent in each wash. Electric heat drying, 850 watt calrod heating unit heats air to dry dishes safely and serves as dish warmer in all models.

No. 13K-DB1-F
All Colors
\$183.85
Stainless or Copper Plate
\$197.00

**DISHWASHER SPECIFICATIONS**  
Dimensions ... 24" wide, 34½" high, 24" deep, 47" deep with door open.  
Shipping weight ... approximately 175 pounds..  
Motor ... 1/3 H.P., 115 volt, 60-cycle a.c. only.

### ACCESSORIES (optional at extra cost) -

Maple Cutting-counter Top (DX5). Fine-grained hardwood cutting counter, 24" wide, 26-11/32" deep, 13/16" thick. Ideal for slicing bread or chopping meats.

No. 13K-DX5-F ..... \$16.85

Accessory Kit for Natural Wood Panel (DX4). Enables you to have your Dishwasher front match the beauty and warmth of your wood kitchen cabinets. (No wood included.)

No. 13K-DX4-F ..... \$13.15

Right-hand Side Panel (DX7). Smooth Cal-gloss-finished panel fits right side (as you face dishwasher) for installations at end of counter.

No. 13K-DX7-F ..... \$ 6.50

Left-hand Side Panel (DX9). Same as above only for left side. Use with right-hand panel and maple top to convert undercounter model to free-standing model.

No. 13K-DX9-F ..... \$ 6.50

Waste Tee (DX11). For connecting dishwasher drain to sink drain.

No. 13K-DX11-F ..... \$ 4.20

ALL HOTPOINT APPLIANCES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





# BUILT-IN GAS OVENS AND SURFACE UNITS

To the many natural advantages of cooking with gas, add the many glowing features of a built-in oven and range made by PREWAY — pioneer leader in the built-in field, with over 35 years' experience in appliance manufacturing. You'll be delighted with PREWAY'S brand new, "picture-frame" design that is today's most modern, most wanted styling...the only true NEW look in built-in ranges.

Deluxe ovens are available in Stainless Steel... True Antique Copper... Sunshine Yellow... Blossom Pink... Star Turquoise... Arctic White. All with mirror polished stainless steel trim.

## AUTOMATIC EYE-HIGH OVEN CONTROL PANEL

The smartly-styled, eye-high panel holds every wanted automatic convenience — temperature control, timer, illuminated clock, Minute Minder and oven light switch — right at your fingertips...easy to read, easy to use — and safely out of the reach of children.

## WAIST-HIGH SMOKELESS BROILER

For easy-to-do, taste-tempting steaks and chops, PREWAY provides this handy, waist-high smokeless broiler. Features a deep porcelain pan with ribbed grill to drain away melted fats and juices and three tilt-proof tracks for both high-and-low speed broiling.

## ALWAYS-COOL DOORS

Both oven and broiler feature marvelous louvre-vented doors...exciting, new, "safety-styling," exclusive with PREWAY, that keeps handles and outer surfaces always comfortably cool to touch.

### MODEL NO. 749

Fully automatic, clock controlled oven, 18,000 BTU giant burner and automatic meat thermometer accurate within 1°. Wt. 137 lbs.

#### No. 32K-749-F

Colors  
Antique Copper \$192.90  
Stainless Steel 202.20  
202.20

### MODEL NO. 747

Automatic lighting, 18,000 BTU giant burner and oven window. Weight 133 lbs.

#### No. 32K-747-F

Colors \$142.20  
Antique Copper 151.50  
Stainless Steel 151.50

### MODEL NO. 746

(Not Illustrated)

Automatic lighting, 100% safety shut off. No oven window or light. Crisp line design instrument panel with interval timer, thermostat. Weight 127 lbs.

### MODEL NO. 740

(Not Illustrated)

Economy model...manual lighting, but without oven window, light or timer clock. Wt. 127 lbs.

#### No. 32K-740-F

Satin Chrome \$96.25

#### No. 32K-746-F

Satin Chrome \$120.75

SPECIFICATIONS: Ovensize 14" H. x 16" W. x 19" D.

CUT OUT SIZE: All Models 34-5/8" H. x 21" W. x 22" D.

OVERALL SIZE: Models No. 747 and 749 35-1/16" H.

x 22-13/16" W. x 22" D. Model No. 746 and 740 35-5/8" H.


x 23-1/8" W. x 22" D.

Model  
749  
and  
747



ALL PREWAY OVENS CARRY THE SAFETY APPROVAL SEAL OF THE AMERICAN GAS ASSOCIATION. ELECTRICAL COMPONENTS OF PREWAY OVENS ARE LISTED AS APPROVED BY THE CSA TESTING LABORATORIES

## FIVE MODELS OF GAS SURFACE COOKING UNITS



### AUTOMATIC "THERMAL EYE"

Now new, true convenience in surface cooking! With PREWAY'S thermostatically controlled burner, you simply select the degree of heat you want, set the dial and forget it. The special "Thermal Eye" does your pot-watching for you. Available only on Model No. 744.



### CENTER SIMMER BURNERS



For surface cooking made easier...for better cooking results... PREWAY'S deluxe Counterchef features wonderfully efficient Center Simmer Burners, with hypodermic needle pilot lights, specially designed to provide the just-right flame for everything from "Keep Warm" to "Fast Fry". Available only on Model No. 744.

### STACK-ON COUNTERCHEF

#### MODEL NO. 745

A true "Stack-On", this PREWAY Counterchef becomes a permanent part of any counter-top, but does not require a "cut-out". Two giant, two standard size burners with Hi-Lo simmer action flame. Includes 4" high backrail. 24" W. x 25" D. x 8" H. Stainless body and top. Weight 51 lbs.

No. 32K-745-F \$83.15



### TWO BURNER COUNTERCHEF

#### Model No. 788

PREWAY'S 2 burner surface unit can be mounted wherever and however it's wanted...by itself or with a mate. One giant, one standard size automatic-lighting burner with Hi-Lo simmer action flame. Satin stainless top and polished stainless control panel. Overall size: 14-5/8" W. x 22" D. with 11-3/8" W. x 21" D. cutout.

No. 32K-788-F Wt. 25 lbs. \$38.10

Model No. 744 Deluxe Counterchef with one Thermostatically Controlled "Thermal Eye" Burner — Polished chrome steel top and stainless steel valve panel. Porcelain Enamel burner box. 1 giant, 2 standard, 1 thermostatically controlled, burner. Harper Wyman Alltrol Center Simmer Burners. 4 Hypodermic Needle Pilots for ignition.

No. 32K-744-F Wt. 42 lbs. \$91.00

Model No. 742 Counterchef — Polished chrome steel top, and stainless steel valve panel. Porcelain Enamel burner box. 2 giant, 2 standard Hi-Lo Simmer Action Burners. 2 Pilots.

No. 32K-742-F Wt. 42 lbs. \$62.65

Above models are 24" W. x 22" D. overall with 22-3/8" W. x 20-1/2" D. cutout. Valve panel cutout 5-1/8" W. x 22-3/8" L.

Model 739 Counterchef — Bright chrome top and valve panel Aluminum enameled burner box. 2 giant, 2 standard Burners, 1 Pilot.

No. 32K-739-F Wt. 38 lbs. \$48.15


Overall size: 21" W. x 22" D. with 19 3/4" W. x 20 3/4" D. Cutout. Valve panel cutout 3-5/8" W. x 19-1/8" L.

PREWAY PRODUCTS AVAILABLE ONLY FROM OUR ST. LOUIS WAREHOUSE.

ALL PREWAY UNITS SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**





# • NATIONAL GAS OVENS AND SURFACE UNIT •

NO OTHER BUILT-INS OFFER . . . SO MUCH . . . SO ECONOMICALLY!  
GENUINE ANTIQUE COPPER OR STAINLESS SATIN CHROME SAME PRICE

Burners, ovens and broilers light automatically with full heat instantly.

No matches are needed. Lifetime top burners, fresh-air ovens and broilers light instantly when the gas is turned on, giving full, immediate heat at the desired temperature. This means convenience, speed and fuel economy. Heat is turned off just as quickly. There is no continued or "over" cooking on "CP" lifetime burners after the heat is turned off. This is important protection in pressure cookery, where exact cooking time is essential to best results.

Easy to clean top burners, trays, racks, broilers and ovens.

Lifetime guarantee burners need never be replaced. Rust-resistant, they are as easy to clean as a china plate. They can be wiped with a damp cloth or easily removed and dipped in water. Spillovers cannot clog the burners because the gas outlets are on the sides rather than on the exposed tops. All parts of ovens, broilers, racks and pans are easy to reach, clean and keep clean.



REGULAR OVEN  
19,000 B.T.U.

7 glowing colors in porcelain available from factory in Nashville, Tenn. Pink - Yellow - Turquoise - Black - White - Green - Coppertone

## Additional Features:

- Mirror Chrome Oven Interiors
- Non-fog break proof inside glass oven window
- Interior oven lighting
- Fully automatic thermostatically controlled cooking.
- Oven starts and stops automatically
- Trouble-free clock. No grease or oils to cause trouble. Employs lifetime nylon bearings, with Chime and Minit-Minder as well.
- Thickest door yet, giving cooler handle temperatures, cooler kitchens, less heat loss and less gas consumption. 3 inch door with 5 inch compressed insulation.
- Six-sided revolutionary bat-type insulation throughout
- Cast iron range burners with Hypodermic pilot feature

Models WS240 and WS440 feature:

Thermostatically controlled gas oven, chrome lined interior, clock, minute minder, oven light, fully automatic safety pilot, visual door.

Models WA240 and WA440 feature:

Thermostatically controlled gas oven, chrome lined interior, fully automatic controls for timed cooking, clock, minute minder, oven light, fully automatic safety pilot and visual door.

## • SPECIFICATIONS AND PRICES •

Model	Our No.	Overall Size	Cutout Size	Wts.	Price
WS240 Regular	14K-240S-F	22½" x 40¼"	21½" x 37¼"	175 lbs.	\$113.25
WA240 Regular	14K-240A-F	22½" x 40¼"	21½" x 37¼"	175 lbs.	127.10
WS440 King-Size	14K-440S-F	30½" x 40¼"	29½" x 37¼"	215 lbs.	154.85
WA440 King-Size	14K-440A-F	30½" x 40¼"	29½" x 37¼"	215 lbs.	168.70


All models 23" in depth - specify finish desired



KING SIZE OVEN  
21,000 B.T.U.

ELECTRIC ROTISSERIE  
Available on all models  
No. 14K-490-F Wt. 5 lbs. \$25.00  
Shipment from Nashville, Tenn.

NOTE: ALL MODELS AVAILABLE WITH SEMI-AUTOMATIC PILOT - DEDUCT \$10.00



## GAS SURFACE COOKING INSERTS

THREE TYPES OF RANGE UNITS - IN GENUINE ANTIQUE COPPER - STAINLESS SATIN CHROME - 7 ENAMEL COLORS

Models GI22, GI32 and GT32 have four simmer burners with individual Hypodermic pilots. Two-9000BTU and two-12,000BTU burners.

Models GIA22, GIA32 and GTA32 same as above with one thermostatically controlled burner (magic brain).

Model GI22 and GIA22 . . . 22" wide




Model GI32 and GIA32 . . . 32" wide (not shown)

Model GT32 and GTA32 new top controlled unit . . . 32" wide

## SPECIFY FINISH DESIRED

Model	Our No.	Wts.	Price
GI22	14K-22-F	37 lbs.	\$44.25
GIA22	14K-22A-F	37 lbs.	63.45
GI32	14K-32-F	45 lbs.	47.55
GIA32	14K-32A-F	45 lbs.	66.75
GT32	14K-32T-F	45 lbs.	47.55
GTA32	14K-32AT-F	45 lbs.	66.75

Note: All models available with center simmer burners - add \$10.75



## TOP UNIT

	22 X 20	32 X 20
A	22-5/16	32-5/16
B	20-5/16	20-5/16
C	3	3
D	12	12
E	INC. 1" TOP 2-3/4	INC. 1" TOP 2-3/4
F	2-3/4 MIN.	2-3/4 MIN.
G	22-7/8	32-7/8
H	20-13/16	20-13/16
J	6-1/4	6-1/4
K	11-3/4	11-3/4
L	2-1/2	2-1/2
M	1-1/2" FROM CAB. FACE	1-1/2" FROM CAB. FACE
N	24	24
O	19-1/4	29-1/4
P	17-5/8	17-5/8
Q	3-7/8	3-7/8
R	4-3/4	4-3/4
S	15	15



ALL NATIONAL UNITS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • NATIONAL ELECTRIC OVENS AND SURFACE UNITS •

NO OTHER BUILT-INS OFFER . . . SO MUCH . . . SO ECONOMICALLY!  
GENUINE ANTIQUE COPPER OR STAINLESS SATIN CHROME SAME PRICE

- Non-fog break proof visual window in oven door.
- Interior oven lighting.
- Fully automatic thermostatically controlled cooking.
- Oven starts and stops automatically.
- Trouble free clock. Employs lifetime nylon bearings, with Chime and Minit-Minder as well.
- Thickest door yet, giving cooler handle temperatures, cooler kitchens, less heat loss and less power consumption.
- Six-sided revolutionary bat-type insulation throughout.
- High speed range elements hot in 10 seconds, red hot in 30 seconds.

- Closed door electric broiling results in cooler smokeless kitchens.
- Mirror Chrome Oven Interiors.
- Chromalux Microtube and Rod-Type Elements with sheath type design and no open coils.
- Fastest preheating oven, 450° in 2½ minutes.
- Element rings integral part of cooking surface. One piece construction eliminates grease accumulation.
- Even baking, charcoal type broiler, and no broiler pre-heating required.
- Bake or broil at the same time in Ovens with extra broiler drawer.

All models have thermostatically controlled electric oven, chrome lined interior, fully automatic controls for timed cooking, minute minder, one bake element, one or two broil element, oven light, visual door 7 enamel colors listed on opposite page - available.



Model 245



Model 445

Model	145	245	345	445
Broil	3000 Watts	3000 Watts	3000 Watts	3000 Watts
Bake	2300 Watts	2300 Watts	2700 Watts	2700 Watts
Lo Broil		3000 Watts		3000 Watts
Total Max. Load	5300 Watts	8300 Watts	5700 Watts	8700 Watts

Oven light bulb 40 watts, all ovens  
Installation - 3 wire single phase 220 volt 60 cycle circuit



Model 145



Model 345

## • SPECIFICATIONS AND PRICES •

Model	Our No.	Overall Size	Cutout Size	Wts.	Price
145	14K-145-F	22½" x 31½"	21½" x 29"	130 lbs.	\$96.15
245	14K-245-F	22½" x 40¼"	21½" x 37¼"	160 lbs.	123.20
345	14K-345-F	30½" x 31½"	29½" x 29"	160 lbs.	130.65
445	14K-445-F	30½" x 40¼"	29½" x 37¼"	195 lbs.	164.75


All Models 23" in Depth - Specify finish desired

NOTE: ALL MODELS AVAILABLE WITH ELECTRIC ROTISSERIE - SEE OPPOSITE PAGE FOR PRICE

## ELECTRIC SURFACE COOKING INSERTS

THREE TYPES OF RANGE UNITS - IN GENUINE ANTIQUE COPPER - STAINLESS SATIN CHROME - 7 ENAMEL COLORS

Models EI22, EI32 and ET32 have four high speed elements with seven station controls.  
Models EIA22, EIA32 and ETA32 same as above with one element thermostatically controlled (magic brain).



MODEL EI22 and EIA22 . . . 22" wide with 3-1500 watt and 1-2100 watt elements

MODEL EI32 and EIA32 . . . 32" wide with 2-1500 watt and 2-2100 watt elements.




(Not Shown)  
MODEL ET32 and ETA32 Popular top controlled unit . . . 32" wide.

SPECIFY FINISH DESIRED

Model	Our No.	Wts.	Price
EI22	14K-E22-F	26 lbs.	\$56.90
EIA22	14K-E22A-F	26 lbs.	76.10
EI32	14K-E32-F	33 lbs.	60.20
EIA32	14K-E32A-F	33 lbs.	79.40
ET32	14K-E32T-F	33 lbs.	60.20
ETA32	14K-E32AT-F	33 lbs.	79.40

NOTE: All models available with electric convenience outlet - add \$6.50.



### TOP UNIT

	32 X 20	22 X 20
A	32-5/16	22-5/16
B	20-5/16	20-5/16
C	3-3/4	3-3/4
D	12-3/4	12-3/4
E	INC. 1" TOP 2-3/4	INC. 1" TOP 2-3/4
F	2-3/4 MIN.	2-3/4 MIN.
G	32-7/8	22-7/8
H	20-13/16	20-13/16
J	3	3
K	17-5/8	17-5/8
L	29-1/4	19-1/4
M	1-1/2" FROM CAB. FACE	1-1/2" FROM CAB. FACE
N	24	24
O	15	15
P	4-3/4	4-3/4

ALL NATIONAL UNITS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Customline Hotpoint OVENS

## CUSTOM FEATURES

**Calrod® Bake and Broil Units**—Long-life, sheath-type units—no open coils. Heat is distributed uniformly for even baking; broiler requires no preheating. Bake units pull out for easy cleaning of oven.


**Other Features**—Silver-gray porcelain liner, porcelain broiler-roaster pan. Extra thick insulation and natural draft venting keep exterior at low temperature for safe installation in wood, metal, plaster, etc.

### DE LUXE ROAST-RIGHT OVEN

#### MODEL RJG602

Hotpoint's finest single oven offers every deluxe cooking feature. Includes Roast-Right Thermometer for precise roasting, Rota-Grill Rotisserie for outdoor-style barbecues. Eye-level control panel has combination automatic timing clock and time measure, oven indicator light. Other features include Panorama window, silver-gray porcelain liner and porcelain broiler-roaster pan. Available in Satin-Chrome, Satin-Copper, Classic White and 4 beautiful Colortones.

White or Colortones..... No. 13K-6020-F ..... \$157.70  
Satin-Chrome or Copper ..... 164.35



### FOR EITHER MODEL SPECIFICATIONS

**Wattages:** Bake 3925, Broil 3700. **Maximum connected load:** 4.0 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. **Shipping weight:** Approximately 145 pounds.


All Hotpoint Customline ovens are listed by Underwriter's Laboratories, Inc.

### CUSTOM OVEN MODEL RJ002

Hotpoint's lowest-priced oven offers the same big capacity, the same quality construction as the deluxe models. Cooks a complete meal for 24 people, roasts a 40-pound turkey. Calrod units give you charcoal-type broiling, balanced-heat baking—bake unit pulls out for easy cleaning of attractive silver-gray porcelain interior. Available in stainless Satin-Chrome, Satin-Copper, Classic White and 4 Colortones.

White or Colortones..... No. 13K-2020-F ..... \$ 97.20  
Satin-Chrome or Copper..... 103.85

### Dimensions



To install so that door is 36" from floor when open, locate opening 30 3/4" above floor. For centered installation, locate opening 1/8" left of center.

Dimensions shown are for planning only. When installing, see installation instructions for complete details.

## DE LUXE FEATURES

**Super-Matic Cooking Unit**... Automatic left-rear 8-inch unit has thermostat control on backpanel so that you can set it like an oven to maintain the temperature you want.

**Automatic Mealtimer**... Shuts off any cooking unit automatically at the time you select from 1 minute to 4 3/4 hours.

**Calrod Cooking Units**... Unit at right front is the Super "2600" that heats instantly at the touch of a button. Two units feature interwound coil design for even, over-all heat at each setting; fourth unit has a special concentrated heat pattern that quick-cooks small quantities.

**Color-Lighted Pushbuttons**... Easy-to-operate pushbuttons light up in different colors to show which of the 5 measured heats is in use.

**Fluorescent Lamp**... Extends width of control panel.

**Four Electric Outlets**... One at each end can be turned on and off automatically by appliance timer at right of Mealtimer.

### DELUXE 30-INCH STACK-ON MODEL RM702

Hotpoint's finest surface cooking section combines the automatic features of Hotpoint's most deluxe free-standing ranges with the modern beauty and convenience of a built-in. The rich stainless steel cooking surface and the smartly styled control panel give you an appliance of truly outstanding appearance. And, because this model is designed for easy, low-cost installation, it enables you to enjoy the built-in look for less. The RM702 fits over any standard 30-inch wood or metal base cabinet—you save on countertop material and labor since there are no cutouts to make. And, the squared edges fit flush with adjacent countertops.

### SPECIFICATIONS, MODEL RM702

**Wattages:** One 2600 (8-inch), one 2050 (8-inch), one 1600 (6-inch), one 1250 (6-inch). **Maximum connected load:** 10.2 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. **Shipping weight:** Approximately 80 pounds.

Dimensions: 30" Width; 25" Depth; 3 1/8" Height

No. 13K-702-F ..... \$186.65

## CUSTOM FEATURES

**Roast-Right Thermometer**—Just set gauge on eye-level control panel for proper temperature, insert probe in food, turn on oven and forget it.

**Rota-Grill Rotisserie**—Dependable electric motor automatically turns meat and fowl at ideal speed for uniform grilling.

**Eye-Level Control Panel**—Distinctively styled control panel conveniently located at eye-level.

**Calrod® Bake and Broil Units**—Long-life, sheath-type units—no open coils. Bake units pull out for easy cleaning of oven.

### DELUXE BI-LEVEL OVEN MODEL RLG702

Two complete ovens in a single unit that costs less to buy and install than two separate ovens and requires no more wall width than a single oven. Each oven has separate bake and broil units and separate controls—enables you to bake or roast foods at different temperatures at the same time, and bake and roast while you barbecue or broil. The Super Oven on top with its large capacity cooks a complete meal for up to 24 people, roasts a 40-pound turkey. Thrift Oven below is ideal for smaller quantities of food and for warming. The banquet-size capacity of both ovens totals over 7200 cubic inches. Modern straight-line styling with contrasting black appointments gives you an oven as fashion-wise as it is functional. Available in Satin-Chrome, Satin-Copper, Classic White and 4 beautiful Colortones.

### SPECIFICATIONS, MODEL RLG702

**Wattages:** Bake 3925, Broil 3700. **Maximum connected load:** 8.0 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. **Shipping weight:** Approximately 235 pounds.

Dimensions: 22 1/2" Width; 48 3/8" Height; 24" Depth.

Cutout Size: 21" Width; 47 1/2" Height; 24" Depth.

No. 13K-7020-F

Colortones..... \$278.65

Satin-Chrome or Satin-Copper..... \$291.95

ALL HOTPOINT PRODUCTS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Hotpoint Customline

## OVENS—SURFACE COOKING SECTIONS



BRING NEW BEAUTY TO YOUR KITCHEN WITH


# Hotpoint Colortones

Join the modern trend to more decorative kitchens by selecting your Customline Appliances in any of Hotpoint's beautiful Colortones. Available on all models.


**Turquoise**



**Sunburst Yellow**



**Coral Pink**




**Copper Brown**



**Satin-Copper**




 FOR MODEL DESCRIPTION AND SPECIFICATIONS • SEE FACING PAGE



# Hotpoint *Customline*

## OVENS—SURFACE COOKING SECTIONS



### DE LUXE AUTOMATIC OVEN

#### MODEL RJG302

Offers de luxe cooking features at a moderate cost. Timing clock and minute timer in eye-level control panel enable you to bake and roast automatically, time any household task. Features insulated Panorama window, interior light, indicator light, silver-gray porcelain liner, and porcelain broiler-roaster pan. In stainless Satin-Chrome, Satin-Copper, Classic White and 4 beautiful Colortones.

#### SPECIFICATIONS MODEL RJG302

Wattages: Bake 3925, Broil 3700. Maximum connected load: 4.0 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 145 pounds.

Dimensions: 22½" Wide; 31¾" Height; 24" Depth.

Cut-out Size: 21" Wide; 30¾" Height; 24" Depth.

### DROP-IN MODEL RN102

This model fits into a 30-inch base cabinet, and costs less to buy and install than any other model. And, it offers many of Hotpoint's most wanted features. The unit on the right is the super-quick Super "2600" Calrod that heats instantly. Three units have the interwound coil design; the fourth (front) has the special small-utensil heat pattern. Silver-contact Rota-Switches provide 5 measured heats for each unit, and each is color-keyed to medallion in center of unit controls. Switches are protected from spillage by raised control platform. In stainless steel, Classic White and 4 beautiful Colortones.

#### SPECIFICATIONS, MODEL RN102

Wattages: One 2600 (8-inch), one 2050 (8-inch), one 1600 (6-inch), one 1250 (6-inch). Maximum connected load: 7.5 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 40 pounds.

Dimensions: 30" Wide; 20" Height; 4½" Depth.

Cut-out Size: 28¼" Wide; 18¼" Height; 4¾" Depth.

No. 13K-3020-F  
Colortones .....\$126.10  
Satin-Chrome or Satin-Copper .....\$132.75

No. 13K-102-F  
Colortones .....\$78.80  
Stainless Steel .....\$90.65

ALL HOTPOINT PRODUCTS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

*Materials Wholesale from* **MORGAN - WIGHTMAN**



# Hotpoint Customline

## SURFACE COOKING SECTIONS

### DROP-IN MODEL RN302

Hotpoint's most compact four-unit surface section fits into all 24-inch, and most 21-inch base cabinets and is designed for use where space is limited. Pushbuttons provide 5 measured heats for each unit by remote control, and each of 4 banks of pushbuttons is color-keyed to a medallion at the center of the unit it controls. Translucent nameplate illuminates when any unit is in use. Large unit is instant-heating Super "2600" Calrod. Interwound coil design and small-utensil pattern are also featured in this model. Cooking top has exclusive squared mounting frame that secures it tightly to the countertop, sealing out spilled liquids, crumbs, etc. Available in stainless steel, Classic White and 4 beautiful Colortones.

No. 13K-302-F Colortones \$84.00  
No. 13K-302-F Stainless Steel 94.50

### SPECIFICATIONS, MODEL RN302

Wattages: One 2600 (8-inch), one 1600 (6-inch), two 1250 (6-inch). Maximum connected load: 6.7 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 40 pounds.

Overall Size: 20-5/16" W. x 21-5/8" H. x 6" D.  
Cutout: 19-7/8" x 21-1/16"



All Hotpoint appliances listed by Underwriters' Laboratories, Inc.



### DE LUXE MODEL RK501 WITH SUPER "2600" CALROD

Designed for use with model RK601 to give a custom ensemble of four cooking units. Includes instant-heating Super "2600" Calrod, and both units feature interwound coil design. Units are operated by remote-control, color-lighted pushbuttons, and each bank of pushbuttons is color-keyed to the unit it controls. Exclusive squared mounting frame secures cooking top tightly to countertop. Stainless steel top.

No. 13K-501-F \$57.75

### SPECIFICATIONS, MODEL RK501

Wattages: One 2600 (8-inch), one 1250 (6-inch). Maximum connected load: 3.9 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 30 pounds.

Overall Size: 14-3/8" W. x 21-7/16" H. x 5" D. Cutout: 13-7/8" x 20-7/8" - RK601 is 10" Deep

### DE LUXE MODEL RK601 WITH DEEP-WELL COOKER

Complements model RK501 by providing additional units needed for de luxe ensemble. Features six-quart aluminum kettle that's ideal for soups and stews. Raisable rear unit has interwound coil design, front unit has heat pattern for small utensils. Remote-control, color-lighted pushbuttons are color-keyed to the units they control. Exclusive squared mounting frame provides tight seal with countertop. Stainless steel top.

No. 13K-601-F \$65.75

### SPECIFICATIONS, MODEL RK601

Wattages: One 2050 (8-inch), one 1600 (6-inch). Maximum connected load: 3.7 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 40 pounds.

### CALROD GOLDEN GRIDDLE MODEL RX31

Plugs into receptacle in backsplash, can be stored when not in use. Thermostat maintains heat selection on control dial, so that food is grilled at proper temperature for best results. Giant size cooking surface gives you 3 times more area than ordinary frying pan. Cool plastic feet protect countertop, and adjust for leveling. Trough at rear for excess grease. Griddle easily cleaned with soap and water.

No. 13K-RX31-F \$41.65

### SPECIFICATIONS, MODEL RX31

Wattage: 2000. Maximum connected load: 2.0 kw. Furnished for operation on 115/230 or 120/208 volt, 60-cycle a-c, 3-wire branch circuit. Shipping weight: Approximately 14 lbs.

Overall Size: 13-1/8" x 19 1/2"

HOTPOINT SURFACE UNITS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Hotpoint BUILT-IN REFRIGERATOR FREEZER

AVAILABLE IN 5 COLORTONES

- New Turquoise • Coral Pink • Sunburst Yellow
- Classic White • Coppertone • Stainless Steel



5-year Protection Plan...One-year warranty on complete appliance. Additional 4-year replacement contract on Thriftmaster Unit. Five-year protection against food spoilage.

## deluxe 12 cubic foot REFRIGERATOR-FREEZER



Model 8CH-12

Our No.  
13K-8CH12-H

### COLORTONES

\$391.55

### COPPERTONE

\$391.55

### STAINLESS STEEL

\$450.65

Shipping Wt.  
325 lbs.

STAINLESS STEEL VENT GRILLS AS SHOWN

No. 13K-7CX11-H

\$27.50 pr.

- Economical to buy – priced far below other built-ins.
- Economical to install – supported by the floor and does not require special supports. No separate compressor installation. Can be built-in at any height.
- Big capacity – sized for today's larger families.
- Compact design – requires only 35 inches of wall width.
- Left-and right-hand doors at no extra cost.

This combination model, with its 75-pound true food freezer and spacious ideal-humidity refrigerator, offers abundant capacity for a large family. 1/5 H.P.

**True Food Freezer...** Freezes food quickly to preserve flavor and vitamins, stores frozen food safely for months. Maintains steady, zero cold – has separate cooling system, insulation on all six sides, latch-type door. Three-row ice cube trays. **Ideal-Humidity Refrigerator...** Coldcoil maintains proper moisture balance, keeps food fresher, more flavorful, even if left uncovered.

**Frost-Away Automatic Defrosting...** Keeps refrigerator clear of frost, evaporates defrost water automatically without harmful temperature changes.

**Dairy-Stor...** Includes BUTTER BIN that holds full-pound, king-size CHEESE KEEPER and EGG RACK. Egg insert is removable for easy cleaning.

**Aluminum Door Shelves...** Extra-strong, extra-deep – hold bottles, jars, small items at your fingertips.

**4-Way Aluminum Shelves...** Sturdy rod-type shelves glide in and out, adjust up and down to fit your individual storage needs.

**New Glide-Out Meat Pan...** Provides easy accessibility, ideal storage conditions for 12 pounds of meat.

**New Capri Color Styled...** Porcelain-on-steel interior resists stains and acids, cleans easily.

**New Easier-Than-Ever Installation...** With the door frame assembly now an integral part of the box and the guide rails pre-cut, installation becomes a simple matter of removing the crate and pushing the unit into the wall.

**Additional Features...** Porcelain-steel Vegetable Crispers, Light-Touch Door Latch, vacuum-sealed Thriftmaster Unit.



WORTH ITS WEIGHT IN COLD

## America's finest popular priced REFRIGERATORS • FREEZERS

TWO SIZES – TWO MODELS

Here is top quality refrigeration, without advertising cost's charged to the customer. All models include one year warranty on all parts against defects in material and workmanship and four additional years on the sealed refrigeration unit.

### CAVALIER SERIES

Capacity..... 8 Cu. Ft.  
Comp..... 1/8 H.P.  
Refrigerant Used... Freon F 12  
Size... 53"Hx24-1/8"Wx26-1/2"D  
Net Weight..... 210 lbs.  
Gross Weight..... 255 lbs.

#### STANDARD MODEL

No. 16K-857S-HD

1-2 \$147.50 3 or more \$141.60

#### DELUXE MODEL

No. 16K-857D-HD

1-2 \$156.25 3 or more \$150.00

### ARISTOCRAT SERIES

Capacity..... 10 1/2 Cu. Ft.  
Comp..... 1/8 H.P.  
Refrigerant Used... Freon F 12  
Size... 60"Hx28"Wx28 1/2"D  
Net Weight..... 275 lbs.  
Gross Weight..... 340 lbs.

#### STANDARD MODEL

No. 16K-105S-HD

1-2 \$180.65 3 or more \$173.40

#### DELUXE MODEL

No. 16K-105D-HD

1-2 \$188.75 3 or more \$181.20



DELUXE MODEL



STANDARD MODEL

HOTPOINT REFRIGERATOR SHIPPED F.O.B. ST. LOUIS OR CHICAGO – KING F.O.B. NEW YORK FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • ACME REFRIG-O-RANGE - COMPLETE COMPACT KITCHEN •

REFRIGERATOR • FREEZER • GAS OR ELECTRIC RANGE • PORCELAIN OR STAINLESS TOPS

FOR RESORTS - HOMES - APARTMENT EFFICIENCIES - HOTELS - MOTELS - OFFICES - HOSPITALS - PLANTS  
FIVE YEAR FACTORY WARRANTY COVERS ALL REFRIGERATION SEALED UNITS

## • FEATURES FOUND IN ALL MODELS •

Mechanism up front for easy installation and low maintenance cost.

Full size oven. Roomy enough for the largest turkey. Bakes and broils at the same time.

Full size stainless steel or porcelain sink, 18" x 16", plus extra work space.

INSULATION: Compressed fiberglass hermetically sealed, so that cooking heat will not affect refrigeration temperatures. Gaskets on refrigerator and oven doors, preventing heat transfer.

REFRIGERATOR: Over five cubic feet. Large 25 lb. horizontal freezer. Double inner door shelves. SHELF AREA: Approximately 8½ square feet.




ROE 5

ELECTRIC RANGE: 220 volt: Four full sized surface units of 1250 watt Tuttle and Kift monotube burners each with seven position controls. Oven and broiler of 5000 watts with automatic heat control.

ROE 5  
with  
STAINLESS  
STEEL TOP

SIZES  
48" WIDE  
24" DEEP  
36" HIGH


ROG 5  
with  
PORCELAIN  
TOP



ROG 5

GAS RANGE: Four full size quick heat burners, easily removed for cleaning plus full size oven, automatic pilot light and adjustable valve for bottled, manufactured and natural gas.

Model	Our Number	Fuel	PRICES			
			Porcelain		Stainless	
			1-2	3 or more	1-2	3 or more
Rog 5	19K-5000-FD	Gas	\$362.00	\$348.00	\$387.00	\$372.00
Roe 5	19K-5050-FD	Electric	393.50	378.00	418.50	402.00



RES 4AF  
with  
STAINLESS  
STEEL TOP

RES 4AF

ELECTRIC BURNERS: 110 volt - Two large 1100 watt Tuttle & Kift burners, giving cooking heat in a matter of seconds. A load limiter device equalizes current on high speeds thus preventing fuse blowouts.

RGS 4 AF

GAS BURNER: Two full sized quick heat Lincoln brass burners, easily removed for cleaning. Universal valve for bottled, manufactured or natural gas.

30" WIDE x 23½" DEEP x 36" HIGH

Model	Our Number	Fuel	PRICES			
			Porcelain		Stainless	
			1-2	3 or more	1-2	3 or more
RGS 4AF	19K-4000-FD	Gas	\$260.75	\$250.00	\$279.50	\$268.00
RES 4AF	19K-4040-FD	Electric	260.75	250.00	279.50	268.00

## 5 and 6 CUBIC FOOT "SPA-SAVER" REFRIGERATORS

— S D 61F —

All White 6 Cu. Ft.


Both sizes feature large 25 lb. horizontal freezer. Inner door shelf and drip tray. Automatic light-illumination of the entire food compartment when door is open. Has 10 point control range.

— SD 51F —

Not Shown  
Same As SD 61F  
But 5 Cu. Ft.

— DP 5F —

Same as SD 51F But Available in Blond, Walnut, or Mahogany Finish With Matching Formica Top.



Model	Our Number	Size	DIMENSIONS W - D - H	PRICES	
				1-2	3 or more
SD 51F	19K-5100-FD	5 C.F.	24" x 23½" x 34½"	\$147.50	\$141.50
SD 61F	19K-6100-FD	6 C.F.	27" x 23½" x 34½"	151.00	145.00
DP 5F	19K-5500-FD	5 C.F.	24" x 23½" x 36"	177.00	170.00

## • SPECIFICATIONS •

COMPRESSOR: Tecumseh. Thrifty, ultra-quiet, self oiling.

REFRIGERANT: Freon F12.

TEMPERATURE CONTROL: Cutler Hammer. Provides wide range of safe temperatures - with defrost, vacation and off position.

BURNERS: Tuttle & Kift Electric elements. Lincoln Brass Gas Burners. Universal valves for all types of gases.

FINISH: Du Pont Deluxe. Three coats highly baked porcelain type finish.

STEEL: Sixteen and twenty gauge reinforced prime and stainless steel.

SHELVES: Triple plated, rust proofed for long life.

DOOR GASKET: Balloon type.

INSULATION: Owen's Corning compressed Fiberglas.



All electric models approved by Underwriters Laboratories  
All gas models approved by American Gas Association




ALL APPLIANCES ABOVE SHIPPED F.O.B. LONG ISLAND CITY, N.Y. FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • BUILDING SPECIALTIES •


## YALE FIRE INSULATED HOME SAFE



Here's theft and fire protection for your homes by one of America's greatest names in building . . . Yale!

This Yale Safe, offers the home-owner the finest security possible. Heavy steel walls and door completely insulated with 1-5/8" insulation; big, roomy 741 cubic inch capacity with divider shelf in center. Holds jewelry, money and all valuables with room to spare. Easy to install between studding. The Yale Home Safe is conveniently placed anywhere in the home. And each safe is guaranteed by Yale... world famous for quality! Smooth Grey Finish.

No. 68H-2000-M  
1-4 \$27.40 5 or More \$26.00  
Weight 55 lbs.



### Leigh CLOTHES CHUTE DOORS

ONE SIZE ... 12"x12"

No. 12T-1212-F

White  
\$2.88 Ea.

No. 12T-1226-F

Chrome  
\$4.15 Ea.



**Now!**

available in polish chrome or white enamel

The attractive round opening with rolled edge will not tear clothes. Door swings inward - spring tension holds it closed. No screws in the face - nailed thru flanges to studding. In a 12"x12" rough opening the outside face overlaps and covers the edges of the opening 1 1/2". Built of heavy gauge steel and carton packed. Weight, 4 pounds.

### MIAMI STEEL ACCESS DOORS

*Carey*

Less expensive than wood doors, give lifetime service • No warping, binding, shrinking, splitting • Fire and termite proof • Fit flush with wall surface • Factory painted with prime coat of rust inhibitive paint, only one finish coat required, or cover with wallpaper • Shipped ready to install, no special framing required.

All doors are 14 gauge. Frames are 16 gauge prime steel.




No.	Wall Openings	Wt.	PRICES	
			1-11	12 or More
12B-8120-I	8-3/8" x 12-3/8"	6 lbs.	\$2.70	\$2.58
12B-1216-I	12-3/8" x 16-3/8"	10 lbs.	3.28	3.12
12B-1620-I	16-3/8" x 20-3/8"	14 lbs.	3.82	3.63
12B-2024-I	20-3/8" x 24-3/8"	18 lbs.	4.94	4.70

Write for special delivered prices on 50 or more doors


### Leigh DRYER VENT....

The new Leigh Dryer-Vent is a must on all clothes dryer installations. The ventilator carries the moisture and lint from the dryer to the outside. The hood conceals a floating valve that retards back-drafts and gives better performance on all gas and electric dryers.



The Leigh Dryer-Vent fits any size clothes dryer, 3" or 4" connections. Aluminum construction throughout, the pipe is 12" long . . . ample length for all walls or foundations. Ventilators are packed twelve per carton. Wt. 1 lb. each.

BROKEN CTN. FULL CTN.  
NO. 12T-4750-F \$1.95 \$1.80



### Leigh BUILT-IN SHOE RACK...


The ideal answer to the problem of storing shoes in closets. Recesses between studding and is flush with wall. Shoes are hung on horizontal rods. Large capacity holds up to 6 pair of shoes. Built of heavy gauge metal - galvanized and bonderized. Finished in white baked enamel.

Overall dimensions  
16-1/8" x 38-3/5"  
x 3 3/4" deep.

Wall Opening, 14-1/4" wide by 36-1/8" high-has 1 1/4" flange.

Wt. 16 lbs. per carton of two.

No. 12T-1900-F  
\$4.10 ea. or \$7.90  
for carton of two.



ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE



Materials Wholesale from **MORGAN - WIGHTMAN**



**Leigh****FOUNDATION VENTILATORS****NEW! CAST ALUMINUM MODELS**

The perfect low cost answer to thousands of difficult ventilating problems: un-excavated basements, crawl spaces, fruit cellars, farm buildings, etc. Made of new pressure cast aluminum alloy with attractive large or small diamond designs available with or without damper and screen. Will fit all standard 16" x 8" masonry block space. Has new reinforced double lintel and masonry fin for rattle-free installation. Large diamond pattern has hinged damper; small diamond pattern has slide cover. Both feature positive locking devices. 8 mesh aluminum screen meets FHA requirements.


All free areas calculated by formula of Metal Ventilator Institute



Style	Number	Design	Damper	Screen	Free Area	Per Carton	Weight (per carton)	PRICE EACH	
								Broken Ctn.	Full Ctn.
A	12T-450-M	Large Diamond	None	None	66 Sq. In.	12	11 lbs.	\$0.71	\$0.68
A	12T-451-M	Large Diamond	None	Aluminum	55 Sq. In.	12	11½ lbs.	.88	.85
A	12T-452-M	Large Diamond	Aluminum	Aluminum	55 Sq. In.	12	14 lbs.	1.44	1.39
B	12T-460-M	Small Diamond	None	None	70 Sq. In.	12	10½ lbs.	.71	.68
B	12T-461-M	Small Diamond	None	Aluminum	58 Sq. In.	12	10¾ lbs.	.88	.85
B	12T-462-M	Small Diamond	Aluminum	Aluminum	58 Sq. In.	12	14½ lbs.	1.60	1.55

**NEW SLIDING DAMPER FOUNDATION VENTILATORS****HEAVY STAMPED ALUMINUM**

New sliding damper seals tight when closed, slides smoothly to any desired setting. Beveled edges around all openings add strength and rigidity. Stamped from heavy gauge aluminum. Fits standard 16" x 8" openings. 8 mesh screen meets F.H.A. requirements. Free Area 32.4 sq. in. Packed 10 per carton.



No.	Ctn. Wts.	PRICE EACH	
		Broken Ctn.	Full Ctn.
12T-630-M	8 lbs.	\$1.29	\$1.23
12T-632-M	12 lbs.	1.92	1.85



**Snap-On****KEEPS OUT:**

- BRANCHES • LEAVES
- BALLS • BIRD'S NESTS
- PREVENTS: • CLOGGED GUTTERS**
- DOWNSPOUTS • SEWERS
- DRY WELLS • WATER DAMAGE TO HOUSE & SHRUBBERY
- ICING IN WINTER

**GUTTER GUARD**

SNAP-ON has an especially designed rustproof aluminum moulding that adapts to all type gutters. Its turned up edge also prevents dirty water from dripping down side of house. — Each section made to overlap and reinforce adjoining section — yet easy to remove for painting gutter. SNAP-ON is made of heavily galvanized 1/4" mesh wire screen with the especially designed aluminum moulding firmly attached. Comes in easy-to-handle two-foot sections. Standard 5" size covers a 4" or 5" gutter. Carton contains 144 — 2' sections. (288 Lineal Feet)

No. 22T-288-M Wt. 44 lbs. \$49.92 Ctn.

**JACKSON****CONTRACTOR BARROWS****BRICK AND TILE BARROWS**

Non-leakable tray is press folded and has three thicknesses, riveted at the folds. Ideal for handling concrete and other materials where narrow, deep tray of large capacity is required. High risers are designed for superior load-balance. Select hardwood handles are varnished, metal parts have baked automotive finish. Max. capacity 5 cubic feet — struck capacity 4 cubic feet. 16 gauge tray. Size 61" overall length, 26" width, 29" height. Pneumatic tire 4.00 x 8, 16" dia., 2ply, 35 pound pressure. 7" hub with 5/8" bore-plain bearings. No. 11T-1122-M Wt. 74 lbs. \$27.75

Design favored by brick masons. Well balanced for easy handling. Seasoned hardwood is smoothly finished and sturdily reinforced with steel. Dash can be adjusted to slanted or right-angle position. Vertical strips on dash provide hand space or use of brick tongs. Wood is finished in weatherproof red paint; metal parts, blue. Length of bed 26-1/2", width 24". Height of dash 18-1/2". Overall length 58-1/2", width 25-1/2", height 32-1/2". Tire same as contractor's. No. 11T-1022-M Wt. 65 lbs. \$26.95

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



# Leigh UNDER-EAVE and ROOF VENTILATORS


LEIGH Ventilators are the ideal low-cost answer to the problem of under eaves attic ventilation. A line of ventilators with 1000 uses. Built of galvanized steel or heavy aluminum. Finned louvers deflect rain and snow, yet allow free ventilation. Have F.H.A. approved 8 mesh screen.

## • ALUMINUM UNDER-EAVES VENTILATORS



Built of heavy stamped aluminum with four sizes to fit every requirement. Has F.H.A. approved 8 mesh screen backing.


Both Types One Size: 16" x 8" Packed 10 Per Carton



12T-6180-M for use in wall above masonry or under eaves ... has no damper. Finned type water deflecting louvers 55.6 sq. in. free area.

12T-618-M  
55¢ Ea.  
\$5.05 Ctn.  
13 lbs.  
per ctn.


## GALVANIZED STEEL UNDER EAVES VENTILATORS •



12T-6200-M for use in wall above masonry... has damper to close opening... screened in back. Finned type water deflecting louvers. 55.6 sq. in. free area.

12T-620-M  
\$1.42 Ea.  
\$13.70 Ctn.  
20 lbs.  
Per Ctn.


## • MINIATURE VENTILATORS



All aluminum construction, easy to install. Recessed louvered face will not clog with paint, yet conceals opening, keeps out rain and snow. Cracking, peeling, chipping paint due to moisture condensation is a thing of the past.

No.	Size	Pack	Wt.	PRICES	
12T-2410-M	1"	144 Ctn.	2 lbs.	\$1.60 Doz.	\$18.57 Ctn.
12T-2425-M	2 1/2"	36 Ctn.	2 1/4 lbs.	.31 Ea.	10.85 Ctn.
12T-2440-M	4"	36 Ctn.	3 1/2 lbs.	.53 Ea.	18.40 Ctn.

## • CEMENT BLOCK VENTILATORS



No. 12T-5040-M  
\$1.97 Ea.  
10 Per Carton  
\$18.98

Weight

21 lbs. Per Ctn.

Whenever ventilation is needed in concrete, masonry or brick walls, Leigh Cement Block Ventilators will do the job. The louvers are full depth and are designed to keep out rain or snow, yet provide ample free area for proper ventilation (49.4 sq. in.) Screened in back to keep out insects and rodents. Meets F.H.A. Requirements. Galvanized steel. Ventilator is designed to mortar into same space as a cement block (16" x 8").

## • STRIP VENTILATORS

REVOLUTIONARY NEW CONCEPT IN VENTILATION

### THE ALL-NEW LEIGH ALUMINUM TRIMVENT STRIP VENTILATOR

Here's an exciting new combination — a ventilator and a trim strip, --- all in one. Saves material by replacing a portion of the board material in the soffit. Saves labor by cutting installation time to the minimum. It completely eliminates the cutting of ventilator holes, nailing spaces on 4" centers, fits all popular rafter spacings — 12", 16", 24", etc.

Louvers are in banks of six.  
Each bank is 2-3/8" x 1-1/2"  
Louver opening width is 1/8"  
— same as 8-mesh screen.

YOU INSTALL IT LIKE A BOARD — IT LOOKS LIKE TRIM — IT DOES A TERRIFIC VENTILATING JOB



Leigh TRIMVENT is easy to handle and install. 8-foot sections go up fast — just nail them in place like boards. And the job looks so good when it's done. TRIMVENT gives you an attractive trim strip — and good ventilation at the same time.

Dimensions Per Length

8'-1-5/8" x 2-3/4"

Free Area Per Length

35.2 Square Inch


Pieces Per Carton

30 Lengths

Shipping Weight Per Carton

20 lbs.

No. 12T-640-M Per Ctn. \$21.45



No. 12T-410-A

Special venturi opening draws out more attic air. Built of heavy aluminum. One piece base, leak-proof construction. Special weather baffle keeps out blowing snow and rain. Eight mesh screen stops birds and insects. Available in single and double models.


## ROOF VENTILATORS

The patented Leigh design Roof Ventilators are the most efficient ever built for use on 4-way roofs. They afford more ventilating area with a low streamlined silhouette which blends inconspicuously with the roof line.

No's.

12T-405-A

12T-405A-A



Number	Material	Overall Dimensions	Free Area Sq. Inch	Weight Each	Prices	
					Broken Ctn.	Full Ctn.
12T-405-A	Alum.	18-1/8" x 15 1/2"	37.5	1 1/2 lbs.	\$3.10	\$3.00
12T-405A-A	Alum.	16" x 12 3/4"	30.0	1 1/4 lbs.	2.47	2.38
12T-410-A	Alum.	26-9/16" x 18-1/8"	75.0	3 lbs.	5.55	5.35

Roof Vents Packed 10 Per Carton - except No. 12T-410-A. are packed 2 per carton.

VOLUME DISCOUNT OF 5% ON VENTILATOR ORDERS TOTALING \$60.00 OR MORE IN FULL CARTONS  
ALL VENTILATORS SHIPPED F.O.B. ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Leigh GIANT TRIANGLE VENTILATORS



Ideal for those installations requiring large ventilating areas. They are completely assembled and ready to install. Extra-strength louvers are locked into side margins—can't come loose or fall out. Special flange on back edge keeps out driving rain and snow. 8-mesh screen meets F.H.A. requirements. Wide margin provides ample coverage and protection around opening, speeds installation. Nos. marked with\* are made in one piece. All others are made in two sections for easier shipping and handling. The two halves snap together easily...no tools required.

NOTE: PACKING CHARGE AND VOLUME DISCOUNT BELOW.

Number	Base	Height	Pitch	Free Area (Sq. In.)	Shipping Weight Per Carton	Material	Price Each
12T-4256-M	6 ft.	7½"	2½-12	52.0	6½ lbs.	Alum.	6.43
12T-4258-M	8 ft.	12"	2½-12	144.0	8 lbs.	Alum.	8.80
12T-4250-M	10 ft.	12½"	2½-12	246.0	11½ lbs.	Alum.	11.30
12T-5256-M	6 ft.	7½"	2½-12	52.0	14½ lbs.	Galv.	5.11
12T-5258-M	8 ft.	12"	2½-12	144.0	18 lbs.	Galv.	6.95
12T-5250-M	10 ft.	12½"	2½-12	246.0	25 lbs.	Galv.	8.95
12T-4306-M	6 ft.	9"	3-12	95.0	7½ lbs.	Alum.	6.91
12T-4308-M	8 ft.	12"	3-12	204.0	9½ lbs.	Alum.	9.68
12T-4310-M	10 ft.	15"	3-12	349.0	13 lbs.	Alum.	12.86
12T-5306-M	6 ft.	9"	3-12	95.0	17 lbs.	Galv.	5.00
12T-5308-M	8 ft.	12"	3-12	204.0	21 lbs.	Galv.	7.00
12T-5310-M	10 ft.	15"	3-12	349.0	29 lbs.	Galv.	9.26
12T-4406-M	6 ft.	12"	4-12	114.0	12 lbs.	Alum.	7.51
12T-4408-M	8 ft.	16"	4-12	247.0	16 lbs.	Alum.	10.87
12T-4410-M	10 ft.	20"	4-12	417.0	21 lbs.	Alum.	14.87
12T-5406-M	6 ft.	12"	4-12	114.0	24½ lbs.	Galv.	5.21
12T-5408-M	8 ft.	16"	4-12	247.0	37½ lbs.	Galv.	7.67
12T-5410-M	10 ft.	20"	4-12	417.0	50½ lbs.	Galv.	10.33
12T-4504-M*	4 ft.	9¾"	5-12	62.9	6 lbs.	Alum.	4.03
12T-4506-M	6 ft.	14½"	5-12	149.7	9 lbs.	Alum.	7.67
12T-4575-M	7½ ft.	18¾"	5-12	277.7	14 lbs.	Alum.	10.93
12T-5504-M*	4 ft.	9¾"	5-12	62.9	11 lbs.	Galv.	3.22
12T-5506-M	6 ft.	14½"	5-12	149.7	19 lbs.	Galv.	5.78
12T-5575-M	7½ ft.	18¾"	5-12	277.7	31 lbs.	Galv.	8.53

## ALUMINUM LOUVERS


BY UNITED STATES GYPSUM

Largest "Free Area" size for size than all other makes, aluminum nails furnished with all types — no charge.

### Multi-Pitch Adjustable Louvers

Adjusts to a wide variety of roof pitches, yet height and louver spacings stay the same. Installs under fascia board, no need to cut or notch studs.

No. 20 T-2000-M



Model	Pitch	Dealer Price Each	Base Length	Altitude	Net Free Area	Weight Per Carton	Louvers Per Ctn.	Fan. Cap. In C.F.M.
47	4-12	\$4.55	64"	10¾"	204 sq. in.	13½ lbs.	6	1310
	7-12		41½"	12"	134 sq. in.			950
712	7-12	3.61	41½"	12"	144 sq. in.	10½ lbs.	6	940
	12-12		27¾"	13¾"	100 sq. in.			735

\$1.00 PACKING CHARGE FOR BROKEN CARTONS

### Fixed Pitch Triangular Louvers

Made of embossed aluminum, in two section for ease of handling and installation. Large ventilating capacity. Well suited for use with attic fans.

Built-in 8-mesh rust proof screen.

NO. 20T-3000-M



Pitch	Dealer Price Each	Base Length	Altitude	Net Free Area	Weight Per Carton	Louvers Per Ctn.	Fan Cap. In C.F.M.
3-12	\$11.60	120"	15"	344 sq. in.	14 lbs.	2	2611
4-12	9.86	96"	16"	292 sq. in.	12 lbs.	2	2190
4-12	12.95	120"	20"	502 sq. in.	17¼ lbs.	2	3370
4-12	18.35	144"	24"	760 sq. in.	22 lbs.	2	5700
5-12	10.43	96"	20"	408 sq. in.	14½ lbs.	2	3140
6-12	12.27	96"	24"	495 sq. in.	17 lbs.	2	3600

VOLUME DISCOUNT OF 5% ON 24 OR MORE TRIANGLE LOUVERS

## Leigh ATTIC VENTS

MADE OF HEAVY GAUGE ALUMINUM


Leigh Attic Ventilators are a necessity in all insulated homes. They keep attics free of moisture that condenses in cold winter months, and provide an escape for excessive summer heat. Full 2" depth and 45° louver angle gives maximum free area. Heavy louvers have rolled front edge giving massive appearance. Turned-up back edges deflect rain and snow. 8-mesh screen meets F.H.A. requirements. Channel on back permits using glass or sheet metal closing as desired.

### FLUSH TYPE

For old or new construction.


### RECESSED TYPE

For new construction. Recessed flange fastens to sheathing — brick or siding butts against frame.



### BRICK VENTILATORS

Brick Ventilators are exactly the size of a brick — can be laid in any brick wall. Built of galvanized steel-screened for insects-weather-proof. Free area, 13 square inches.



No. 12T-506-M  
83¢ Each  
10 Per Carton  
\$8.00  
9 Lbs. Per Ctn.

### SPECIFICATIONS FOR ALL TYPES

Opp. Size (Width x Ht.)	Overall Size	Free Area Flush Type	Free Area Recessed Type	ALUMINUM					
				FLUSH No. 12T-4001-M			RECESSED No. 12T-4011-M		
				Wt.	Bkn. Ctn.	Full Ctn.	Wt.	Bkn. Ctn.	Full Ctn.
12" x 12"	15" x 15"	63.3 sq. in.	59.4 sq. in.	12 lbs.	\$1.60	\$1.55	14 lbs.	\$2.15	\$2.10
12" x 18"	15" x 21"	99.7 sq. in.	95.1 sq. in.	17 lbs.	2.10	2.00	19 lbs.	2.75	2.65
14" x 24"	17" x 27"	160.0 sq. in.	154.1 sq. in.	24 lbs.	3.20	3.05	27 lbs.	3.65	3.45
24" x 30"	27" x 33"	353.8 sq. in.	344.9 sq. in.	10 lbs.	6.10	5.85	11 lbs.	7.40	7.15

Packed 10 — per corrugated shipping container. 24x30 size packed 2 per carton. In ordering specify opening size.  
"VOLUME DISCOUNT" Less 5% on 50 ventilator orders — in full cartons.

ALL VENTILATORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



## • METAL CROSS BRIDGING •

### Quick-Bridge....

QUICK-BRIDGE, the modern cross bridging, is made of full 18 gauge cold rolled steel, treated to prevent corrosion and rust . . . F.H.A. approved. And QUICK-BRIDGE actually costs less than wood bridging!

*Price  
Reduced!*

**CAN BE  
INSTALLED AFTER  
FLOOR IS LAID**

• No. 21T-5000-S •

PRICED PER CARTON

1-11

12 or more

**\$5.85** ctn.

**\$5.50** ctn.

Made for 2x8, 2x10 and 2x12 in. joists laid 16 in. center. packed 50 pairs to the carton.

Weight Per Carton 28 Lbs.


### Saves **SAWING** ★ **LABOR** ★ **NAILS** ...

The chore of joist bridging is now a thing of the past. Now it's all done in a jiffy in the simplest way — with a rigidity and strength never before approached. No cutting; no fitting; no waste; no effort; no costly time consuming.

You simply jab the two sharp prongs of QUICK-BRIDGE into the joist — then give the other end a push with the hand. A small pointed prong holds the nailing end in place, giving you both hands free to drive home the two nails that firmly anchor QUICK-BRIDGE in place — for all time! Galvanized shingle nails will hold them firmly in place.

- Will tighten as lumber dries — a great advantage.
- Can be installed in existing construction as well as new.
- Neat in appearance in modern basements.
- One piece — never lets go or shrinks — cannot split or warp.
- Can be installed after plumbing and wiring have been installed.
- Saving of labor in the days of mounting costs and shortages appeal to the buyer.

## Here's a **BRAND-NEW, BETTER** WAY to install stairs WITH ALL STEEL STAIR STRINGERS YOU CAN INSTALL ...



THEY AUTOMATICALLY ADJUST TO ANY INCLINE — JUST 8 SCREWS TO FASTEN — THEN ADD YOUR OWN WOOD OR STEEL TREADS.

- Basement Stairs!
- Attic Stairs!
- Outside Stairs!

**IN ONE-HALF THE TIME!**

Stair Stringers are available in pairs measuring from 29" actual length to 125" — from 2 treads to 10 treads. For ordering the correct size just take measurements between 2 points — where the stairs will attach to the floor up to the place they will attach on the wall. Then pick the nearest stock size as follows: 29", 40", 53", 65", 77", 89", 113", 125".

#### FREE STANDING MODEL

No.	Actual Length Of Stringer	No. Of Treads	Ship. Wt.	Price Per Pr.
16T-ST2-ID	29"	2	20 lbs.	\$10.00
16T-ST3-ID	40"	3	25 lbs.	12.50
16T-ST4-ID	53"	4	30 lbs.	15.00
16T-ST5-ID	65"	5	40 lbs.	18.30
16T-ST6-ID	77"	6	45 lbs.	21.00
16T-ST7-ID	89"	7	70 lbs.	31.25
16T-ST8-ID	101"	8	80 lbs.	36.25
16T-ST9-ID	113"	9	90 lbs.	39.55
16T-ST10-ID	125"	10	95 lbs.	43.00

#### SIDE WALL ATTACHMENT MODEL

No.	Actual Length Of Stringer	No. Of Treads	Ship. Wt.	Price Per Pr.
16T-J6-ID	77"	6	27 lbs.	11.75
16T-J7-ID	89"	7	35 lbs.	15.10
16T-J8-ID	101"	8	40 lbs.	17.25
16T-J9-ID	113"	9	45 lbs.	20.00
16T-J10-ID	129"	10	48 lbs.	21.50

Welded box-construction is used on 7-step or longer stair stringers (two channels welded together in box-construction for extra strength).


STAIR STRINGERS SHIPPED F.O.B. MEMPHIS FACTORY — BRIDGING F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**



# • STEEL BUILDING PRODUCTS •

## GALVANIZED AREAWALLS




NOW - with rolled top edge for extra rigidity and safe handling.

16 gauge corrugated construction with heavy galvanized finish for lasting installation. 4 sizes. 16" projection - 37" width.

Number	SIZE Depth	Wt.	1-11	12-47	48 or More
25T-3712-S	12"	13 lbs.	\$2.13	\$2.03	\$1.92
25T-3718-S	18"	19 lbs.	2.88	2.74	2.60
25T-3724-S	24"	26 lbs.	3.58	3.40	3.23
25T-3730-S	30"	32 lbs.	4.90	4.66	4.42

## AREAWALLS GRILLS



With Set-Rite flanges, assures positive protection, safety and neater appearance. Finished in lustrous baked-on gray enamel paint. Sturdily constructed of high quality new steel. Specifications and quotations of other sizes of grills available upon request.

Number	Size	Wt.	1-11	12-47	48 or More
24T-3716-M	37" x 16"	14 lbs.	\$5.20	\$4.94	\$4.68

## STEEL BASEMENT COLUMNS

### ADJUSTABLE JACK POST

Keep Floors Level and Safe

Jack-post column support loads in excess of 22,000 lbs. The outer post is 12 gauge steel 2 3/4" in diameter, while the telescopic inner post is 2 1/2" in diameter and made of 11 gauge steel. Floor and beam plates are 5/16" thick and are drilled for anchoring if desired. Manufactured from prime steel; chemically cleaned and painted inside and out to prevent rust and corrosion. The jack assembly includes a removable jack handle ...

Machined  
Fit 7/8" Cold  
Rolled Steel  
Safety  
Lock  
Pin



### ADJUSTABLE STEEL COLUMN

The Building Post For New Construction


Post is designed and tested to fulfill U.S./F.H.A. property requirements. For Use Under Wood or Steel Beams. Made of 11 Gauge Steel Tubing - 3" diameter, caps and base plates 5/16" x 4 1/2" x 8".

- Insures "Level Control" during construction with 3 full inches of adjustment.
- Painted inside and out for rust resistance.
- Eliminates - Faulty unsafe shims during and after construction.


#### INSTALLATION INSTRUCTIONS

1. Pour E-Z Post control footer in accordance with F.H.A. minimum property requirements. The footer must be at least 7" below the level of the finished floor.
2. Place adjusting screw end of post on control footer.
3. Plumb post and set to beam. Fasten plates.
4. After final adjustment is made, floor is poured, completely sealing the Post.

Number	Adjusts	Wt.	Price Each 1-11	12 or more
18T-6669-N	6'6" to 6'9"	39 lbs.	\$7.16	\$6.79
18T-6970-N	6'9" to 7'0"	40 lbs.	7.35	6.98
18T-7073-N	7'0" to 7'3"	41 lbs.	7.55	7.16
18T-7376-N	7'3" to 7'6"	42 lbs.	7.74	7.35



## HEAVY DUTY JOIST HANGERS



Used for framing joists to girders, headers to joists, around stair wells, chimneys, hearths, ducts and other floor openings.


Windsor joist hangers lay flat against both joist and girder, no interference with furring.

EXTRA SAFE - Windsor joist hangers are made of heavy steel bars to safely carry greatest load allowable on corresponding size joist. They are designed so the maximum shear and

tensile stresses in the steel are well within the limits prescribed by building codes.

Number	Size Joice	Size Steel	Wt. Each	Price Each 1-24	25 or more
26T-2060-S	2x6	2x1/8	1 lb.	30¢	28¢
26T-2080-S	2x8	2x1/8	1 1/2 lbs.	37¢	35¢
26T-2010-S	2x10	2x1/8	1 3/4 lbs.	40¢	38¢
26T-2012-S	2x12	2x5/32	2 1/4 lbs.	53¢	47¢

### ANCHOR BOLTS



For anchoring sills to masonry walls. 2" thread one end. Opposite end bent 1 1/2" on inside. Nuts and washers included. 50 per carton. Supplied in full cartons only.

No.	Size	Wt. Per 100	Price Per 100
26T-108-M	1/2" x 8"	53 lbs.	\$13.00
26T-112-M	1/2" x 12"	75 lbs.	16.00
26T-116-M	1/2" x 16"	100 lbs.	19.50
26T-118-M	1/2" x 18"	110 lbs.	21.50

## FIXED STEEL SUPPORT COLUMNS

MADE OF 11 GAUGE STEEL 4" DIAMETER

For home - farm - commercial building construction. Tested to full-fill U.S./F.H.A. requirements. "Cut down" in length with a hacksaw - may also be filled with concrete.

These columns come with separate detachable steel caps and bases which are held firmly in position on the columns by heavy lugs. The caps will fit any standard beam - wood or steel - as the cap plate hole spacing is adaptable for various beam sizes. They are corrosion-proofed, as posts, caps and bases are thoroughly cleaned and painted inside and out.

Number	Length	Safe Loads	Shipping Wt.(lbs.)	Price 1-11	12 or more
19T-680-I	6'8"	22,700 lbs.	31	\$6.75	\$6.40
19T-700-I	7'0"	22,300 lbs.	34	6.80	6.45
19T-780-I	7'8"	21,400 lbs.	41	6.90	6.55



### WALL TIES

Standard size 3/4" x 7". Corrugated and heavy galvanized. Packed 1,000 in a carton. Supplied in full cartons only.



No. 19T-347-S

Wt. 45 lbs.

\$6.70 Ctn.

STEEL BUILDING PRODUCTS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



# • Windsor STEEL BASEMENT DOORS •

## 3 SIZES

PRICED AS LOW AS \$44.80




1. Weather Sealed Doors.
2. Exclusive, Adjustable, Easy-Action Spring Mechanism.
3. Sturdy Locking Slide Bolt.
4. 12 Gauge All Steel Construction.
5. Extra Strong, Welded On Door Hinges.
6. Accident Proof, Automatic Safety Catches.


- **EASIER OPERATING.** Almost effortless to open and close. New spring mechanism is super strong, trouble-free and adjustable with precise and gentle action.
- **SAFER.** Doors automatically secured in open position by dependable automatic safety catches. Can't blow or bang shut. Can't close accidentally. Burglar proof slide bolt locks doors from inside.
- **LONGER LASTING.** Husky 12-gauge steel frame and panels offer lifetime service with maximum resistance to warping and corrosion.
- **LEAKPROOF.** Doors interlock with frame in rain-tight, wind-tight runoff channels.
- **SIMPLE INSTALLATION.** Detailed, easy instructions provide for quick, one-man installation on old or new construction.

WHEN WORK OR PLAY IS OVER there is easy access for the gardener and muddy small fry to the basement cleanup room or shower.

NO CHORE ANY MORE to store such hefty, bulky items as porch gliders or picnic tables.



OPENING REQUIREMENTS




NOTE: No. 27T-110-D SHIPPED ONLY FROM CONNECTICUT FACTORY

No.	A	B	C	D	E	Wts.	1-2	PRICES	3 or More
27T-110-D	3'-4"	4'-6"	2'-0 1/2"	4'-10"	3'-11"	165 lbs.	\$47.75		\$44.80
29T-111-F	3'-8"	5'-3"	1'-10"	5'-4"	4'-3"	150 lbs.	50.30		47.75
29T-112-F	4'-0"	5'-9"	1'-10"	6'-0"	4'-7"	165 lbs.	53.25		50.55

## NOW! A NEW CONCEPT IN BASEMENT ENTRANCE WAYS

THE MOST USEFUL DOOR IN THE HOUSE!



Permits installation of bulky equipment, home freezers, ping pong tables, hobby shop equipment... even a piano - are easily moved into the basement through the spacious Service-way opening.



Allows convenient storage of screens and storm windows. Now it's a cinch to take them in and out of the basement without damaging upstairs walls or woodwork.



Relieves that cluttered garage. Lawn mowers, garden tools, bicycles and other toys can be kept in the basement - easily taken in or out when needed.

### CHECK THESE FEATURES!

#### DOUBLE ACTION SPRINGS

Specially designed spring suspension counterbalances the weight of the door in all positions for finger-tip operation.

#### WEATHER-TIGHT

Overlapping flanges on frame and door assure snug fit - keep out rain, snow and wind.

#### QUICK-RELEASE SAFETY ROD

Door is easily locked in full open position to prevent accidental closing or being blown shut by wind.

#### ALL-WELDED CONSTRUCTION

The Service-way is built of heavy-gauge steel - electrically welded for maximum durability.

#### STRUCTURALLY REINFORCED

Reinforcing members are welded to the underside of the one-piece door for extra rigidity. Door can be walked on without damage.

#### READY TO INSTALL

The Service-way is factory assembled and prime coated to save installation costs.

HEATILATOR  
**SERVICE-WAY**

THE SERVICE ENTRY  
FOR MODERN BASEMENTS

No.	Overall Size	Door Size	Wt.	1-2	3 or More
29T-101-F	66" L. x 52" W.	59" L. x 45" W.	185 lbs.	\$59.20	\$56.15

ALL BASEMENT DOORS SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE


Materials Wholesale from **MORGAN - WIGHTMAN**



# • COMMERCIAL OVERHEAD DOORS •

STURDY CONSTRUCTION GIVES LONGER, TROUBLE FREE LIFE

Commercial and residential door sections are made of top quality Douglas Fir sanded and ready for paint. Assembled with hardwood, dawels and waterproof glue. Styles and rails are 1-3/8" or 1 1/4" thick as specified. Panels are of 1/4" exterior grade A.B. Plywood. The V-closure formed by the combination of 2" heavy rolled steel tapered vertical track and the heavy gauge steel embossed type graduated hinges forces each section against the jambs and header assuring a close, snug weathertight seal top to bottom. Cables are of high grade flexible preformed, lubricated steel strands of proper size and safety factor according to weight of door. Rollers are of the ball bearing type. Locking device consists of spring controlled cremone type lock bars which engage slots in the track on both sides. Reinforcing trusses are furnished on all doors over 12'2" wide. Springs are made of high quality oil-tempered wire and accurately counter-balanced and power metered according to size and weight of door.



"Extension" type springs are mounted parallel to track permitting easy installation and tension adjustment. "Torsion" type springs are mounted on solid steel shaft extending the full width of door eliminating the possibility of unequal pull on one side of the door and the consequent binding of the door in the tracks. Tension of spring can be easily and quickly adjusted.

MADE "ALL PANELLED" NO GLASS OPENINGS - UNLESS OTHERWISE SPECIFIED ON ORDER.

FOR A QUANTITY OF SIX OR MORE  
DOORS WRITE FOR SPECIAL  
VOLUME QUOTATION.

## EXTRAS FOR COMMERCIAL DOORS

**HIGH LIFT:** Hardware is designed for those cases where it is desired to leave other than standard space between the floor and the underside of the door in its open position. Should be specified in Service Stations or Garages where a grease hoist is located adjacent to the opening or can be used to clear beams or conveyor track or other obstructions which prohibit the use of a standard door. Limited to a maximum of 5'0" extra lift and to a maximum door height of 14'0". Available only on Torsion Spring Doors.

Up to 2'0" above Head Jamb . . . . \$20.25  
Up to 5'0" above Head Jamb . . . . 33.70

### ANGLE MOUNTING

Vertical tracks can be angle mounted on any size door. Special heavy angles can be used having extra long leg for attaching track giving extra protection to track from damage due to vehicles bumping track when leaving building. Inverted angle mounting is usually specified when tracks are applied to steel jambs. Price Per Ft. of Door Height. \$1.70


**PASS DOOR** can be built into an overhead door to eliminate opening the whole door for pedestrian traffic. Where possible it is recommended that a separate pass door be provided, but space conditions often make a combination door necessary. Pass doors are limited to 3 sections in height (approximately 6 feet) and the width is designed to best fit the panel construction of the door. Pass doors always open out using hinges and a night latch for locking. Bottom rail of overhead door is reinforced with steel and steel weather strips are provided on each side of pass door with a flexible rubber weather strip at the top. \$78.00

### CHAIN HOIST

Extension Spring Doors . . . . . \$74.75  
Torsion Spring Doors . . . . . 39.35

Two or more doors can be "keyed-alike" when specified - no extra charge.

All doors this page made to special order allow 1 to 2 weeks for delivery.



Standard 18G-410-MD and 18G-420-MD  
Extension Spring Door

### 18G-410-MD

Doors With Extension Springs 1 1/4" Thick


Door Size	No. of Sec.	Shipping Weight	Price
8 x 7	4	224	\$75.85
8 x 7-6	4	236	75.85
8 x 8	4	256	75.85
9 x 7	4	250	75.85
9 x 8	4	288	85.40
9 x 9	5	290	96.10
9 x 10	5	292	119.70
10 x 7	4	280	83.17
10 x 8	4	320	94.97
10 x 9	5	292	119.70
10 x 10	5	385	121.40
10 x 12	6	450	145.55
12 x 10	6	425	137.70
12 x 12	6	540	167.45
14 x 10	5	783	186.55
15 x 7	4	525	129.25
16 x 7	4	560	138.25

### 18G-420-MD

Doors With Extension Springs 1-3/8" Thick

Door Size	No. of Sec.	Shipping Weight	Price
8 x 7-6	4	190	\$59.40
8 x 8	4	210	61.93
10 x 7	4	215	67.85
10 x 8	4	240	75.15

All above doors require 13" headroom.



Standard 18G-400-MD Torsion Spring Door

### 18G-400-MD

Doors With Torsion Springs 1 1/4" Thick

Door Size	No. of Sec.	Shipping Weight	Price
8 x 7	4	280	\$85.30
8 x 7-6	4	295	86.00
8 x 8	4	320	86.65
9 x 7	4	315	86.50
9 x 8	4	360	97.45
9 x 9	5	405	109.75
9 x 10	5	450	134.90
10 x 7	4	350	95.00
10 x 8	4	400	108.45
10 x 9	4	450	134.85
10 x 10	5	500	138.25
10 x 12	6	660	165.75
12 x 8	4	528	143.75
12 x 9	5	594	162.05
12 x 10	5	660	157.90
12 x 12	6	792	191.75
12 x 14	7	924	288.40
14 x 10	5	770	210.15
14 x 12	6	924	288.40
14 x 14	7	1068	336.25
15 x 7	4	575	157.65
16 x 7	4	615	167.80

Up to 8'6" High, 13" Headroom Required.  
Over 8'6" to 12'6" High, 15" Headroom  
Required  
Over 12'6" to 14'0" High, 18" Headroom  
Required

Low Headroom Hardware for Doors To  
16'0" Wide to 8'0" High . . . . \$8.55  
12'0" Wide to 12'0" High . . . . 12.80  
Over 12' High . . . . . 19.20

Low Headroom Hardware may be installed within 6" above top of opening.

ALL GARAGE DOORS ON THIS PAGE SHIPPED F.O.B. PHILADELPHIA FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**






# MORRISON PREMIER *Roly-Doors*

## AMERICA'S FINEST STEEL SECTIONAL OVERHEAD DOOR


THE ROLY-DOOR is a 7 section, all steel, upward-acting door that provides a safe, convenient, attractive closure for any garage. A product of expert designing and modern mass production techniques, the ROLY-DOOR provides the quality features demanded by today's home-buyers-within the limits of a modest building or remodeling budget.



**Model No. 17G-2000-M**  
All steel door with door lites.

Size	Ship. Wts.	PRICES	
		1-2	3 or more
8'x6'6"	155 lbs.	\$53.00	\$50.35
8'x7'	170 lbs.	53.25	50.60
9'x6'6"	170 lbs.	57.25	54.40
9'x7'	175 lbs.	57.35	54.50
15'x7'	340 lbs.	118.05	112.15
16'x6'6"	345 lbs.	124.85	118.60
16'x7'	355 lbs.	125.05	118.80

... 8x7 and 9x7 doors furnished with two lites; 15x7 and 16x7 doors furnished with four lites. Openings are prepared for glass (glass not supplied) and have vinyl moulding



Inside construction of the 8'-9'-10' Morrison Roly-Door PREMIER models.

Inside construction of the Morrison Roly-Door PREMIER, 14'-15'-16' sizes, incorporating horizontal and vertical reinforcing members, resistance welded to the sections.

Add \$1.00 per single door, \$2.00 per double door for shipment from Chicago stock.

### QUALITY SPECIFICATIONS

**ATTRACTIVE** - adds to the appearance of any home. Blends smoothly with any decor. Can be painted any color.

**EASY TO OPERATE** - Free-turning rollers and sheaves plus constant weight means easy operation - permanently.

**CONVENIENT** - Up, out of the way, completely inside the garage. Down, securely closed. No awkward swinging-out motion.

**SAFE** - Perfectly counterbalanced. No pinched fingers, crushed toes or bumped heads.

**PRACTICAL** - Horizontal design provides handholds at any height. No stooping or bending, stretching or reaching.

**DURABLE** - All steel - bonderized and red oxide prime coated - rust resisting sections, electronically welded strong and light.

**WEATHERPROOF** - Will not rot, warp or absorb moisture. Exclusive, inter-locking, weathertight seal between door sections. Full length, rubber astragal provides perfect bottom seal - adjusts to uneven floor.

**GUARANTEED** - For one year against defective material or workman ship.

### HEADROOM REQUIREMENTS

All doors require 7½" of head room. For doors requiring less than 7½" of head room but having a minimum of 3½" add \$4.10 to price for special "Low Head Room Kit."



**Model No. 17G-1000-M**  
All steel door no section left open for glass.

Size	Ship. Wts.	PRICES	
		1-2	3 or more
8'x6'6"	155 lbs.	\$50.95	\$48.40
8'x7'	170 lbs.	51.20	48.65
9'x6'6"	170 lbs.	55.20	52.45
9'x7'	175 lbs.	55.30	52.55
15'x7'	340 lbs.	114.95	109.20
16'x6'6"	345 lbs.	121.75	115.65
16'x7'	355 lbs.	121.95	115.85

ALL SIZES OF DOORS AVAILABLE FOR SPECIAL SIZES - WRITE FOR PRICES.



## MORRISON

## COMMERCIAL SECTIONAL STEEL

## *Roly-Doors*

Roly-Doors are sectional upward acting overhead steel doors designed for residential, commercial and industrial applications. Roly-Doors offer an extremely rigid all-steel door of welded construction that minimizes the number and weight of component parts. Roll formed steel panels horizontally ribbed, add extra strength. No sagging, warping or rotting in Roly-Doors. Springs are adjusted for fingertip operation in even the larger doors. Easy operation is permanently maintained because Roly-Doors cannot absorb moisture . . . Therefore, their weight remains constant through the life of the door. Inclined vertical tracks and beveled metal stops create a wedging action which keeps Roly-Doors firmly seated when closed.

### DOOR LITES

8'0" through 10'2" wide doors  
(2 windows) . . . . . \$1.90  
10'0" through 16'2" wide doors  
(3 windows) . . . . . 2.80  
Additional openings available . . . . . 65¢ ea.  
Openings are prepared for glass, including Vinyl moulding. Glass not included.

### TORSION SPRINGS

To replace standard extension spring on doors. Priced by Quotation

### OVERLAPPING JAMBS


Continuous angle vertical track to overlap Jamb in Mounting track to steel, wood, masonry or concrete block.

No stop moulding furnished.  
Per Foot of Door Height . . . . . \$1.25

### No. 17G-300-MD COMMERCIAL DOORS

Sections	8	9	10	11	12
Height	7'6" or 8'0"	8'6" or 9'0"	9'6" or 10'0"	10'6" or 11'0"	11'6" or 12'0"
Width	8'0"	9'0"	10'0"	11'0"	12'0"
8'0"	\$120.00	\$144.00	\$168.00	\$192.00	\$216.00
9'0"	139.00	166.00	193.00	220.00	246.00
10'0"	161.00	191.00	221.00	269.00	299.00
12'0"	216.00	252.00	288.00	324.00	360.00
14'0"	266.00	305.00	343.00	382.00	420.00
15'0"	292.00	331.00	371.00	410.00	450.00
16'0"	317.00	358.00	398.00	439.00	480.00

HEADROOM - Standard 12" on all sizes. For minimum 3½" headroom on doors up to 100 sq. ft. add \$7.50 per door. For low headroom on doors over 100 sq. ft. write for special pricing.



Commercial Steel Doors Shipped  
F.O.B. Buffalo, N.Y. Factory

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • OVERHEAD GARAGE DOORS •

"ALL STEEL" OVERHEAD GARAGE DOORS-REQUIRES ONLY 2" HEADROOM

## • SPECIFICATIONS •

**DOOR PANELS:** Heavy gauge galvanized steel - horizontal grooved-trussed construction - zinc coated by electrolytic process - Factory Painted Dove Gray, two coats - no further paint needed,  
**TRACK:** Safety lock, heavy gauge "Y" type -  
**ROLLERS:** Custom made NYLON - noiseless free rolling wheels - oversized axles.


**SPRINGS:** Heavy duty, oil tempered - power tested for correct tension.

**OPERATING HARDWARE:** Designed and engineered to withstand a lifetime of hard usage - diagonal bracing, ANTISWAY, and no drag stabilization built into operating units - all parts precision machined of high quality steel and semi-assembled at factory - vinyl base black enamel baked on finish.

**WEATHERSTRIPPING:** Completely weather protected to keep out dust, drafts, rain and snow - side jambs weather-stripped full height with heavy gauge metal - head jamb has metal weather protector and stop - bottom, weather sealed with flexible freeze-proof rubber strip.

**LOCK:** Auto type, lock handle chrome plated - operates from inside or outside, two keys.


## Complete Receding Track Type Spring Operated Hardware



PLAIN TYPE



2 LITES GLAZED



INTERIOR VIEW

Number	Size	Type	Wt.	PRICES
14G-8070-M	8 x 7	Plain	150 lbs.	\$46.55
14G-8072-M	8 x 7	2 Glazed	151 lbs.	51.20
14G-9070-M	9 x 7	Plain	162 lbs.	52.20
14G-9072-M	9 x 7	2 Glazed	163 lbs.	56.85
14G-1670-M	16 x 7	Plain	286 lbs.	97.90
14G-1674-M	16 x 7	4 Glazed	288 lbs.	107.20

## WINDSOR "SINGLE SECTION" WOOD OVERHEAD DOORS


• ECONOMICAL • ATTRACTIVE • TROUBLE FREE • REQUIRES ONLY 2" HEADROOM

Has The Appearance of a "5 Section" Door



- \* FLOATING ACTION OPERATION...
- \* ENTIRE DOOR TOXIC TREATED
- \* BALL BEARING ROLLERS...
- \* COMPLETE STEEL WEATHERSTRIP
- \* QUALITY CYLINDER LOCK
- \* WIND WILL NOT BLOW IT SHUT

The perfect door for basement garage or any other opening where little headroom is available. Doors are manufactured of clear ponderosa pine full 1-3/8" thick with 1/4" exterior plywood panels.



### • ALL DOORS COMPLETELY GLAZED •

No. 26G-866 1-M	26G-8701-M	26G-9701-M
Size 8-0 x 6-6 x 1-3/8	8-0 x 7-0 x 1-3/8	9-0 x 7-0 x 1-3/8
\$48.00 1-2	\$48.00 1-2	\$57.60 1-2
45.60 3 or more	45.60 3 or more	54.75 3 or more
Wts. 135 lbs.	140 lbs.	185 lbs.

SIZES MAY BE COMBINED FOR QUANTITY PRICES

NOTE: Above prices are for door unwrapped

Add \$1.00 for bundling if shipped by common carrier.


### FAMOUS FRANTZ HARDWARE

Frantz overhead door hardware is specially suited to the modest building or remodelling budget. It is low in cost, simple to install; there is nothing to get out of order. Requires only 2" of headroom. Complete with all hardware, including two 3' angle braces to support door. Offset arm design pulls door in at full open or closed position, assuring an unobstructed opening and a tight-closing door.

## WINDSOR FLUSH SECTIONAL OVERHEAD DOORS

FOR TODAY'S CONTEMPORARY HOME

The ideal door for the home with modern design. Lites may be added (as shown at left) in any pattern or grouping you desire. Our complete line of door rosettes (shown on page 130) may be added for additional beauty. Truly a door to excite the imagination.




Above door has (4) 8" x 32" lites - which are an optional extra.

### DOOR SPECIFICATION

The Windsor flush door is made of 1/4" exterior AB grade waterproof fir plywood glued to one side only of heavy fir frame-work. All doors are a full 1-3/8" thick, four section type, and available in four popular sizes from our factory stock.

### HARDWARE SPECIFICATION

Hardware is our extension spring type with 2" track inclined to provide weathertight seal. Ball bearing track rollers and cable sheaves are supplied for smooth operation. Lock bar engages track on both sides with yale cylinder lock for maximum security.



Above door has raised molding - which may be applied by customer. We cannot furnish.

Size	No. 13G-1870-MD Wts.	Price
8 x 7 x 1-3/8	168 lbs.	\$ 60.30
9 x 7 x 1-3/8	189 lbs.	63.00
15 x 7 x 1-3/8	420 lbs.	132.50
16 x 7 x 1-3/8	448 lbs.	133.35

All Flush Doors Are 4 Sections High.

NOTE: We recommend rubber weatherstrip shown on page 107 on the bottom of all flush doors.

### • OPENINGS FOR GLASS •

Cut Outs 4" x 12" - 4" x 16" - 6" x 10" - 6" x 14" - 8" x 8" can be provided in any section of flush doors add \$6.00 per opening . . . . . For 8" x 32" or 12" x 60" opening add \$9.00 per opening.

ALL DOORS ABOVE SHIPPED F.O.B. ST. LOUIS OR CHICAGO-EXCEPT FLUSH SECTIONAL F.O.B. WATERLOO, IOWA FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor SECTIONAL GARAGE DOORS


TOP QUALITY OVERHEAD DOORS IN VARIOUS PANEL WIDTHS. . . FOUR OR FIVE SELECTIONS IN HEIGHT TO MEET YOUR EVERY REQUIREMENT

Windsor Sectional Doors are available in *all sizes*, with standard sizes in stock for immediate shipment. Made of top quality Douglas Fir, these doors are assembled with hardwood dowels and waterproof glue, shipped sanded and ready for paint. Heavy gauge steel hinges, graduated in size, assure a *snug fit against jamb* when doors are fully closed. Extra heavy hardware, oil tempered springs and weathertight seals are yours *at no extra cost* when you buy Windsor Sectional Doors from Morgan-Wightman. Furnished with either Extension or Torsion type springs as you prefer.




Design 18G-450-M Shown


## WINDSOR FOUR SECTION MODELS



EIGHT PANEL  
Model 18G-840-M




FOUR PANEL  
Model 18G-440-M




SIX PANEL  
Model 18G-640-M

## WINDSOR FIVE SECTION MODELS



FOUR PANEL  
Model 18G-450-M



TWO PANEL  
Model 18G-250-M

### HEAD ROOM REQUIREMENT

Standard Headroom is 10" On All Doors  
..For 3" Headroom add \$6.00 Per Door for doors up to 9' wide and \$9.50 for doors up to 16' wide.

WOOD STOPS CAN BE FURNISHED AS AN OPTIONAL EXTRA REFER TO PRICES BELOW  
PRICE PER DOORS ARE DETERMINED BY MODEL AND SIZE


SINGLE CAR DOOR PRICES								
Door Size	Wt.	18G-440-M		18G-640-M		18G-250-M		Wood Stops 5/8x3½ Price Per Set
		1-2	3 or more	1-2	3 or more	1-2	3 or more	
8'x6'6"	150 lbs.	\$52.50	\$49.80	\$53.95	\$51.20	\$55.80	\$52.95	\$1.80
8'x7'0"	160 lbs.	53.30	50.60	54.80	52.00	56.65	53.75	1.80
9'x6'6"	170 lbs.	58.10	55.10	59.35	56.30	61.20	58.05	1.90
9'x7'0"	175 lbs.	58.80	55.80	60.05	56.95	61.90	58.75	1.90
DOUBLE CAR DOOR PRICES								
Door Size	Wt.	18G-840-M		18G-450-M		Wood Stops 5/8x3½ Price Per Set		
		1-2	3 or more	1-2	3 or more			
15'x7'0"	355 lbs.	\$132.20	\$125.65	\$138.80	\$131.75	\$2.35		
16'x6'6"	350 lbs.	136.60	129.65	--	--	2.45		
16'x7'0"	365 lbs.	136.95	129.95	143.95	136.60	2.45		
Above prices include extensions springs - If torsion spring is desired add \$11.50 for Single car doors and \$20.00 for double car doors.								

Above prices include extensions springs - If torsion spring is desired add \$11.50 for Single car doors and \$20.00 for double car doors.

DOORS ARE SHIPPED WITH SECTION OPEN FOR GLASS AS SHOWN  
GLASS BEAD MITRED AND TACKED IN PLACE

NOTE: Doors can be furnished "All Paneled". Add \$1.75 extra for one car doors and \$3.50 extra for two car doors.

ALL GARAGE DOORS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE



Design 18G-440-M Shown

### EXTENSION SPRING

#### HARDWARE SPECIFICATIONS:

Individual Extension Springs, 2" track, vertical tracks inclined to provide weathertight seal, horizontal tracks reinforced with angle on doors over 12'0" wide, ball or roller bearing cable sheaves, ball bearing track rollers, Three reinforcing trusses furnished for all doors 12'2" to 16'0" wide. Lock bar engages track on both sides. Cylinder lock provided. All door furnished with galvanized track and hinges.

### TORSION SPRING

#### HARDWARE SPECIFICATIONS:

Single or double torsion spring on continuous cross shaft—All other specifications same as extension spring except no cable sheaves are required.

NOTE: All Tracks fully assembled ... Not K.D.


NOTE: 1 1/4" thick doors available—write for prices

### RUBBER WEATHERSTRIP

For the Bottom Edge of Sectional Overhead Doors.

### EXTRA-HEAVY 1/4" Thick

The rubber astragal attached to the bottom of the lower section of any door makes it conform to irregularities in the flooring. It also acts as a shock absorber for door and tends to prevent water running under bottom of door, in cases where garage or building floor is below alley or street level. Helps assure a weather-tight door all the way around.



Number	Door Size	Price
12G-800-J	8 Ft.	\$1.45
12G-900-J	9 Ft.	1.62
12G-160-J	16 Ft.	2.90

AVAILABLE CUT TO ANY SIZE 25¢ FT.  
WEIGHT 1/2 LB. PER FOOT

Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor ELECTRIC GARAGE DOOR OPERATORS



• WINDSOR DELUXE OPERATORS •

No.	Max. Door Size	Length Operator	Wt.	Price
19G-700-DD	16' x 7'	9'9"	50 lbs.	\$63.75
19G-800-DD	16' x 8'	10'9"	53 lbs.	66.95

- ★ Automatically opens, closes, and locks door.
- ★ Easily and quickly installed
- ★ Quick disconnecting device in case of power failure
- ★ Shipped as an assembled unit

The new Windsor Deluxe operators, are completely rust proofed. All components are pyrox treated and painted after fabrication and before assembly. Exposed steel parts, such as shafts, sprockets, nuts, bolts, washers, etc., are cadmium plated.

The Windsor Deluxe operator has a patented circuit designed to eliminate repeated cycling. Should a short develop in the control circuit, the operator will return the door to an open position and cut off all operational power.


Door may be easily transferred to manual operation by pulling the quick release chain disconnecting the arm from the operator.

The New Windsor Deluxe operator has an instantly reversible 1/6 H.P., 110 V single phase motor, single start-stop button, low voltage control circuit with automatic limit control at the closed position and adjustable limit control at the open position. A patented roller chain positive non-slip drive assembly eliminates noise and chain sag.

Safety Control instantly stops the door should it contact an obstruction in its downward path of travel and will immediately reverse, returning the door to the full open position, on activation of push button.

## WINDSOR RADIO CONTROLLED SETS

JUST PRESS A BUTTON ON YOUR DASHBOARD  
YOU NEVER LEAVE YOUR CAR!



AVAILABLE FOR 1 OR 2 CAR INSTALLATIONS


SIMPLE AND RUGGED...Both receiver and transmitter use only one tube, replacement tubes are readily available at any radio repair shop. Both receiver and transmitter are small in size being 5" high 7 1/2" wide by 4 3/4" deep. Transmitter is designed for either 6 or 12 volt system by changing a simple switch. Exclusive new rugged design for trouble-free service. No interference with TV and radio programs. Uses AM and FM for private code setting—only your signal opens your door.

• WINDSOR RADIO CONTROLLED SET •

No.	Type	Wts.	Price
19G-717-DD	One-Car Set	7 lbs.	\$49.50
19G-818-DD	Two-Car Set	10 lbs.	67.50

## WINDSOR AUTOMATIC DOORMAN

- ★ Reverses instantly if door meets an obstruction



The NEW WINDSOR Automatic Doorman Electric Operator is equipped with a reversible type, 1/4 H.P. 110 volt, single phase motor with overload switch. Low voltage control circuit eliminates expensive wiring. Just plug operator into regular outlet box and run bell wire to control switches. Single button control supplied, but as many buttons or switches as desired may be added. Full chain driven carriage with limit switches in both directions of travel.

Patented adjustable safety control, that can be adjusted to a very light touch, instantly reverses operator should it meet any obstruction in the down direction and returns door to full open position. Door may be stopped in midtravel in either direction by pressing button in building or with the radio in car.


Can be used on residential doors up to 22'0" wide by 8'0" high. Head room required is just 2 1/2" above the highest turning point of the door, or 11 1/2" above head jamb, backroom required is 3' plus height of door on both residential or commercial operators. Complete installation instructions and wiring diagrams are furnished with each unit.

• WINDSOR AUTOMATIC DOORMAN •

No.	Max. Door Size	Length Operator	Wt. Lbs.	Price
19G-710-DD	22' x 7'	10'2"	75	\$87.65
19G-810-DD	22' x 8'	11'2"	75	91.90
14E-5011-F	(Indoor Push Button)		1/4	0.35
19G-990-DD	(Exterior Key Switch)		1	3.20

## WINDSOR COMMERCIAL DOOR OPERATORS

- Adjustable Safety Clutch
- Positive Drive at all Times
- Full Chain Driven Carriage
- Only 2 1/2" Headroom Required
- Limit Switches both Directions
- Modern Shelltone Finish



All operator controls include as standard equipment: One interior push button control station, motor, worm gear reduction unit, clutch, electrically operated brake, screw driven limit switch, thermal overload cut out switch, motor control relay when required, door drag link, and tubular track and carrier trolley. Standard Operators are furnished for standard design sectional type overhead doors up to 18'0" wide, for wider doors write for information. Standard lift sectional type overhead doors require 2 1/2" headroom in addition to that required by the door.

Write us for prices of operators for larger doors and doors having special headroom conditions, enclosing sketch or full details concerning size, type of door, and headroom, sideroom and backroom available.

• COMMERCIAL DOOR OPERATOR •

No.	Description	Price
19G-100-DD	1/3 H.P. Motor, 110V. Single Phase For Doors Not Over 140 Sq. Ft. Or 10' High. Length 13'2" Weight 93 lbs.	\$124.85
19G-200-DD	1/3 H.P. Motor, 110 V Single Phase For Doors Not Over 168 Sq. Ft. or 12" High. Length 15'2" Weight 102 lbs.	137.60
19G-300-DD	1/3 H.P. Motor, 110 V Single Phase For Doors Not Over 196 Sq. Ft. or 14' high. Length 18' Weight 100 lbs.	157.25
19G-400-DD	Extra Indoor Commercial Push-button	\$2.65 Ea.

ALL ELECTRIC OPERATORS SHIPPED F.O.B. CLEVELAND FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • WINDSOR DECORATOR GARAGE DOORS •

## PRICING AND SPECIFICATIONS FOR WINDSOR DECORATOR GARAGE DOORS

Windsor decorator garage doors feature, the natural Redwood door (design "A" and "G") (with unique floating panels, and the raised panel Fir doors (design "B", "C", "D", "E" and "F") which adds distinction to the standard panel door.

The raised carved panel door (designs "B", "C", "D", "E" and "F") panels are built in at the factory. Carve panel doors are designed to suit your taste and add beauty and personality to any home. Raised carved panel doors are a full 1-3/8 inch thick western clear Fir. Stiles and rails are joined with mortise and tenon or dowelled joints waterproof glued and steel pinned. Carved panel doors are counter-balanced with extension springs.

The natural redwood door (design "A" and "G") meets architectural requirement of the modern times where the garage door plays such an important part in the facade of the better home. Redwood doors are a full 1 1/2" thick. Redwood Rails are connected by hardwood stiles. Joints are mortise and tenon, waterproof glued, and steel pinned. 3/4" thick solid panels float by means of dovetailed connection to the hardwood stiles providing for panel shrinkage without cracking. Redwood doors are counterbalanced with torsion springs.

Size	Average Door Weight	13G-120-MD (A) Design Pricing	13G-130-MD (B) Design Pricing	13G-140-MD (C) Design Pricing	13G-150-MD (D) Design Pricing	13G-160-MD (E) Design Pricing	13G-170-MD (F) Design Pricing	13G-180-MD (G) Design Pricing
8-0x6-6	190 lbs.	\$140.10	\$97.90	\$99.20	\$99.20	\$103.25	\$97.90	\$140.10
8-0x7-0	195 lbs.	143.35	100.30	101.60	101.60	105.70	100.30	143.35
9-0x6-6	222 lbs.	155.20	108.00	109.15	109.15	113.20	108.00	155.20
9-0x7-0	227 lbs.	158.45	110.30	111.60	111.60	115.65	110.30	158.45
15-0x6-6	419 lbs.	257.15	199.05	204.25	204.25	213.00	199.05	257.15
15-0x7-0	424 lbs.	265.40	203.30	208.50	208.50	217.25	203.30	265.40
16-0x6-6	438 lbs.	271.60	206.05	211.25	211.25	220.00	206.05	271.60
16-0x7-0	442 lbs.	278.15	210.90	216.10	216.10	224.85	210.90	278.15

When ordering specify design number and size. For correct redwood door weights add 100 lbs. to single car door weight and 250 lbs. to double car door weight.

Windsor decorator garage doors shipped F.O.B. Waterloo, Iowa. Factory Orders shipped within two weeks.


### HEADROOM AND HARDWARE SPECIFICATIONS

Redwood doors - (design "A" and "G") requires 13" headroom, low headroom kits are available requiring 6" headroom add \$12.50 per door. Torsion spring hardware and track same as specified on Page 125. Raised carved panel door (design "B", "C", "D", "E", and "F") requires 12" headroom, low headroom kits are available requiring 6" headroom add \$8.00 per door. Extension spring hardware and track same as specified on Page 125.

## ORNAMENTAL ROSETTES ADD THAT "CUSTOM BUILT" APPEARANCE FOR ENTRANCE DOORS-SHUTTERS-GARAGE DOORS

Beautiful carved clear ponderosa pine rosettes change the appearance of flat paneled doors to that "Custom Built" look. Easily applied with screws from the inside of the door. May be used on all types of doors-such as flush, paneled and louvered, interior or exterior. Toxic Treated.

### • SPECIFICATIONS •




15G-360-F



16G-302-F



16G-310-F



16G-314-F



16G-316-F




16G-320-F



16G-315-F



16G-318-F



16G-319-F

No.	Size	Wt.	Price
15G-360-F	3/4" x 5-5/8" x 36"	3 lbs.	\$0.92 ea.
16G-302-F	5/8" x 5-5/8" Dia	4 oz.	.49 ea.
16G-310-F	5/8" x 5-1/2" x 12"	6 oz.	.67 ea.
16G-314-F	5/8" x 7-1/2" Dia.	7 oz.	.67 ea.
16G-316-F	5/8" x 7-5/8" x 7-5/8"	8 oz.	.61 ea.
16G-318-F	1/2" x 5-5/8" x 9"	6 oz.	.73 ea.
16G-319-F	1/2" x 5-5/8" x 9"	6 oz.	.67 ea.
16G-320-F	1/2" x 7-3/4" x 7-3/4"	7 oz.	.73 ea.
16G-315-F	5/8" x 7-5/8" x 7-5/8"	8 oz.	.67 ea.

"VOLUME DISCOUNT"  
LESS 5% ON 50 OR MORE

# ARROW *Packaged* PATIO-CARPORT

AMERICAS FINEST  
LOW-PRICED  
ALL-PURPOSE CARPORT

... with more features than  
most high-priced units.

- All Aluminum Roof
- Heavy Steel Understructure
- All Steel is Electro-Galvanized Bonderized and Pressure Coated
- Guaranteed Weatherproof
- Choice of Upright Support
- Highest Quality Metals used Throughout
- Easiest To Install
- Tested To Withstand Heavy Snow Loads


This rugged ARROW cover will pass all local building code requirements. Arrow engineers made sure this unit will last for many, many years. It has passed rigid tests for heavy snow loads and strong winds. Extra heavy gauge steel roof beams are used - guaranteed to withstand ice and snow loads of 25 lbs. per sq. ft.!

CARPORT	PATIO
122'x20 Ft.	102' x 16 Ft.
20G-122-S	20G-102-S
1-2 \$148.65	1-2 \$100.00
3 or more \$141.20	3 or more \$95.00
Wt. 265 lbs.	Wt. 250 lbs.

COLORS AVAILABLE:  
WHITE W/TERRA COTTA  
WHITE W/FOREST GREEN  
WHITE W/PAGODA RED



The interlocking aluminum roof pans are fluted and completely Pressurecoated for added beauty as well as strength. Each pan is attached by concealed stainless steel clips for an everlasting weather-proof joint.




PLAY AREA



POOLSIDE CABANA



SCREENED PORCH



BOAT PORT

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE - EXCEPT AS NOTED

Materials Wholesale from **MORGAN - WIGHTMAN**





SEE OPPOSITE PAGE FOR  
PRICES & SPECIFICATIONS

# Windsor *Glideover* **GARAGE DOORS**





# Uni-bilt® FIREPLACE

*the complete prefabricated fireplace chimney*


Here's the fireplace the building industry has been waiting for—the revolutionary new, prefabricated Uni-bilt Fireplace. It is not an imitation, not an open stove, but a full size, wood-burning fireplace complete with its own chimney.

Incorporating the latest principles of fireplace and chimney design, it becomes an integral part of the house itself. By eliminating the high cost of masonry construction, it brings the charm of the open fireplace within the reach of even the most modest homes.

The complete Uni-bilt Fireplace and chimney can be installed by semi-skilled workmen in from 4 to 6 manhours. The fireplace simply bolts to the studding—either flush to the wall or recessed into it. The chimney sections are then extended through the roof and the chimney housing flashed in place. No reinforcing of floors or walls is necessary, no special tools are required. Since the fireplace is complete in itself, it does not have to be enclosed in a mantel or surrounded with expensive finishing material.

Unit-bilt never becomes hot to the touch. Approved by Underwriters' Laboratories for zero clearance against any surface. Will burn 27" logs.

The counter-balanced damper is built into the fireplace hood and has a chain control conveniently located at one side of the firebox. An attractive flexible screen is furnished as standard equipment with a specially designed fireplace grate optional if desired.



## CHIMNEY HOUSING

The exterior chimney housing of the Uni-bilt Fireplace blends with any style of architecture or any type of roof material. It is easily flashed to the roof and can be painted to match house.

The Uni-bilt Fireplace consists of three major parts: (1) the fireplace section, (2) the intermediate chimney section in 2 ft. and 3 ft. lengths, and (3) the exterior chimney housing. Both fireplace and chimney housing are standard for all installations. The number of chimney sections will vary with the chimney height.

All parts are packaged in convenient size cartons for shipping protection and easy handling. The Uni-bilt Fireplace comes to the job complete—ready to install.

## NEW! PREFABRICATED TILE HEARTH

Underwriters' Laboratories and many local building codes state the floor below a Uni-bilt Fireplace and at least 8" to each side and 16" in front be made of, or covered with a non-combustible hearth at least 1/4" thick.

This prefabricated tile hearth meets these requirements. The hearth is Terra Cotta in color, it consists of 27 pieces 8 1/2" x 8 1/2" blocks of 1" square. Installed according to directions the covered floor area will be 55 1/8" x 36 3/4".

The complete hearth is packaged in two cartons—in each, six tiles, can of adhesive and spreader.

## • ACCESSORIES •

Number	Item	Wts.	Price
22P-5810-I	(Fireplace Grate)	19 Lbs.	\$ 6.50
22P-5840-I	(Tile Hearth)	90 Lbs.	22.40
22P-5820-I	(Tool Set)	4 Lbs.	14.45

**NOTE:** The Uni-bilt Fireplace can be used only with its own chimney, which must extend straight up without angles or bends. It cannot be connected to any other flue.


## GENERAL INSTALLATION INFORMATION

Table I—Determining correct fireplace for various chimney heights.


Fireplace No.	Floor to Roof Peak (Dimension A)	Weight Lbs.	Prices
22P-5110-I	Not over 8'-11"	608	\$273.80
22P-5211-I	9'-0" to 10'-9"	628	286.80
22P-5220-I	10'-10" to 11'-9"	636	291.15
22P-5312-I	11'-10" to 12'-7"	648	299.80
22P-5321-I	12'-8" to 13'-7"	656	304.15
22P-5330-I	13'-8" to 14'-7"	664	308.50
22P-5422-I	14'-8" to 15'-5"	676	317.15
22P-5431-I	15'-6" to 16'-5"	684	321.50
22P-5440-I	16'-6" to 17'-5"	692	325.80
22P-5532-I	17'-6" to 18'-3"	704	334.50
22P-5541-I	18'-4" to 19'-3"	712	338.85
22P-5550-I	19'-4" to 20'-3"	720	343.15
22P-5642-I	20'-4" to 21'-1"	732	351.85
22P-5651-I	21'-2" to 22'-1"	740	356.20
22P-5660-I	22'-2" to 23'-1"	748	360.50
22P-5752-I	23'-2" to 23'-9"	762	369.15

**Table II—**Indicates the maximum horizontal distance (dimension B) that the Uni-bilt chimney can be located away from the peak of the roof and still extend the required 24" above the peak. Note that this distance varies with the roof pitch.

Rise of Roof in 12"	Dimension B (maximum)
flat	no limit
1"	38'-8"
2"	19'-0"
3"	12'-5"
4"	9'-1"
5"	7'-1"
6"	5'-10"
7"	4'-11"
8"	4'-2"
9"	3'-7"
10"	3'-2"



1. Fireplace should be located at least 24" feet away from any projecting wall.
2. No clearance needed between the back of the fireplace and wall.
3. No masonry required, no foundation needed under the fireplace. Floors or walls need not be reinforced.
4. The height from the floor on which the fireplace rests to the peak of the roof should not exceed 24 feet.





# • All New Windsor Pacemaker Fireplace •

CIRCULATES HEAT • WILL NOT SMOKE • DAMPER SEALS AIR TIGHT

The Windsor Pacemaker Fireplace is the product of modern engineering skill – the result of over 25 years of research and hundreds of thousands of satisfactory installations. Its scientific design has been proved correct under all conditions. Its heavy construction insures lifetime, trouble-free service.

## BOILER PLATE FIREBOX

Since the Windsor firebox is in direct contact with the fire, it is built of heavy 3/16" steel – the same material used successfully in the finest steel furnaces for many years. The use of less than this heavy plate would definitely reduce the life of the unit and create the hazard of expensive repairs.


While lighter steel is used for the outer shell of the unit, this serves only as a form for the masonry. Therefore, the extra cost and weight of heavier material is not necessary or desirable.

## FORMED IN ONE PIECE

Equally important is the manner in which the Windsor firebox is constructed. By forming it of a single piece of 3/16" boiler plate, it is possible to eliminate all welded seams across the back or in the lower corners that might crack under intense heat. This provides a durability that would never be obtained from a firebox made out of several separate pieces of steel.

## POKER-CONTROLLED DAMPER

This new Pressure-Seal Damper has a poker control that is simple and positive in operation – holds the damper firmly in any position. There's no need for fixtures through the mantel – no gears or ratchets to jam and break. Experience has proved it to be the most satisfactory type of damper control available.



## • PRICES AND SPECIFICATIONS •

M-W Number	Windsor Number	Finished Opening		Fuel Limit	Wt. Lbs.	Prices Without Grilles		
		Width	Height			1-2	3-5	6 or More
29T-3400-F	34	32"	26"	28"	198	54.75	51.10	47.45
29T-3800-F	38	36"	28"	32"	248	63.75	59.50	55.25
29T-4200-F	42	40"	30"	36"	311	85.50	79.80	74.10

## INTAKE AND OUTLET GRILLES

Designed for use at cool air intakes and warm air outlets of the Windsor Fireplace. They effectively conceal the openings in the masonry, blend harmoniously with every style of mantel, and can be painted to match the surrounding walls or masonry. Each grille includes a metal housing which is set permanently into the masonry or wall and to which the grille face is attached. Grilles can be installed with the louvers in vertical or horizontal position.




\*Carton of 4 Units

No.	Face Size	Housing Size	Wts.	Price
29T-100-M	5-7/8" x 10-7/8"	5-1/4" x 10-1/4"	* 9 lbs.	\$2.25 ea.
29T-200-M	8-3/4" x 8-3/4"	8" x 8"	* 10 lbs.	2.45 ea.

## FIRE PLACE CRANE

Installed with self threading screws  
No. 29T-300-M  
\$4.85 Ea.



## ELECTRIC FAN GRILLES

The heating capacity of the Windsor unit can be increased by using fan grilles at the intake openings. These grilles are complete with 110 volt, 60 cycle A.C. motor, fan and electrical plug in the grille face. Also available without plug for wiring inside the masonry. For best results fans should be installed at both intakes.

\*Carton of 2 Units

No.	Face Size	Wts.	Price
29T-200F-M	8-3/4" x 8-3/4"	* 13 lbs.	13.50 Ea.
29T-300F-M	8-3/4" x 10-3/4"	* 14 lbs.	14.25 Ea.

Specify Type Electrical Connection Desired.

## EASY TO INSTALL - "DROP-IN" MODEL

Featuring...

- Adjustable Grill
- Cutting Board Top
- Signal Light Switch
- Rotisserie Accessory
- Lifetime "Cerra-Coals"
- Temperature control
- Stainless Steel Top
- U. L. Approved 110/115-V

Now every home can have a barbecue-broiler, without expensive installation costs, and without sacrificing counter-top area. This new model Stanthony electric barbecue fits any standard 18-inch base cabinet, wires to a 110-115 volt circuit, and needs a cut-out of only 13 x 19 inches. Over-all size is 20½ x 16 inches (top) and 12 inches deep. Use it next to any standard built-in range or between two surface units where one ventilating hood can service the entire cooking area! Its hardwood top fits flush with the counter surface, giving a homeowner the extra feature of a cutting board. Here's barbecue-broiling at its best. Fast, efficient, without the fuss and muss of building or maintaining a fire. Without the need of special insulation.

WRITE FOR COMPLETE SPECIFICATIONS AND INSTALLATION DETAILS

ROTISSERIE ACCESSORY: Available as an accessory, the rotisserie assembly is quickly installed merely by inserting the mounting brackets at each end of the grill on the stud mounts provided.  
No. 18E-58R-F.....\$12.97 ea.


## Model 58-D

## 1 Year Warranty

No.	Wt.	1 unit	2-5	6 or more
18E-58D-F	60 lbs.	\$79.97	\$74.75	\$68.97

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





# • FIREPLACE EQUIPMENT AND BAR-B-Q GRILLS •

## Majestic Circulator Fireplace...



The Majestic Circulator Fireplace is a fireplace that not only adds beauty to a room but actually heats . . . circulating the heat throughout the entire room, using the wasted "up-the-flue" heat of ordinary fireplaces.

Majestic Fireplaces fit into any mantel design . . . operate without smoking . . . can be installed in old or new fireplaces . . . has a built-in damper with patented poker control . . . made with a seam-welded 14 gauge smoke dome, a 7 gauge firebox and comes shipped with rock wool insulation batting.

Damper valve fits snugly against the damper frame, which is arc welded firmly into the fireplace throat. Formed edge prevents warping of valve.

### TIGHT DAMPER



Damper valve is held in any degree of the opening arc by pressure control of the poker-operated arm.

### MULTI-POSITION VALVE



The full smoke dome on the Circulator makes it especially easy to erect masonry in this area.

### FULL SMOKE DOME



An extra-deep smoke apron at the front of the Circulator serves as a downward extension of the throat, trapping and guiding smoke to flue.

### DEEP SMOKE APRON



Number	Fin Opening		Over All Dimensions			Flue Size Chimneys Over 20		Flue Size Chimneys Over 20		Shipping Weight	Price Each
	Wide	High	Wide	High	Deep	Rect.	Rd.	Rect.	Rd.		
17T-2822-I	28	22	34 3/4	44	18	8 1/2 x 13	10	8 1/2 x 13	10	171	\$40.40
17T-3224-I	32	24	38 1/2	48	19	8 1/2 x 13	10	8 1/2 x 13	12	204	46.55
17T-3625-I	36	25	42 1/2	51	20	13 x 13	12	13 x 13	12	240	53.10
17T-4027-I	40	27	47 3/4	55	21	13 x 13	12	13 x 13	12	272	61.65
17T-4629-I	46	29	55	60	22	13 x 13	12	13 x 18	15	334	82.20
17T-5431-I	54	31	63	65	23	13 x 18	15	13 x 18	15	400	104.10

VOLUME DISCOUNT: LESS 5% ON ORDERS FOR 3 OR MORE

### FIREPLACE GRILLS



Grills may easily be worked into the mantel, either on the face or on the end. Made of pressed steel, bronze finish. Grills are furnished with a sheet steel body into which grille is secured by screws.

Number	Grille	Box	Weight	Price Each
17T-9090-I	9 1/4 x 9 1/4	7 3/4 x 7 3/4	6 lbs.	\$2.27
17T-9011-I	9 1/4 x 11 1/4	8 1/4 x 10 1/4	8 lbs.	2.27
17T-1111-I	11 1/4 x 11 1/4	10 1/2 x 10 1/2	9 lbs.	2.63



### MAJESTIC UNDERGROUND GARBAGE RECEIVERS

Convenient out-of-sight storage for garbage, trash, cans, bottles, etc. Tight fitting aluminized steel lid and rim prevent escape of odors and keep out marauding insects and animals. Heavy 16 or 18 gauge steel shell bar integral inner lugs that hold inner can and anchor shell in ground or cement base. Improved full-floating "PRES-TOE" lid lifter pushes straight down, involves no long lever to swing out of the way. Galvanized steel inner liner is easily removed by bail handle.


Number	Diam.	Capacity	Wt.	Depth	Prices	
					1-3	4 or more
17T-315-A	15-3/4"	15 gal.	36 lbs.	25"	\$10.10	\$9.55
17T-320-A	18-1/4"	20 gal.	53 lbs.	24"	14.05	13.35
17T-325-A	18-1/4"	25 gal.	66 lbs.	30"	17.15	16.25

### MAJESTIC BARBECUE FIREPLACE UNITS



- Cast iron doors and frames
- Draft regulators in all doors
- Grates adjustable for wood or charcoal
- Heavy angle iron frames
- Cast iron fire grates in two sections
- Removable cast iron top in two sections; half solid and half bar.

TYPE "A"




TYPE "B"

TYPE "A". A popular model with all of the same quality features listed above. Solid half of top has a 6 1/4" lift-up stove lid.  
TYPE "B". Especially designed for patio or kitchen use, this unit is similar to the above but doors are on the long dimension giving it a short front-to-back size. Top is in two sections, all bar for ample grilling surface.

	Number	- Sizes -			Wt.	Prices	
		Deep	Wide	High		1-3	4 or more
A	17T-280-M	26"	13-1/8"	21-1/8"	63 lbs.	\$17.45	\$16.58
A	17T-380-M	26"	15-1/8"	21-1/8"	70 lbs.	20.90	19.90
B	17T-385-M	15"	26-1/4"	21-1/8"	73 lbs.	21.90	20.90
A	17T-480-M	29"	18-5/8"	24-5/8"	120 lbs.	30.85	29.95
B	17T-485-M	19"	29"	24-3/4"	136 lbs.	33.20	31.55
-	17T-234-M	Manual Spit For Above			15 lbs.	5.60	5.35

### STRUCTURAL STEEL ANGLES



3x3x3/16  
No. 18T-3030-S

Hot rolled steel lin-tels - cut to length from 2'6" to 7'0". Painted with grey prime coat.

3-1/2x3x1/4  
No. 18T-3530-S

Length	Wt.	Price	Length	Wt.	Price
36"	11.2	1.40	36"	16.2	\$1.84
42"	13.0	1.60	42"	18.9	2.14
44"	13.6	1.68	44"	19.8	2.25
48"	14.9	1.81	48"	21.6	2.46
54"	16.7	2.01	54"	24.3	2.77
60"	18.6	2.25	60"	27.0	3.07
72"	22.3	2.64	72"	32.4	3.69
			84"	37.8	4.35

Discount - Less 5% On 50 or More Angles

### ASH DUMPS

Made of heavy formed steel and coated with asphaltum paint. The lid is hinged to prevent it from dropping out. No. 13T-140-S Ash Dump is constructed of cast iron.



Number	Floor Opening	Over all	Weight Each	Price Each
13T-140-S	4 1/2 x 9	5 1/2 x 10	3.4 lbs.	\$0.95
17T-490-S	4 1/2 x 9	5 1/2 x 10	1.5 lbs.	.60

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from

MORGAN - WIGHTMAN



# • FIREPLACE DAMPERS AND ACCESSORIES •

## UNIVERSAL DAMPER Designed and Engineered For Open-Sided Fireplaces

- POSITIVE DAMPER CONTROL
- ASSURES SAFE CONSTRUCTION
- CHIMNEY LOCATION OPTIONAL
- WIDE FLANGE SERVES AS LINTEL



The Universal Damper is supported by fireplace masonry and by support posts at the open corners. The chimney flue can be located at either side or to the rear of the Damper with the down-draft shelf built directly under the flue.

Today many fireplaces are being built with two, three and even four open sides. The resulting increase in the area of the firebox opening makes the problem of efficient draft and smoke control more critical than ever. Yet it is a problem that is easily solved with a Heatilator Universal Damper.


Designed and engineered especially for multi-opened fireplaces, the Universal Damper incorporates both smoke dome and damper in one compact unit. Its scientific proportions, based on proved fireplace design plans, are essential to smoke-free operation. At the same time it simplifies the building of the fireplace and provides a saving in construction time and labor.

### • SPECIFICATIONS AND PRICES •

No.	OVERALL SIZE			Base Opening	Top Opening	Ship. Wts.	PRICES		
	Length	Width	Height				1-2	3-5	6 or more
29T-130-I	37"	26½"	12¼"	30"x19½"	16"x16"	72 lbs.	\$21.00	\$19.60	\$18.20
29T-134-I	41"	28½"	14"	34"x21½"	18"x18"	85 lbs.	24.75	23.10	21.45
29T-138-I	45"	29½"	17½"	38"x22½"	18"x18"	96 lbs.	29.25	27.30	25.35
29T-142-I	49"	31½"	18½"	42"x24½"	21"x21"	148 lbs.	35.25	32.90	30.55
29T-150-I	57"	34½"	22½"	50"x27½"	24"x24"	200 lbs.	44.25	41.30	38.35

### CORNER SUPPORT POSTS



Designed to enhance the appearance of any open-sided fireplace. Four styles - round or square, single or triple twisted bars. Caps and base plates provide ample bearing surfaces. Standard 30" height - easily cut on the job for lower openings. Dull black finish.



No.	Style	Wt.	PRICES	
			1-2	3 or more
29T-161-I	2" round post	10 lbs.	\$4.50	\$4.20
29T-162-I	2" square post	9 lbs.	5.25	4.90
29T-163-I	1" twisted bar	9 lbs.	4.90	4.55
29T-164-I	three 5/8" twisted bars	11 lbs.	6.40	5.95


## FORMED STEEL DAMPERS

No.	Width Of Opening	Dimensions				Ship. Wt.	Price
		A	B	C	D		
17T-2830-I	27" to 30"	32¼	30¾	28	28	30 lbs.	\$6.50
17T-3234-I	31" to 34"	36¼	34¾	32	32	32 lbs.	6.90
17T-3638-I	35" to 38"	40¼	38¾	36	36	36 lbs.	7.25
17T-4042-I	39" to 42"	44¼	42¾	40	40	40 lbs.	8.15
17T-4446-I	43" to 46"	48¼	46¾	44	44	44 lbs.	9.20
17T-4850-I	47" to 50"	52¼	50¾	48	48	48 lbs.	9.80




The Majestic Formed Steel Damper is made of heavy, breakproof formed steel. The patented Majestic Poker Control is furnished as standard equipment. Valve Closes against the frame. Majestic Dampers are a real safeguard in fireplace construction, control draft and prevent smoking.

## CAST IRON DAMPERS



Made of heavy cast iron and featuring an unbreakable steel valve plate operated by a patented, foolproof poker control. Majestic Dampers are engineered to provide the maximum throat opening and to close tightly when the fireplace is not in use.




No.	Dimension Overall at Base				Throat Dimensions At Base			Ship. Wt.	Price
	A	B	C	D	E	F	G		
13T-330-M	34	26¼	13½	6	30	23	10	38	\$7.26
13T-333-M	37	29¼	13½	6	33	26	10	40	7.56
13T-336-M	40	32¼	13½	6	36	29	10	42	8.04
13T-342-M	46	38¼	13½	6	42	35	10	52	10.14
13T-348-M	52	44¼	13½	6	48	41	10	60	12.96

UNCONDITIONALLY GUARANTEED BY MANUFACTURE

### "VOLUME DISCOUNT"

Dampers - Ashdumps - Cleanout Doors  
LESS 5% On Orders Totalling \$150.00 Of All 3 Items

## STEEL BRICK LINTELS




These Formed Steel Lintels are made from prime quality, heavy gauge, steel. They will not warp, twist, rot or shrink. Pre-cut lengths save labor in handling & reduce installation costs. The strength is more than sufficient for all ordinary masonry construction. Each Lintel is painted with best quality grey paint to protect against rust.

3½" x 3½" x 11 GAUGE

Model No.	Length	Standard Package	Weight Each	Price Each
19T-3530-S	3'0"	6 each	8.5 lbs.	\$1.36
19T-3536-S	3'6"	6 each	9.9 lbs.	1.58
19T-3540-S	4'0"	5 each	11.3 lbs.	1.79
19T-3546-S	4'6"	5 each	12.7 lbs.	2.17

## STEEL CONCRETE BLOCK LINTELS



This Concrete Block Lintel is specifically designed for concrete block construction. Center reinforcing rib gives added strength. The flanges turned up along edges retain mortar. Width is 7 inches . . . standard 8 inch concrete block extends 1/2 inch beyond each side of lintel. Made of heavy gauge steel . . . will not warp, twist or shrink. They are painted with best quality grey paint to protect against rust.

7" Wide x 11 Gauge for 8" Blocks


Model No.	Length	Standard Package	Weight Each	Price Each
19T-7030-S	3'0"	5 each	11 lbs.	\$1.58
19T-7036-S	3'6"	5 each	12 lbs.	1.83
19T-7040-S	4'0"	5 each	14 lbs.	2.10
19T-7046-S	4'6"	5 each	16 lbs.	2.41

Both types of Lintels less 5% on orders for ten full bundles

WRITE FOR LARGE QUANTITY PRICES.

ALL ITEMS ON THIS PAGE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

## CLEANOUT AND ASHPIT DOORS



Majestic Cleanout Doors are tight fitting and strengthened by formed shape. Available in either heavy formed steel with a green baked enamel finish or in cast iron, finished with a crackle asphaltum paint.

### FORMED STEEL

Number	Wall Opening	Overall	Shipping Weight Each	Price Ea.
17T-7575-S	7½x7½	10¾x10¾	2.2 lbs.	\$0.85 ea.

### CAST IRON

Number	Wall Opening	Overall	Shipping Weight Each	Price Ea.
13T-880-S	8x8	10¼x10¼	6 lbs.	\$1.62 ea.

Materials Wholesale from **MORGAN - WIGHTMAN**




**Majestic****BUILT-IN BARBECUE GRILLS****DELUXE OR STANDARD MODEL CHAR-GRILL**

Majestic's Deluxe Char-Grill is an extremely sturdy and attractive barbecue unit, expressly designed for "built-in" use in a kitchen, enclosed patio, or recreation room. The simplicity of its straight-line design makes it easy to install in wood (with kit shown in picture) or masonry construction, and the black-and-gold front, with stainless steel top, enhances the appearance of any decorative scheme. Sides and back are dull-black enameled steel. The top is designed to project 3/8" above the level and over the surround material. Interior asbestos millboard insulation, with reflective aluminum coating, does away with the need for special firebrick in masonry applications.


No. 17T-1000-M Wt. 84 lbs. \$68.50

Standard Char-Grill features all the quality, all the convenience of the Deluxe model, yet is economically designed to include only those parts necessary for masonry installation. Just the model for that rustic brick or stone cooking base in the modern kitchen or recreation room. Used with Majestic's special Char-Grill vent-hood, it is the perfect answer to today's charcoal cooking requirements. Char-Grill can be used in outdoor locations too.


No. 17T-3000-M Wt. 56 lbs. \$41.10  
Size: 29 3/4" Wide x 19" Deep x 11-3/8" High  
Grill Area: 25" x 16" Access Door: 25" x 11"



with installation  
kit in standard 36"  
steel cabinet



DELUXE  
MODEL



STANDARD  
MODEL



recessed masonry  
installation


**CHAR-GRILL  
VENT-HOODS**

Specially designed and engineered for venting indoor charcoal cooking with the Majestic Char-Grill. Powerful, built-in 400 CFM exhaust blower, twin incandescent lights, separate switches for lights and blower. Also newest removable, washable filter. Strong steel hood construction in three attractive finishes.

No.	Finish	WidthxHgt.xDep.	Ship. Wt.	Price
17T-701-C	Blk. wrinkle enamel	36"x32"x24"	66 lbs.	\$89.05
17T-702-C	Ant. copper enamel	36"x32"x24"	66 lbs.	89.05
17T-703-C	Stainless steel	36"x32"x24"	64 lbs.	137.00

**VENTING ACCESSORIES**


No.	Item	WidthxHgt.xDep.	Ship. Wt.	Price
17T-704-M	Round Transition	4"x12" to 8"	3 lbs.	\$7.10
17T-705-M	Outside Wall Cap	4"x12"	4 lbs.	2.50
17T-706-M	90° Elbow	4"x12"	2 lbs.	1.40

**MOTORIZED BARBECUE SPIT**

Converts Char-Grill to an electric rotisserie. Holds up to 20 lbs. of roast, fowl or other food. Adjustable skewers for holding meat firmly in place. Also fits Majestic outdoor grilles. Shipping weight 4 lbs.

No. 17T-100-M  
\$11.90


Heavy Duty Model  
No. 17T-200-M  
\$17.50  
Wt. 7 lbs.

**"Feastmaster"****BUILT-IN BARBECUES****ECONOMICAL-EASY TO INSTALL**

FEASTMASTER  
CHARCOAL GRILL  
MODEL CT-400

- QUALITY CONSTRUCTION
- EASY OPERATION
- HANDSOME STYLING

FOR ELECTRIC SPITS ORDER  
MAJESTIC MODELS SHOWN ABOVE



PIT TYPE  
FEASTMASTER  
MODEL PT-500

Designed for broiling or spit cookery indoors or outdoors. Features an easy-to-clean copper-nickel-chrome plated grill, adjustable firebox. Mat black or copper Hammerstone enamel finish. Requires no special installation, fits into fireplace-type opening. Electric spit optional.

Masonry opening required

Model	Left to Right	Front to Back	Top to Bottom	Wt.	Price
23T-400-M	28-1/4"	21"	12"	45 lbs.	\$30.05

Submarine design for pit installation eliminates messy, hard-to-maintain overhead mechanism. Stationary 15 1/2"x24 1/2" chrome-plated grill and adjustable firebox offers perfect heat control for either broiling or spit cookery. Economical and ideal unit for indoor or outdoor installations. Fabricated 12 ga. steel frame, copper Hammerstone heavy baked enamel finish. Electric spit optional.

Masonry opening required

Model	Left to Right	Front to Back	Top to Bottom	Wt.	Price
23T-500-M	26-5/8"	18-5/8"	12"	35 lbs.	\$18.96

ALL ITEMS ABOVE SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Peerless AUTOMATIC GAS UNIT HEATERS


## FEATURES

- Aluminized steel heat exchanger tubes and flue collector box.
- 10 Gauge steel combustion chamber
- Cast iron burners
- Adjustable circulating air louvers
- Summer switch
- Automatic limit control
- Thermocouple operated safety pilot valve
- Quiet electric solenoid
- 115 volt, 60 cycle, single phase operation (230 volt, 60 cycle, single phase available on special order)

The Peerless line of Unit Heaters are ruggedly built, expertly designed and honestly priced. They will give long uninterrupted service with the absolute minimum of maintenance.

Peerless Unit Heaters have many built-in features that other unit heaters don't have, or for which there is an after charge. Features such as the built-in summer switch, the quiet solenoid and the finger flex rubber motor mounts are not all found on competitive unit heaters.

The complete, suspended heating unit for stores, offices, factories, garages, etc. Uses convenient gas - provides positive comfort, saves floor space, easy to install, requires minimum maintenance, economical, safe, always clean. Ready for connection to power and gas, come with all internal controls and wiring installed. Uses low-voltage thermostat, which eliminates expensive conduit installations. 25-ft. low-voltage wire supplied.



Finished in long lasting, metallic green enamel. Fan, motor, fan guard supported on live rubber.

No.	BTU Input	BTU Output	ESR Sq. Ft.	Fan Dia.	CFM Air	H.P.	Gas Inlet	Flue Dia.	Burners	Wt. Lbs.	Overall Size			PRICES	
											Height	Width	Depth	1-2	3 or more
28P-25C-ID	25,000	20,000	84	10"	425	3 Watt	3/8"	3"	2	110	20-7/8"	15-1/8"	19"	\$142.28	\$136.60
28P-50C-ID	50,000	40,000	167	12"	850	1/40	1/2"	5"	2	144	27-1/2"	17"	25"	150.95	144.90
28P-75C-ID	75,000	60,000	250	16"	1100	1/20	1/2"	5"	3	188	27-1/2"	23-1/2"	25"	175.50	168.50
28P-100C-ID	100,000	80,000	333	16"	1400	1/20	1/2"	6"	3	202	30"	23-1/2"	25"	195.00	187.20
28P-125C-ID	125,000	100,000	416	16"	1625	1/10	3/4"	6"	4	290	30"	21-1/2"	32"	211.60	203.15
28P-150C-ID	150,000	120,000	500	18"	1850	1/6	3/4"	7"	5	360	30"	25-1/2"	34"	238.35	228.80
28P-200C-ID	200,000	160,000	666	20"	2470	1/6	3/4"	8"	6	420	32-1/2"	30"	34"	284.55	273.20

NOTE: Vertical Louvers are available if desired - add \$5.50 to price.

\*3/4" on mfg. gas.

\*\*1" on mfg. gas.



A.G.A. APPROVED FOR  
NATURAL, L.P. MIXED, AND  
MANUFACTURED GASES.

CAUTION: When ordering these unit heaters, specify exact type of gas to be used with heater, and if possible, BTU value, specific gravity and operating pressure.

BLOWER-TYPE models of these fan-type gas unit heaters are available on special order. Write for prices.

## PEERLESS GAS VENTED RECESSED WALL HEATERS

SINGLE AND DUAL USE MODELS UP TO 50,000 BTU. A.G.A. APPROVED

The PEERLESS AUTOMATIC TEMPERATURE CONTROL HEATER is for use anywhere that heating is needed and the floor space is limited. It is approved by The American Gas Association under the 1956 requirements. The approval covers its use on Natural, L.P., Mixed and Manufactured gases.

The heat exchanger design is another Peerless first. Its design permits the use of more heat exchanger steel and at the same time allows greater free area through the heater. This means lower flue gas temperatures and lower discharge air temperatures. The heat exchanger is covered inside and out with the A-19 porcelain enamel, the high temperature finish that made the modern jet engine a reality.

The jacket or outer cabinet is finished in high temperature spicay tan enamel. The jacket's finish and design causes the vented recessed heater to blend well with any domestic interior.

This Vented Recessed Heater is approved for use with any B-W vent that is listed as standard by the Underwriters' Laboratory. (Note Below)

- Type "A" has manual 100% Safety Pilot C-592 M.H. Pilot Stat  
Type "B" has bulb temp. Control V5153 100% safety shut-off with by-pass M.H. snap-action  
Type "C" has wall thermostat temperature control 100% safety shut off 24 volt M.H. V8170

### • SPECIFICATIONS •

No.	Type	BTU Input	BTU Output	Wt. Lbs.	PRICES		
					Type A	Type B	Type C
28P-25W-ID	Single	25,000	18,750	91	\$53.20	\$63.80	\$69.30
28P-35W-ID	Single	35,000	26,250	105	59.50	70.15	75.60
28P-50W-ID	Dual	50,000	37,500	169	94.10	104.70	110.70

Accessories: Power Blower for all models (115 volt 60 cycle) \$24.50

Rear register (To convert single models to dual's) 4.90

When ordering note instructions with unit heaters above.

Dual model has two separate heat exchangers, exclusive with Peerless, used to give maximum flexibility in the application of the Peerless dual. This is the only heater that is a dual in fact, as well as in name. Solid back panel from top to bottom is exclusive with Peerless. This heater can be installed between two motel rooms and each room will have privacy, complete temperature control - (\*Note extra below) yet both are vented through a common BW vent.

\*For double controls on No. 28P-50W-ID Add to type A \$15.75; Type B \$26.35; Type C \$31.75.

## DURA-VENT GAS-VENT PIPE AND FITTINGS

### TYPE B-W WALL HEATER VENT


#### • SPECIFICATIONS •

No.	Description	Lgth.	Wt.	Price
30P-323-F	Complete 3 pc. assembly	3'	9 lbs.	\$7.88
30P-324-F	Complete 3 pc. assembly	4'	10 lbs.	9.23
30P-325-F	Complete 3 pc. assembly	5'	12 lbs.	10.46
30P-319-F	B-W Installation Kit	-	3 lbs.	1.76
30P-317-F	Round Roof flashing	-	1 1/2 lbs.	1.20
30P-318-F	Round Storm Collar	-	1 lb.	.28
30P-316-F	Round Vent Cap	-	2 1/2 lbs.	1.81
30P-305-F	4" Round Double-Wall Pipe	6"	1 lb.	.79
30P-304-F	4" Round Double-Wall Pipe	12"	2 lbs.	1.32
30P-303-F	4" Round Double-Wall Pipe	18"	2 1/2 lbs.	1.58
30P-302-F	4" Round Double-Wall Pipe	36"	4 1/2 lbs.	2.88
30P-300-F	4" Round Double-Wall Pipe	60"	7 1/2 lbs.	4.57

Listed by Underwriters' Laboratories, Inc., for use with vented recessed wall heaters above.

Diagram shows complete wall heater vent assembly consisting of a Type BW installation kit and one length of oval pipe with an oval to round adapter attached, all packaged in one carton. Length of oval pipe desired (3', 4', or 5') should be specified when ordering. Overall lengths (including adapter) are: 44", 56", and 68".

When it is desired to continue to the exterior using oval vent, a B-W installation kit should be ordered (sufficient oval pipe of suitable length, an oval roof flashing, an oval storm collar, and an oval vent cap).



Gas piping size 3/8"; width 18"; depth 5" all models; height 59-3/4" 25,000 and 50,000 BTU models; 69-3/4" 35,000 BTU model

ALL HEATERS SHIPPED F.O.B. LOUISVILLE, KY. FACTORY - PIPE AND FITTINGS F.O.B. ST. LOUIS

Materials Wholesale from **MORGAN - WIGHTMAN**




# Western

## GAS FIRED WARM AIR FURNACE

### HEATING - VENTILATING - AIR CONDITIONING

The Western Furnace is flexibly designed to operate in Alcove or Closet with warm air duct systems. The Furnace casing is a die-formed metal cabinet with smooth rounded corners and finished in an attractive two-toned baked enamel. Access to the unit is from the front by removing two louvered grilles. Gas and electrical connections can be made from right or left. The heat exchanger is suspended at one point only, eliminating "expansion noises," metal fatigue and exchanger breakdown.



### THE WESTERN HI-BOY UPFLOW SERIES

The HI-BOY is a "thermostatically controlled" filtered forced air gas furnace with input ratings from 50,000 to 100,000 BTU. The quiet blower assembly with an adjustable speed, direct drive motor mounted on a slide-out drawer with resilient rubber vibration eliminators providing quiet operation and easy access for servicing.

No.	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.F.M. 70° Rise	Furnace Size			Wt. Lbs.	Price
						Height	Width	Depth		
19P-D150-ID	50,000	40,000	1/12	1/2"	529	63"	10"	28"	170	\$120.60
19P-D275-ID	75,000	60,000	1/10	1/2"	793	59 1/2"	14"	28"	196	131.50
19P-D285-ID	85,000	68,000	1/8	1/2"	899	59 1/2"	14"	28"	202	141.80
19P-D210-ID	100,000	80,000	1/6	1/2"	1058	61"	14"	28"	210	159.35
19P-D310-ID	100,000	80,000	1/8	1/2"	1060	63"	18"	28"	210	159.35

\* 3/4" If Manufactured Gas is Used.

### THE DELUXE WESTERN HI-BOY UPFLOW SERIES

The DeLuxe HI-BOY is a filtered forced air gas furnace with input ratings from 100,000 to 150,000 BTU. Air delivery ranges from a minimum for heating to 2,000 CFM, sufficient for five tons of air conditioning. The Hush Hush quiet blower assembly has an adjustable belt-drive motor, large 12 x 12 blower mounted on a slide-out drawer with resilient rubber vibration eliminators, providing easy access for servicing. The use of the 12 x 12 blower provides for slower RPM air delivery and extremely quiet operation. \* 3/4" If Manufactured Gas is Used

No.	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.F.M. 70° Rise	Furnace Size			Wt. Lbs.	Price
						Height	Width	Depth		
19P-B110-ID	100,000	80,000	1/6	1/2"	1060	63"	18"	28"	243	\$169.15
19P-B212-ID	120,000	96,000	1/4	1/2"	1268	63"	22"	28"	304	207.60
19P-B215-ID	150,000	120,000	1/4	1/2"	1588	63"	22"	28"	310	245.60

### THE WESTERN BELAIRE HI-BOY SERIES

#### THE ULTIMATE IN MODERN HEATING LUXURY

- FACTORY LIVE-TESTED
- EXCLUSIVE "CROSS-FIRE" SAFETY PILOT SYSTEM
- ADJUSTABLE FAN AND LIMIT CONTROL

- STEEL SLOT BURNERS
- SLIDE OUT BLOWER
- FULLY ASSEMBLED

A complete series of deluxe models from 160,000 to 250,000 BTU fully equipped and assembled—ready to install — including choice of "LUXURY-EQUIPMENT" OPTIONS THAT SPELL EXTRA YEARS OF SUPERIOR PERFORMANCE! Exclusive cross-fire pilot system. Famed safe method of ignition on multiple burner units. Pilot flame must be established at each burner before main gas valve can open. Complete year-round comfort with optional air conditioning. Unit may be field changed or ordered with furnace.

#### OPTIONAL ACCESSORIES:

12" BLOWERS. Higher capacity air delivery at minimum speed — the ultimate in quiet operation! Extra capacity when you need it.

For Model A160....Add \$19.75;  
Model A210....Add 23.15

#### CERAMIC COATED HEAT EXCHANGER.

"Armorglaze" coating inside and out assures extra years of heat transfer efficiency. Safeguards the heart of the furnace.

For Model A160....Add \$27.00;  
Model A210....Add 31.15;  
Model A250....Add 35.00


SEALED-FOR-LIFE BALL BEARINGS. Available with either 10" or 12" blowers, all models. All Models....Add \$10.95

TOP INLET FILTER BOX. Converts furnaces to top inlet-top discharge type. Custom-tailored for each furnace size. Fits at rear only.

All Models....Add \$25.00

No.	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.f.M. 70° Rise	Furnace Size			Wt. Lbs.	Price
						Height	Width	Depth		
19P-A160-ID	160,000	128,000	1/4	3/4"	1700	59 1/2"	37"	28"	451	\$294.75
19P-A210-ID	210,000	168,000	1/3	3/4"	2220	59 1/2"	44"	28"	560	334.90
19P-A250-ID	250,000	200,000	1/2	1"	2650	61 1/2"	54"	28"	685	422.05

NOTE: For LP Gas Equipment on All Models...Add \$9.15



### THE WESTERN GAS FLOOR FURNACE

The WESTERN Gas Floor Furnace is compact, fits quickly into the floor without the need of basement or costly excavation. First-Cost is low. Installation is inexpensive. Operation is thrifty beyond the owner's expectations. Because the WESTERN Gas Floor Furnace is engineered for equal efficiency with natural, manufactured or bottled gases, it brings modern, automatic gas heat to farm and urban areas alike.

1. Galvanized Steel Casing
2. Silent, Cast Iron Burner
3. Factory assembled-insulated
4. Shallow construction (24 1/2" deep)
5. Steel girder grill
6. 100% safety — controls.

#### ● SPECIFICATIONS AND PRICES ●

No.	Input Capacity	Pipe Size	Furnace Size			Vent Size	Wt. Lbs.	Price
			W	L	D			
19P-256-ID	25,000	1/2"	13 1/2"	30"	24 1/2"	3"	92	\$87.65
19P-356-ID	35,000	1/2"	20"	30"	24 1/2"	4"	128	94.00
19P-456-ID	45,000	1/2"	24"	30"	24 1/2"	4"	144	102.20
19P-576-ID	57,000	1/2"	28"	30"	24 1/2"	4"	172	124.05

For floor opening...add 3/8" to width and length dimensions above.


Dual-Wall Registers — Add \$20.00

For LP GAS — Add \$11.00

Standard Equipment includes: Blue Flame Pilot, Basis 100% Safety Valve, Temperature Controls and Pressure Regulator

WESTERN FURNACES SHIPPED F.O.B. OUR KANSAS CITY WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





# GAS FIRED WARM AIR FURNACES

COUNTER FLOW - HORIZONTAL - GRAVITY

# Western

Two models of Hi-Boy counter flow furnaces designed for perimeter heating. The blower is mounted on a slide-out drawer for easy service accessibility. The heat exchangers are suspended at one point only, impeding "expansion noises", metal fatigue, and exchanger break-down. A secondary heat exchanger impedes spilled gases, supplying additional surface, which transfers more usable heat. Each heat exchanger has its own quiet slotted or ribbon type burner and pilot insuring utmost safety with positive ignition. Gas and electrical connections can be made from either the right or left. AGA tested and approved for installation on combustible floors without need of special base.

## THE WESTERN HI-BOY COUNTER FLOW SERIES

The FD-Model is a thermostatically controlled filtered forced air counterflow furnace with input ratings from 70,000 through 100,000 BTU. The blower assembly with an adjustable, two-speed direct-drive motor with resilient rubber vibration eliminators provides ultra quiet operation. \* 3/4" Pipe If Manufactured Gas is Used

Model	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.F.M. 70° Rise	Furnace Size			Wt. Lbs.	Price
						Height	Width	Depth		
19P-C17-ID	70,000	56,000	1/10	1/2"	740	70 1/2"	14"	28"	194	\$149.45
19P-C18-ID	80,000	64,000	1/10	1/2"	846	70 1/2"	14"	28"	198	152.35
19P-C19-ID	90,000	72,000	1/10	1/2"	952	70 1/2"	14"	28"	205	174.25
19P-C110-ID	100,000	80,000	1/10	1/2"	1058	70 1/2"	14"	28"	210	180.00


## THE DELUX HI-BOY COUNTERFLOW SERIES

The deluxe FB-Model is a filtered forced air counterflow gas fired furnace with input ratings from 120,000 through 140,000 BTU's. The deluxe FB-Model has air delivery range from a minimum for heating to 1481 CFM, sufficient for four tons of air conditioning. The FB-Model has a slower RPM delivery with an extra large 12 x 15 adjustable belt drive blower mounted on resilient rubber vibration eliminators. \* 3/4" Pipe if Manufactured Gas is Used

Model	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.F.M. 70° Rise	Furnace Size			Wt. Lbs.	Price
						Height	Width	Depth		
19P-C212-ID	120,000	96,000	1/4	1/2"	1268	70 1/2"	27"	28"	350	\$226.00
19P-C214-ID	140,000	112,000	1/4	1/2"	1481	70 1/2"	27"	28"	357	255.00

## THE WESTERN HORIZONTAL FORCED AIR GAS FURNACES

The Western Forced Air Gas Horizontal Furnace introduces many exclusive features for ease of installation, long trouble-free life. "Live-tested" for perfect on-the-job performance. It's compact, saves floor space, easy to hide away. Completely factory assembled ready to install; factory checked under actual firing conditions. This assures a completely adjusted and trouble-free unit. Completely automatic in operation and positive acting. Long life burners are of gray iron casting with machined slotted parts. Efficient gas air mixture controlled by adjustable air shutters. Blower is of the centrifugal type, securely mounted on rubber for quiet vibrationless operation. Heat exchangers are all welded heavy gauge steel. Special forming process effectively eliminates expansion and contraction noise during warm up and cooling periods. There is a 10 year warranty on the heat exchanger enclosed with each unit for complete consumer protection.




\* Gas Consumption  
Cu. Ft./Hr.

Model No.	Input Capacity	Output Capacity	Motor H.P.	Pipe Size	C.F.M. Rise				*550 BTU	*1050 BTU	*2750 BTU	Furnace Size			R.P.M. Min. Max.	Wt. Lbs.	Price
					70°	80°	90°	100°				Height	Width	Length			
19P-80H2-ID	80,000	64,000	1/6	1/2"	850	740	660	590	145	76	29	18"	16 1/2"	50"	518	833	200 \$189.50
19P-10H2-ID	100,000	80,000	1/6	1/2"	1050	925	825	740	182	95	36	19"	21"	50"	518	833	230 199.75
19P-12H2-ID	120,000	96,000	1/4	1/2"	1270	1110	990	890	228	114	43	19"	16 1/2"	59"	518	833	273 237.65
19P-15H2-ID	150,000	120,000	1/3	3/4"	1590	1390	1240	1110	272	142	54	20"	21"	62-5/8"	518	833	348 281.35

## THE WESTERN GRAVITY GAS FIRED WARM AIR FURNACE

The Western Gravity Furnace has an exceptional range of sizes; 45,000 to 150,000 BTU input. Gravity furnaces are easy to install and service. Also featuring a pre-assembled burner and control, triple transfer heat exchanger, single port inshot burner, sturdy streamlined cabinet. Truly fast transfer of heat to circulating air is a specialty with these handsome gas-fired units. Secret is the patented triple-transfer heat exchanger which consists of, a primary firebox of 16 ga steel, double secondary transfer radiators, a large tertiary collector and a scientific design of the heat exchanger itself assures even heat distribution over the entire top of the furnace.



Model	A	B	C	D	E	F	G	H	J	Vent	K*	Lbs.	Price
19P-G50-ID	22-3/4	28	36	11-3/8	-	6	7-3/4	32	3	3	6	139	\$99.70
19P-G60-ID	28	28	48	14	-	7	10-1/2	41	3-1/2	4	6	190	113.55
19P-G75-ID	28	28	48	14	-	7	10-1/2	41	3-1/2	4	6	190	113.55
19P-G90-ID	28	42	48	14	-	7	10-1/2	41	3-1/2	4	6	255	124.65
19P-G10-ID	28	42	48	14	-	7	10-1/2	41	3-1/2	4	6	260	135.75
19P-G13-ID	53	28	48	14	25	7	10-1/2	41	3-1/2	2-4	6	400	188.40
19P-G15-ID	53	28	48	14	25	7	10-1/2	41	3-1/2	2-4	6	408	211.90

Western Gravity Gas fired furnaces is preferred by more builders.

Pre-assembled burner and controls, on single front plate attaches with only 4 screws in pre-punched matched holes. Saves labor! Permits live-testing of burner and controls.

SEA LEVEL				HIGH ALTITUDE			
NAT., MIXED, MFD.		L.P.G.		NAT., MIXED, MFD.		L.P.G.	
Input	AGA Approved	Input	AGA Approved	Input	AGA Approved	Input	AGA Approved
19P-G50-ID	50,000	yes	50,000	no	50,000	no	50,000
19P-G60-ID	60,000	yes	60,000	no	60,000	yes	60,000
19P-G75-ID	75,000	yes	75,000	yes	75,000	yes	75,000
19P-G90-ID	90,000	yes	90,000	yes	90,000	yes	90,000
19P-G10-ID	105,000	yes	105,000	yes	100,000	yes	90,000
19P-G13-ID	130,000	yes	130,000	no	130,000	yes	130,000
19P-G15-ID	150,000	yes	150,000	yes	150,000	yes	150,000

NOTE: Output capacity is 75% of rated input.

NOTE: For LP Gas add \$9.10 to above prices


ALL FURNACES SHIPPED F.O.B., KANSAS CITY WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**



# HIGHBOY FURNACE PERIM-AIR-PAC BY WESTERN

A FORCED AIR SYSTEM, COMPLETE WITH FURNACE, DUCTS, DIFFUSERS AND ACCESSORIES FOR EFFICIENT AND ECONOMICAL CENTRAL HEATING



A. Return Air Register  
B. Ceiling Diffuser  
C. Ceiling Box  
D. 6" Damper Elbow  
E. 6" Snaplock Pipe  
F. 45° Adjustable Angle

G. 90° Adjustable Elbow  
H. 6" Take-Off Cap  
I. Warm Air Plenum  
J. Vent Pipe  
K. Furnace  
L. Mounting Platform



The PERIM-AIR-PAC is a complete air system including all necessary items. This is the economical way of buying a complete air system. Your installation time will be cut in half meaning cutting costly labor charges. No job delay because shortage of pieces. The PERIM-AIR-PAC is complete, supplying you with enough pipe, elbows, diffusers, air grilles, and etc., for six outlets. There is also a package of additional runs and outlets. This is truly the ideal way for builder to supply his homes with air systems.

- ZERO CLEARANCE, the sides and rear may be installed flush with combustible walls.
- CHOICE OF TWO SIZES, 80,000 and 100,000 BTU capacities.
- NOISE-FREE HEAT EXCHANGER, a built-in expansion feature insures quiet operation.
- ADJUSTABLE SPEED DIRECT-DRIVE BLOWER
- SUMMER SWITCH, controls blower for air circulation.
- TEN YEAR WARRANTY, against burning out or rusting out.
- AUTOMATIC, 100% SAFE CONTROLS with wall thermostat.
- ECONOMICAL INSTALLATION, can be done in one day without costly labor charges.
- FACTORY COMPLETE KIT, everything required for installation... nothing has been left out.
- FLEXIBILITY, warm air plenum has eight take-off collars.
- EXTRA 20-FOOT RUNS AVAILABLE, complete with accessories.

## PERIM-AIR-PAC CONTAINS

- 1 - Warm air plenum (12-3/8 x 19 x 36) with 8 outlets.
  - 2 - 6" Outlet stoppers.
  - 6 - 6" Adjustable 90° elbows.
  - 6 - 6" 90° damper elbows.
  - 3 - 6" Adjustable 45° angles.
  - 5 - 6" x 8" Ceiling boxes.
  - 1 - 6" Ceiling box.
  - 5 - 8" Ceiling diffusers.
  - 1 - 6" Ceiling diffuser.
  - 1 - 14" x 10" Return air grille.
  - 1 - 20" x 10" Return air grille.
  - 1 - Roll tape 2" wide with wheat paste.
  - 1 - Gross #7 x 1/2" sheet metal screws.
  - 1 - Package #12 x 7/8" roofing nails.
  - 200 Feet 6" round snaplock pipe, total. (50 feet each package, 10-5' lengths.)
- Plus Furnace of your choice  
Additional run of 20 ft. with all parts  
No. 19P-100-I \$10.45 ea.

Model	Input Capacity	Output Capacity	Furnace Size Height Width Depth	Motor HP	Pipe Size	Wt. Lbs.	Price Complete Pkg.
19P-EU80-I	80,000	64,000	59 1/2" 14" 28"	1/10	1/2"	378	\$214.80 ea.
19P-EU10-I	100,000	80,000	61" 14" 28"	1/6	1/2"	390	239.10 ea.

## HORIZONTAL FURNACE PERIM-AIR-PAC By WESTERN

A FORCED AIR SYSTEM, COMPLETE WITH DUCTS AND ACCESSORIES THAT BLANKETS YOUR WALLS WITH WARM, CLEAN, FILTERED AIR.

This factory-complete kit provides everything required for installation...nothing has been left out. Furnace in the choice of three sizes, warm air and return air plenums, all ducts, floor registers, controls, and a filter to keep the air clean, included in kit to fit your exact needs. Simplicity of assembly makes one-day installation possible, avoiding prolonged inconvenience and costly labor charges.

The PERIM-AIR-PAC fits all homes and buildings and can be placed in unused space. This compact system is ideally suited for basements, crawl space or the attic...it may be used to replace a floor furnace by using the grill for a return air register.



Practical research and time testing have proven the perimeter system to be the superior method of heating. This distinctively different technique blankets the outer walls with a layer of warm air. This reduces the greater percentage of heat losses. By placing warm air diffusers near outside walls assures even temperatures throughout the house.

### PERIM-AIR-PAC CONTAINS

Return Air Plenum with universal adapter.  
Warm Air Plenum with eight 6" take-off collars.  
2-6" take-off caps

- 1-Floor furnace opening cover.
- 12-6" Adjustable 90° elbows.
- 3-6" Adjustable 45° angles.
- 6-4" x 10" Register boots.
- 6-4" x 10" Floor Registers.
- 1-20" x 20" x 1" Filter.
- 1-Roll of asbestos tape 2" wide x 200' long, with cement.
- 1-Gross of #7 sheet metal screws.
- 1-Roll of #18 gage x 60' stove pipe wire.
- 1-Gross #12 gage x 7/8" roofing nails.
- 200-Feet 6" round snaplock pipe, total, (50 feet each package, 10-5' lengths)

Plus Furnace of your choice  
Additional run of 20 ft. with all parts  
No. 19P-200-I \$10.00 ea.



Horizontal furnaces are equipped with Minneapolis-Honeywell controls, to insure 100% safe, unattended operation... set it and forget it.

No.	Blower Wheel Size	Motor HP	Motor	DRIVE Blower Belt	Speed Min.	RPM max.	Wgt. Lbs.	Price Complete Package
19P-H80-I	10" x 7"	1/6	1.8"-2.9"	6" 36"	518	833	380	\$270.85 Ea.
19P-H10-I	10" x 9 1/2"	1/6	1.8"-2.9"	6" 36"	518	833	410	281.15 Ea.
19P-H12-I	11-1/8" x 8"	1/4	1.8"-2.9"	6" 39"	518	833	453	320.60 Ea.

ALL UNITS have high static approvals for air conditioning applications

No.	Capacity Input	Capacity Output	CFM		Gas Consumption CU FT/HR			Furnace Size		
			Temp. 70°	Rise 100°	550 BTU	1050 BTU	2750 BTU	H.	W.	L.
19P-H80-I	80,000	64,000	850	590	145	76	29	18"	16 1/2"	50"
19P-H10-I	100,000	80,000	1,050	740	182	95	36	19"	21 "	50"
19P-H12-I	120,000	96,000	1,270	890	228	114	43	19"	16 1/2"	59"

PACKAGE FURNACE'S SHIPPED F.O.B OUR ST. LOUIS WAREHOUSE

Materials Wholesale from

MORGAN - WIGHTMAN



# WHITEHALL Weather Vanes

in **4** price ranges

NO. 14R-101-F  
ROOSTER



NO. 14R-103-F  
COUNTRY  
DOCTOR



NO. 14R-104-F  
HORSE



## SPECIFICATIONS

Arrow: 24" long. Height--from center of base to center of arrow not including decorative ornament--20". Baked all Black finish. Adjustable direction letters 3½" high. Individually packaged. Shipping Weight 8 lbs.

PRICE FOR ALL 3 DESIGNS

**\$ 12 35**

**\$ 11 85**

EACH

6 OR MORE

All Whitehall Weather Vanes are made of Rustproof Lifetime Aluminum. Precision Built to Move at the Slightest Breeze.

**\$ 6 80**


EACH

**\$ 6 45**

6 OR MORE


## SPECIFICATIONS

Arrow: 18¼" long. Overall height: 26". Baked All Black Finish. Adjustable direction letters 3" high. Individually packed. Weight 3 lbs. Shipping Weight 5 lbs.



NO. 14R-760-F ROOSTER

EITHER DESIGN ONE  
LOW PRICE!




NO. 14R-740-F HORSE

## SPECIFICATIONS

ARROW: 23" long. Height less ornament 23". Baked all black finish or beautiful hand colored ornament. Adjustable direction letters 3" high. Individually packed, shipping weight 6½ lbs.

HEIGHT  
11"

NO. 14R-376-F  
CROWING  
ROOSTER




## SPECIFICATIONS

ARROW: 30" long. Height less ornament 28". Baked all black finish or beautiful hand colored ornament. Adjustable direction letters 3½" high. Individually packed, shipping weight 10¼ lbs.

HEIGHT  
10¾"

No.  
14R-374-F  
HORSE



PRICE FOR EITHER DESIGN

**\$ 20 00**


**\$ 22 95**

BLACK

HAND COLORED

Universal Swivel Base  
Provides Quick,  
Easy Installation on Any  
Angle Roof or Cupola

NO. 14R-217-F  
BUCK & DOE  
PINE TREES



HEIGHT  
10¾"

NO. 14R-272-F  
MALLARD



HEIGHT  
11½"


PRICE FOR EITHER DESIGN

**\$ 14 60**

**\$ 17 55**

BLACK

HAND COLORED



ALL WEATHER VANES ABOVE SHIPPED PREPAID ON ORDERS TOTALING \$100.00 OR MORE


Materials Wholesale from **MORGAN - WIGHTMAN**



# Colonel Logan

New LOGAN Dual-Purpose Railings  
Priced as low as \$1.03 per foot

## PORCH and STEP RAILS




Porch rail section. Made in 10 ft. (wt. 62 lbs.) and 6 ft. (wt. 37 lbs.) sections. User cuts railing to length on the job, with hacksaw.

## PRICES FOR PORCH RAILS

PLAIN PICKETS		ALTERNATE TWIST	
12R-6610-M	6 Ft. \$8.10	12R-6611-M	6 Ft. \$8.80
12R-2210-M	10 Ft. 13.10	12R-2211-M	10 Ft. 13.80

12R-2220-M  
12R-2221-M  
12R-6620-M  
12R-6621-M

are adjustable  
to step angle.



Step rail section. Made in 10 ft. (wt. 56 lbs.) and 6 ft. (wt. 34 lbs.) sections. Adjusts to step angle. User cuts railing to length on the job, with hacksaw.

## PRICES FOR STEP RAILS

PLAIN PICKETS		ALTERNATE TWIST	
12R-6620-M	6 Ft. \$8.95	12R-6621-M	6 Ft. \$9.80
12R-2220-M	10 Ft. 14.50	12R-2221-M	10 Ft. 15.20

FOR ORNAMENTS SEE OPPOSITE PAGE

New  
Starting  
Scroll



No. 12R-1010-S  
Made of 3/16"x1" flat. Ht. 2'-3", width 6". Ship. wt. ea. 3 1/2 lbs. \$1.24

Ball and urn post ornaments are ordered separately and fastened to post by drilling and tapping or spot welding by installer. Either type,  
70¢ Each



12R-2240-S  
BALL POST ORNAMENT  
Wt. 1 lb.



12R-2243-S  
URN POST ORNAMENT  
Wt. 1 lb.




## ORNAMENTAL IRON RAILINGS

Almost any style and size, Porch or Steps can be fitted with these LOGAN "READY-MADE" RAILINGS



Beautiful, permanent, safe iron railings now available in standard designs and sizes. No need to pay for expensive made-to-order work. You SAVE up to 1/3 when using Logan standard-sizes, made by mass production techniques. Easily installed—complete directions attached to each item. All finished one shop coat gray.

## TYPICAL ARRANGEMENTS • POSTS FOR PORCH STEP RAILS




Wt. 4 oz.,  
Code-M



Wt. 4 oz.,  
Code N


No. 12R-2242-S  
Wall end fitting for step rails. Secures hand (top) rail and bottom channel iron to building. Two needed. 49¢ each  
No. 12R-2241-S  
Wall end fitting for porch rails. Secures hand (top) rail and bottom channel iron to building. Two needed. 25¢ each

## 1" SQ. POSTS FOR USE WITH DUAL-PURPOSE OR STANDARD RAILING




Code	No.	Price	Code	No.	Price	Code	No.	Price
A	12R-2109-S	\$2.06	E	12R-2500-S	\$2.15	I	12R-2550-S	\$2.00
B	12R-2100-S	1.64	F	12R-2600-S	2.52	J	12R-2900-S	2.49
C	12R-2200-S	1.79	G	12R-2800-S	2.52	K	12R-2700-S	1.97
D	12R-2300-S	2.22	H	12R-2559-S	2.43	L	12R-2709-S	2.40


## DUAL-PURPOSE RAILING • light weight sturdy • for use where extra-low price is desired



12R-3310-M Lgth. 10 ft. Ship. wt. 30 lbs., \$10.30



12R-3360-M Lgth. 6 ft. Ship. wt. 19 lbs., \$6.30




12R-3340-M Lgth. 4 ft. Ship. wt. 12 lbs., \$4.31

WHEN ORDERING: See 3 Railing lengths 10 ft., 6 ft., and 4 ft. with style numbers. Installer cuts railings to other required lengths with hacksaw. Railing specifications as follows: Pickets 3/16"x5/8" twisted. Top and bottom channels 1"x1/2"x1/8"; height of rail 2'-5". Finish one shop coat gray.

NOTE: Same railing used in horizontal position for Porch Rail and in angle position for Step Rail, adjustable to virtually any angle, all twisted pickets.

NOTE: Ornaments at right are ordered separately and installed on pickets with bolts for dual-purpose railing only.



12R-3318-S  
Railing Support. Used when desired under center of railing. Used as shown, or inverted. 3/16"x1/2" flat steel. Ship. wt. 1/4 lbs., 36¢



12R-2244-S  
Base Plate for wood surface installation. Can also be used for concrete, brick or stone. Diam. 4". Ship. wt. 1/4 lb., 46¢



12R-3370-S  
Scroll ornament. Ht. 6 1/2". Ship. wt. 1 1/4 lbs. 69¢



12R-3380-S  
Diamond Ornament. Ht. 10". Ship. wt. 1 1/4 lbs., 97¢

ALL LOGAN ITEMS SHIPPED F.O.B. ST. LOUIS, CHICAGO OR LOUISVILLE


Materials Wholesale from **MORGAN - WIGHTMAN**



# Colonel Logan

## STANDARD SIZE ENTRANCE RAILINGS

Now, at low cost, home owners can enjoy added beauty and safety at home entrances. These entrance rails come ready to install, as is. Order railings at least 3' less than length of porch. Top 1½" chan. Bot. 1" chan. Pickets ½" sq. Posts 1" sq. heavy tubing, usually set in concrete. Ball and urn ornaments available for posts and base plates for wood floors. See opposite page for prices. Finish one shop coat gray.



Popular alternate twist pickets—only a few cents more per ft.




### PRICES PER PAIR

No.	Lgth.	Wt. Per Pair	Plain Pickets	Alternate Twisted Pickets
12R-208-M	2'-8"	35 lbs.	\$10.25	\$11.00
12R-302-M	3'-2"	38 lbs.	10.85	11.70
12R-308-M	3'-8"	47 lbs.	12.70	13.85
12R-402-M	4'-2"	49 lbs.	13.30	14.35

NOTE: ADD ORNAMENTS SHOWN BELOW FOR ADDITIONAL BEAUTY AND CHARM

## RAILING ORNAMENTS WROUGHT OR CAST



### WROUGHT IRON

- A** No. 12R-926-S  
Made of 3/16" x 1/2" flat. Ht. 11", Width 8". Shipping weight 1-1/4 lbs. \$1.07 ea.
- B** No. 12R-948-S  
Made of 3/16" x 1/2" flat. Ht. 22", Width 7-1/2". Shipping weight 2 lbs. \$1.28 ea.
- C** No. 12R-905-S  
Made of 3/16" x 1/2" flat. Ht. 19", Width 8-1/2". Shipping weight 1-3/4 lbs. \$1.89 ea.
- D** No. 12R-946-S  
Made of 3/16" x 1/2" flat. Ht. 24-3/4", Width 7-1/4". Shipping weight 1-1/2 lbs. \$1.36 ea.

Above are attached to Pickets with set screws.

NOTE: Cast Iron Ornaments are attached to pickets by drilling both ornament and picket for bolt at time of installation. No bolts furnished. Can also be welded to pickets.

ALL RAILING ORNAMENTS FINISHED ONE SHOP COAT GRAY

### CAST IRON


- E** No. 12R-951-S  
**FLEUR DE LIS ORNAMENT**  
Double face cast iron. Ht. 13-1/2", Width 7-1/2". Shipping wt. 4-1/4 lbs. \$1.52 ea.
- F** No. 12R-915-S  
**ORNATE CURVE ORNAMENT**  
Double face cast iron. Ht. 17-5/8", Width 7-3/4". Shipping weight 6-3/4 lbs. \$1.79 ea.
- G** No. 12R-917-S  
**CURLY OAK ORNAMENT**  
Double face cast iron. Ht. 17", Width 8-1/4". Shipping weight 7 lbs. \$1.92 ea.
- H** No. 12R-942-S  
**GRAPE ORNAMENT**  
Double face cast iron. Ht. 19", Width 6-5/8". Shipping weight 7-1/4 lbs. \$1.79 ea.
- I** No. 12R-944-S  
**PRIMROSE ORNAMENT**  
Double face cast iron. Ht. 21-1/2", Width 6-3/4". Shipping weight 5-1/2 lbs. \$1.79 ea.



## ORNAMENTAL IRON RAILINGS

### NEW! IRON GATE ASSEMBLY

This gate consists simply of a 40" piece of standard Colonel Logan Railing (as illustrated on opposite page) and a No. 12R-100-M gate assembly which consists of a hinge section, latch section and latch plate. The hinge section and latch plate are welded or bolted to railing posts on each side (or to masonry, wood, etc.) Remember posts and ornaments are not included in price below. Gate will fit opening up to 43-5/16" and may be cut down to any smaller size desired.



### SPECIFICATIONS

Hinge section consists of hinge bar 1-1/4"x3/8" with fittings to receive railing. Hinges connect hinge bar with a flat bar 1"x3/16" drilled for mounting. Latch section is of 1-1/4"x3/8" with fittings to receive railing and a lift latch that engages the latch plate. Finish is grey prime.

WEIGHT 31 lbs.

No. 12R-100-M . . . \$10.98

## 5" AND 6" WIDE COLUMNS FOR AWNING AND CARPORTS

Wrought iron columns for awnings and car ports are inexpensive, stronger and better in every way than metal pipe or wood posts. Made in standard sizes and are fitted on-the-job, making use of liberal adjustment feature. Save high cost of made-to-order work.

### • SPECIFICATIONS •

#### 5" AWNING COLUMNS

Can be cut down to most any height. Column posts are 1/2" sq. solid steel. Scroll work is 1/2"x1/8", welded construction. Columns are load bearing, single column 400 lbs., corner 2,000 lbs., with safety factor of 2.

#### 6" AWNING AND CARPORT COLUMNS

Awning columns adjust in height from 8'-0" to 5'-6 1/4". Car Port Columns adjust in height from 9'-6" to 7'-3 1/4". Column posts are 1" sq. heavy steel tubing. Scroll work 3/16"x5/8" welded construction. Columns are load bearing 8' columns, single 2000 lbs., corner 5000 lbs. 9'6" columns, single 2000 lbs., corner 4000 lbs. with safety factor of 2. Finished one shop coat gray.



12¢ Ea.


#### NO. 12R-9900-M FLOOR SOCKET FOR 5" AWNING COLUMNS ONLY

These sockets are priced separately and are ordered separately. Specifications: Ht. 1", Width 1-1/2", Length including hold down flange 2-1/4". Will set-screw to post. Wt. 1/4 lb. Note: Posts may be set into concrete, omitting floor sockets.

### NOTE

Base Plates for 6" Awning and carport columns are furnished with each column—No Charge

VOLUME DISCOUNT LESS 5% on 10 Column Orders



12R-5005-S	12R-1006-S	12R-1600-S
Single	Single	Single
Wt. 25 lbs.	Wt. 20 lbs.	Wt. 25 lbs.
\$5.60	\$7.05	\$8.60
12R-5055-S	12R-1056-S	12R-1650-S
Corner	Corner	Corner
Wt. 39 lbs.	Wt. 32 lbs.	Wt. 39 lbs.
\$9.15	\$11.10	\$14.27

ALL LOGAN ITEMS SHIPPED F.O.B. ST. LOUIS, CHICAGO OR LOUISVILLE

Materials Wholesale from

MORGAN - WIGHTMAN



# Colonel Logan ORNAMENTAL IRON PORCH COLUMNS

## DELUXE 12" WIDE COLUMNS

Logan Iron-work is . . .  
BEAUTIFUL  
DISTINGUISHED  
STRONG  
PERMANENT




These "Ready-Made" Porch Columns lend richness and distinction to low and medium-priced homes. A few dollars spent on porch columns give that expensive look to the simplest dwelling. Because Colonel Logan columns are made in standard sizes, it is possible to produce them at the factory in large volume at low cost. These savings are passed on to the user in low, *low* prices on quality iron work.

Designs extend to the top of column, filler bars are added at bottom. This enhances appearance. Height adjustment now is made at bottom only. Special size columns made also. Write for prices.

- Cast iron designs are double face, except No. 12R-1702-SD

**VOLUME DISCOUNT** ◀ Less 5% on 10 Columns

Columns 12" wide—Posts 1" square tubing, 1/8" wall—scrolls 3/16" x 1"—Welded Construction—Finished One Shop Coat Grey




ALL COLUMNS ARE ADJUSTABLE 14" IN HEIGHT EXCEPT No's. 12R-1502-SD, 12R-1552-SD, 12R-1702-SD, 12R-1752-SD  
COLUMNS ARE LOAD BEARING—SINGLE 2000 LBS. CORNER 6000 LBS. WITH A SAFETY FACTOR OF 2, LIVE LOAD.


SINGLE PANEL 12R-4702-S Wt. 30 lbs. \$9.30	SINGLE PANEL 12R-4802-S Wt. 36 lbs. \$10.85	SINGLE PANEL 12R-4602-S Wt. 29 lbs. \$9.70	SINGLE PANEL 12R-4902-S Wt. 33 lbs. \$9.85	SINGLE PANEL 12R-4202-SD Wt. 49 lbs. \$17.60	SINGLE PANEL 12R-1502-SD Wt. 73 lbs. \$19.25	SINGLE PANEL 12R-1702-SD Wt. 58 lbs. \$17.90
CORNER PANEL 12R-4752-S Wt. 56 lbs. \$16.10	CORNER PANELS 12R-4852-S Wt. 64 lbs. \$19.20	CORNER PANEL 12R-4652-S Wt. 50 lbs. \$16.50	CORNER PANEL 12R-4952-S Wt. 58 lbs. \$16.95	CORNER PANEL 12R-4252-SD Wt. 90 lbs. \$32.35	CORNER PANEL 12R-1552-SD Wt. 136 lbs. \$35.95	CORNER PANEL 12R-1752-SD Wt. 107 lbs. \$33.25

## BRACKETS


MATCHING DESIGN BRACKETS ADD BEAUTY AT VERY LITTLE ADDITIONAL COST




No. 12R-1044-S  
PRIMROSE  
BRACKET for  
use with cast  
iron columns.  
Double face cast  
iron. Lgth.  
19 3/4", ht. 10-  
3/8", Ship.  
8 lbs. \$2.60




No. 12R-1042-S  
GRAPE BRACK-  
ET. Double face  
cast iron. Lgth.  
18", ht. 11".  
Ship wt. 6 lbs.  
\$2.61




No. 12R-1004-S  
ORNAMENTAL  
SCROLL. For  
use with wrought  
iron columns.  
Made of 3/16" x 1"  
flat. Lgth. 1'3".  
ht. 11", Ship.  
wt. 3 lbs. \$1.06



No. 12R-1006-S  
SCROLL BRACK-  
ET for use with  
wrought iron  
columns. Made  
of 3/16" x 1"  
flat. Lgth. 15",  
ht. 6", Ship.  
wt. 2 lbs. \$0.90



No. 12R-1015-S  
ORNATE CURVE  
BRACKET. Dou-  
ble face cast  
iron. Lgth. 22",  
ht. 11 1/2", Ship  
Wt. 12 1/2 lbs.  
\$3.95



No. 12R-1017-S  
CURLEY OAK  
BRACKET.  
Single face cast  
iron. Lgth. 20",  
ht. 20", Ship.  
wt. 14 lbs. \$5.10



No.  
13R-1022-S  
LARGE GRAPE  
BRACKET. Dou-  
ble face cast  
iron. Lgth. 25",  
ht. 25", Ship.  
wt. 16 lbs. \$7.10

ALL LOGAN ITEMS SHIPPED F.O.B. ST. LOUIS, CHICAGO OR LOUISVILLE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Colonel Logan

## ORNAMENTAL IRON WORK NINE INCH PORCH COLUMNS



CONSTRUCTION: These 9" width columns have 1" sq. tubing posts. Welded construction, load bearing, single columns 2000 lbs., corner 5000 lbs., with safety factor of 2. All columns finished one shop coat gray. No. 30 Base plates furnished. All columns have 14" height adjustment (from 8'0" to 6'10").

12R-4109-S SINGLE Wt. 25 lbs. \$9.25	12R-5309-S SINGLE Wt. 20 lbs. \$5.95	12R-5109-SD SINGLE Wt. 43 lbs. \$16.35	12R-4909-S SINGLE Wt. 23 lbs. \$7.25	12R-4609-S SINGLE Wt. 24 lbs. \$8.60	12R-4809-S SINGLE Wt. 26 lbs. \$8.80	12R-4309-S SINGLE Wt. 27 lbs. \$9.65	12R-4409-SD SINGLE Wt. 44 lbs. \$15.40	12R-2309-S SINGLE Wt. 22 lbs. \$6.75
12R-4159-S CORNER Wt. 43 lbs. \$15.98	12R-5359-S CORNER Wt. 32 lbs. \$10.45	12R-5159-SD CORNER Wt. 80 lbs. \$29.95	12R-4959-S CORNER Wt. 39 lbs. \$12.35	12R-4659-S CORNER Wt. 40 lbs. \$14.65	12R-4859-S CORNER Wt. 44 lbs. \$15.10	12R-4359-S CORNER Wt. 46 lbs. \$16.80	12R-4459-SD CORNER Wt. 79 lbs. \$28.30	12R-2359-S CORNER Wt. 36 lbs. \$11.25

### MAIL BOX STANDS

For a look of suburban beauty, mount mailboxes on a distinctive, durable, iron stand. All stands have horizontal brackets drilled to fit standard mail boxes.

Charming, sturdy, inexpensive. Grey iron scroll on steel pipe post. Scroll is 18 1/4" x 9 1/2". 2' post is 5' long giving firm support. Specify whether No. 1 or No. 2 mailbox is to be mounted (mail box not included). Wt. 8 lbs.



No. 13R-7600-S  
only \$6.90

### GRAPE PATTERN

Mail Box Stand No. 13R-7300-S. Beautiful Cast Iron Design. Stand is 10 1/2" wide x 60" in height (Mail Box not included.) Primed with shop coat. Wt. 25 lbs.

No. 13R-7300-S \$10.75




Wt. 2 lbs.

RURAL MAIL BOXES  
Government approved aluminum bronze finish over heavy gauge steel, with red flag, corrugated bottom.

No. 14T-100-I  
18-7/8" x 6-3/8" x 8-3/8"  
\$2.50 ea. \$28.55 per doz.


### NEW VALANCES AND BRACKETS



No. 12R-842-S  
GRAPE  
VALANCE  
for use with our  
No. 12R-4200-SD  
Column.  
Double face cast iron.  
Lgth. 20 1/4". Ht. 3 1/2".  
Wt. 5 1/4 lbs.  
12R-842-S \$1.35




No. 12R-815-S  
ORNATE CURVE  
VALANCE  
for use with our  
No. 12R-1500-SD  
Column.  
Double face cast - iron.  
Lgth. 19 3/4". Ht. 5 1/4".  
Wt. 7 lbs.  
12R-815-S \$1.52




No. 12R-817-S  
CURLY OAK  
VALANCE  
for use with our  
No. 12R-1700-SD  
Column.  
Double face cast - iron.  
Lgth. 17-1/8". Ht. 4-1/4".  
Wt. 5 lbs.  
12R-817-S \$1.22




No. 12R-844-S  
PRIMROSE  
VALANCE  
for use with our  
No. 12R-4400-SD  
Column.  
Double face cast iron.  
Lgth. 21 1/4". Ht. 4".  
Wt. 5 1/2 lbs.  
12R-844-S \$1.46




No. 12R-1041-S  
SCROLL AND  
LEAF BRACKET  
Scrolls of 3/8" round  
iron. Double face leaves  
formed from flat material.  
Lgth. 19 1/2". Ht. 9 1/4".  
Wt. 3 lbs.  
12R-1041-S \$2.08



No. 12R-851-S  
FLEUR DE LIS  
VALANCE  
for use with our  
No. 12R-5100-SD  
Column.  
Double face cast - iron.  
Lgth. 19 1/4". Ht. 4-1/8".  
Wt. 4 1/2 lbs.  
12R-851-S \$1.15



No. 12R-1051-S  
FLEUR DE LIS  
BRACKET  
Double face cast iron.  
Lgth. 17-1/8". Ht. 9-1/8". Wt. 7 1/4 lbs.  
12R-1051-S \$2.51



No. 12R-812-S  
ORNAMENTAL  
SCROLL VALANCE  
(for use with  
wrought iron. Scroll  
of 3/16" x 5/8" flat  
Lgth. 24". Ht. 4-3/4". Wt. 2 1/2 lbs.

ORNAMENTAL SCROLL  
12R-812-S \$0.91


ALL LOGAN ITEMS SHIPPED F.O.B. ST. LOUIS, CHICAGO OR LOUISVILLE

Materials Wholesale from **MORGAN - WIGHTMAN**




# Leigh Imperial AWNINGS & CANOPIES •

DESIGNED VENTILATION FOR SUMMER COMFORT




- QUICK**  
• **INSTALLATION**  
• **LOW COST**  
• **STRENGTH**  
• **RIGIDITY**


The complete Imperial Awning or Canopy consists of pre-assembled sides, top and front angles, weather cap, panels, aluminum bolts and nuts, brass screws and instruction sheets - all packed in a compact shipping carton. Imperial Awnings and Canopies are made of heavy-gauge zinc-coated Steel-Bonderized for added protection. Interlocking panels give greater rigidity and eliminate the need for a network of bracing under the unit. **INSTALLATION** - No special skill is required to put up Leigh Imperial Awnings and Canopies - no cutting or fitting. They come complete - with easy-to-follow instructions packed with each Awning or Canopy.




12T-1100-MD



12T-2100-MD



12T-3300-MD



12T-4300-MD

12T-1100-MD			12T-2100-MD			12T-3300-MD			12T-4300-MD		
Width (Inches)	Projection 22" Drop-22"	Ship. Wt. Approx. lbs.	Width (Inches)	Projection 28" Drop-28"	Ship. Wt. Approx. lbs.	Width (Inches)	Projection 41" Drop-14"	Ship. Wt. Approx. lbs.	Width (Inches)	Projection 72" Drop-21"	Ship. Wt. Approx. lbs.
30"	\$12.11	19	30"	\$14.04	24	30"	\$15.46	26			
35"	13.18	21	35"	15.28	27	35"	16.91	29			
40"	14.17	25	40"	16.48	29	40"	18.31	30			
45"	15.24	27	45"	17.72	33	45"	19.75	33			
50"	16.32	29	50"	18.91	35	50"	21.34	35	50"	\$39.38	70
55"	17.36	31	55"	20.11	38	55"	22.98	38	55"	41.89	75
60"	18.50	32	60"	21.34	39	60"	24.71	42	60"	44.42	80
65"	19.54	35	65"	22.61	42	65"	26.38	45	65"	46.92	84½
70"	20.80	36	70"	23.83	43	70"	28.27	46	70"	49.46	90½
75"	21.89	43	75"	25.20	50	75"	30.10	48	75"	51.97	95½
80"	23.23	44	80"	26.51	52	80"	32.06	53	80"	54.49	100½
85"	24.55	46	85"	27.84	55	85"	34.06	58	85"	57.61	106
90"	25.73	48	90"	29.15	57	90"	36.02	60	90"	60.13	111
95"	27.29	50	95"	30.43	59	95"	37.97	62	95"	62.65	116
100"	28.67	52	100"	31.81	60	100"	39.91	63	100"	65.16	121
105"	30.01	54	105"	33.18	63	105"	41.89	66	105"	67.68	126½
110"	31.42	57	110"	34.57	66	110"	43.86	69	110"	70.20	131½
115"	32.80	60	115"	35.96	69	115"	45.84	72	115"	72.73	137
120"	34.16	62	120"	37.36	72	120"	47.84	75	120"	75.85	142
125"	35.53	64	125"	38.74	75	125"	49.89	80	125"	78.29	144½
130"	36.92	67	130"	40.12	78	130"	51.88	83	130"	80.75	147
135"	38.30	70	135"	41.54	81	135"	53.84	85	135"	83.26	152
140"	39.66	72	140"	42.91	84	140"	55.82	88	140"	85.77	157
145"	41.09	76	145"	44.34	89	145"	57.86	93	145"	88.28	162
150"	42.46	78	150"	45.74	92	150"	59.83	96	150"	90.82	167
155"	43.81	80	155"	47.14	95	155"	61.82	99	155"	93.36	172½
160"	45.19	82	160"	48.53	98	160"	63.84	103	160"	95.87	178
165"	46.54	84	165"	49.91	101	165"	65.83	106	165"	98.38	183
170"	47.92	86	170"	51.34	104	170"	67.81	109	170"	100.89	188
175"	49.27	88	175"	52.68	107	175"	69.82	113	175"	103.42	193½
180"	50.64	90	180"	54.08	110	180"	71.86	117	180"	105.95	199
185"	51.98	92	185"	55.46	113	185"	73.82	120	185"	108.49	205
190"	53.35	94	190"	56.87	116	190"	75.82	123	190"	111.62	211
195"	54.72	96	195"	58.25	119	195"	77.80	126	195"	114.16	216½
200"	56.09	98	200"	59.64	122	200"	79.77	129	200"	116.68	222
205"	57.46	100	205"	61.09	125	205"	81.77	132	205"	119.22	228
210"	58.81	102	210"	62.54	128	210"	83.74	135	210"	121.76	234
215"	60.24	106	215"	64.06	133	215"	85.81	141	215"	124.32	240
220"	61.60	108	220"	65.50	136	220"	87.80	144	220"	126.85	246
225"	62.96	110	225"	66.94	139	225"	89.78	147	225"	129.00	252
230"	64.36	114	230"	68.40	142	230"	91.77	150	230"	131.92	257½
235"	65.78	118	235"	69.85	145	235"	93.74	153	235"	134.45	263
240"	67.21	122	240"	71.29	148	240"	95.76	156	240"	136.98	269
245"	68.63	126	245"	72.73	151	245"	97.76	160	245"	139.54	275
250"	70.04	130	250"	74.18	154	250"	99.74	163	250"	142.68	281

## SPECIAL SIZES

Wider widths in multiples of 5 inches can be furnished at the following **ADDITIONAL** prices:

No. 12T-1100-MD Add \$1.40 For Each 5"  
No. 12T-2100-MD Add \$1.45 For Each 5"  
No. 12T-3300-MD Add \$2.00 For Each 5"  
No. 12T-4300-MD Add \$2.80 For Each 5"

## STANDARD COLORS

Green and White, Blue and White, Tile Red and White, All White. Finish is a high quality gloss enamel, baked to a hard glistening sheen in Infra Red ovens. For solid Blue, solid Green, solid Red or other special combinations of White, Blue, Green and Red, add 10% to the regular price.

## ANGLE BRACES

On widths over 70", one angle brace is furnished for every 70" of width. Additional braces can be furnished. Price \$2.53 each - for all types except Number 12T-4300-MD, which is \$3.42.

## REFINISHING ENAMEL

For Imperial Awnings and Canopies and Bel-Air - Canopies. (Green, white, blue and red). \$2.98 per quart.

Complete unit is knocked down for easy installation, storage and freight saving.

IF YOUR ORDER IS LESS THAN \$60.00 ADD 10% TO COVER THE FACTORY PENALTY.

WHEN ORDERING BE SURE AND SPECIFY: COLOR - SIZE - NUMBER  
AWNINGS AND CANOPIES SHIPPED WITHIN TWO WEEKS F.O.B. A COPPERSVILLE, MICH. FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • Leigh CANOPIES •

## "BIG TOP" Imperial CANOPY



NO. 12T-5300-D

### DOUBLE-PROTECTED STEEL CONSTRUCTION

Here is the perfect canopy to cover the patio, car-port, porch or breezeway, and for many important commercial uses. It's absolutely permanent, yet it costs far less than any other kind of roof construction.

The BIG TOP also fills many applications at motels, drive-in restaurants, garden centers, loading platforms of industrial and commercial buildings, and many more.

NO. 12T-5300-MD\* PRICES

Length	Prices	Shipping Weights	Length	Prices	Shipping Weights
8'6"	\$96.68	115.0 lbs.	24'6"	\$261.14	347.0 lbs.
9'6"	107.15	129.5 lbs.	25'6"	271.22	361.5 lbs.
10'6"	117.32	144.0 lbs.	26'6"	281.23	376.0 lbs.
11'6"	127.67	158.5 lbs.	27'6"	291.45	390.5 lbs.
12'6"	137.72	173.0 lbs.	28'6"	301.65	405.0 lbs.
13'6"	148.34	187.5 lbs.	29'6"	311.86	419.5 lbs.
14'6"	158.40	202.0 lbs.	30'6"	322.08	434.0 lbs.
15'6"	168.45	216.5 lbs.	31'6"	332.29	448.5 lbs.
16'6"	178.64	231.0 lbs.	32'6"	342.50	463.0 lbs.
17'6"	189.61	245.5 lbs.	33'6"	352.71	477.5 lbs.
18'6"	199.59	260.0 lbs.	34'6"	362.93	492.0 lbs.
19'6"	209.90	274.5 lbs.	35'6"	373.12	506.5 lbs.
20'6"	220.00	289.0 lbs.	36'6"	383.07	521.0 lbs.
21'6"	230.29	303.5 lbs.	37'6"	393.29	535.5 lbs.
22'6"	240.64	318.0 lbs.	38'6"	403.49	550.0 lbs.
23'6"	251.00	332.5 lbs.	39'6"	413.69	564.5 lbs.

Above prices do not include overhead braces or support columns. For Larger Sizes Add \$10.20 Per Foot at length over 39'6". Sides - Red and White, Green and White, Blue and White, or All White. Panels - Red and White, Green and White, Blue and White, or All White, or White with 2 Top Panels Red, Green or Blue.

No Center Posts required on Canopies smaller than 10'-6"

10'-6" to 19'-6" - One Center Post

20'-6" to 29'-6" - Two Center Post

30'-6" to 39'-6" - Three Center Post

40'-6" to 49'-6" - Four Center Post

WHEN ORDERING SPECIFY, COLOR AND SIZE

## Bel-Air DOOR CANOPIES

IN GREEN OR WHITE



Front-edge drain channel gives added protection. Built of Double-Protected Steel - zinc coated for rust prevention, bonderized for lasting paint adhesion.

One-piece construction means a professional, permanent installation in just minutes! Complete kit and instructions packed in individual shipping cartons.

Flashing nails or screws to house. Heavy steel ornamental brackets screw to canopy and house.

SPECIFY  
SIZE AND  
COLOR WHEN  
ORDERING

Number	Width	Projection	Depth	Weight	Price
12T-4830-F	48"	30"	6"	24 lbs.	\$11.15
12T-5430-F	54"	30"	6"	26 lbs.	\$12.00

Door Canopies Shipped F.O.B. Our St. Louis or Chicago Warehouse - in 24 Hours


IMPERIAL CANOPIES SHIPPED WITHIN TWO WEEKS F.O.B. COPPERVILLE, MICHIGAN FACTORY

NEW

9 FOOT PROJECTION

### ADJUSTABLE PITCH


Varying installations require different slopes or "pitch" of the canopy. The Leigh BIG TOP Canopy can be adjusted for 8" to 20" drop of the front edge below the level of the back angle. Corner posts can be cut as needed for desired pitch.



### OVERHEAD BRACES

No. 12T-5301-MD

Vertical columns make the strongest installation, and are recommended for use wherever possible. Where use of Leigh ornamental columns is not practical, a specially-designed overhead brace is available. Braces should be placed at both ends of the canopy, and spaced at no more than 6-ft. intervals. 24 lbs. \$8.72



## LOGAN ORNAMENTAL COLUMNS

(Available as an Extra)

Graceful and strong ornamental iron columns, designed especially for the Imperial Canopy line, are available for installations of the BIG TOP and for other applications.

Three-post columns are used as corner supports, and two-post columns as center supports along the length of the front channel. Columns are of heavy-gauge steel, welded construction, with a heavy flanged plate with bolt holes for anchoring the column to the base.


Columns come in 8-foot lengths and can be cut to accommodate varying pitches of the canopy. Standard light gray prime coat can be repainted on the job to blend with the canopy if desired.

Column are 9" wide and have 13" adjustment at top.

Logan Columns shipped F.O.B. Our St. Louis or Chicago Warehouse - in 24 hours.

CENTER-  
12R-5509-S  
\$7.25 Ea.  
Wt. 19 lbs.

CORNER-  
12R-5559-S  
\$12.70 Ea.  
Wt. 30 lbs.



Materials Wholesale from **MORGAN - WIGHTMAN**



# Windsor WOOD CUPOLAS

- DISTINCTIVE STYLING FOR A VARIETY OF ARCHITECTURE
- HIGHEST QUALITY CONSTRUCTION
- DESIGNED FOR EASY INSTALLATION

WINDSOR Cupolas are carefully constructed by master craftsmen of only the finest quality materials. Highest grade kiln dried lumber is used, primed with a coat of blister-resistant outside white paint. Heavy, permanent roofs, including top caps, are of 16 oz. copper or heavy gauge aluminum. Wide slatted louvers permit constant air flow, but are angled to prevent seeing through cupola. Aluminum screen wire back of louvers prevents entrance of insects, animals or leaves. Can be installed on any type roof, using non-rusting screws. Ideal for use in conjunction with roof fans or for regular roof vents.

*Price is determined by type of roof. Be sure to state type desired, as aluminum is shipped unless copper is specified.*

*Weather vanes are optional and extra. For weather vanes, add \$14.65 to Cupola prices and specify design wanted.*


*Please allow two weeks for shipment.*



## The MODERN

Designed to meet the demand for a Cupola architecturally adapted for modern and contemporary homes. Low pitch roof line and extended louvers lends itself to today's long low ranch home.

SAILBOAT WEATHERVANE



## The MOUNT VERNON

Simple colonial beauty that will adapt itself to many architectural styles. Adds charm and grace to any home. Use on house, garage or any out-building. Copper or aluminum roof.

ROOSTER WEATHERVANE

No.	Design	Size			Wt. lbs.	Price	
		At Base	At Roof	Height		Alum.	Copper
15R-3223-ID	Mayfair	20" Sq.	23" Sq.	31"	22	\$41.65	\$45.05
15R-3427-ID	Mayfair	24" Sq.	27" Sq.	33"	27	54.40	59.10
15R-3833-ID	Mayfair	30" Sq.	33" Sq.	37"	36	71.40	78.20
15R-3723-ID	Mount Vernon	20" Sq.	23" Sq.	37"	24	47.60	51.85
15R-4027-ID	Mount Vernon	24" Sq.	27" Sq.	40"	29	58.65	63.75
15R-4833-ID	Mount Vernon	30" Sq.	33" Sq.	48"	38	80.35	88.85
15R-4525-ID	Monticello	20" sq.	23" Sq.	45"	25	51.00	55.25
15R-4829-ID	Monticello	24" Sq.	27" Sq.	48"	30	71.40	76.50
15R-5235-ID	Monticello	30" Sq.	33" Sq.	52"	39	90.95	99.45
15R-2125-ID	Moderne	21" sq.	25" sq.	21"	21	41.65	45.05
15R-2229-ID	Moderne	25" sq.	29" sq.	22"	26	54.40	59.10
15R-2535-ID	Moderne	31" sq.	35" sq.	25"	35	71.40	78.20



## The MONTICELLO

A classic design to enhance the beauty of any home. The majestic spire proudly reigns over the landscape. Copper or aluminum roof.

COUNTRY DOCTOR -



## The MAYFAIR

The Mayfair a favorite among home owners everywhere. Modest in prices, yet same high Manor House quality and styling. Copper or aluminum roof.

HORSE WEATHERVANE

# Windsor ALUMINUM CUPOLAS

## BEAUTY PLUS VENTILATION

Attractive cupolas provide screened ventilation and better condensation control. Constructed of heavy aluminum, roof sections are reinforced for wind resistance and undercoated for sound cushioning. Double louvers keep out the heaviest rain and snowstorms. Cupolas come ready for painting, are shipped carton packed; semi-assembled. Aluminum base, all flashing materials, rust-proof nails and assembly instructions are included. Added beauty may be had by installing weather vanes shown on Page 141. Series 200 and 300 Weather vanes are the only models available for use with aluminum cupolas.

## • SPECIFICATIONS •

Model	Base	Alt.	Net Ventilating Area	Fan Capacity In C.F.M.
20T-3000-M	33"x33"	29"	567 sq. in.	4150
20T-5000-M	17"x17"	25"	215 sq. in.	1630



20T-5000-M base size 17" x 17" - this model has all four panels fully louvered and is suitable for all roof pitches up to 10 in 12. Shipped completely assembled with curb.

Weight ..... 13 lbs.

PRICE ..... \$19.82 ea.



20T-3000-M base size 33" x 33" - has two panels with three louvers and two panels fully louvered. Designed for ridge mounting on low pitched roofs up to 6 in 12 pitch.

Weight ..... 27½ lbs.

PRICE ..... \$34.95 ea.

WOOD CUPOLAS SHIPPED F.O.B. INDIANA FACTORY - ALUMINUM CUPOLAS F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**



from **MORGAN·WIGHTMAN**



## Lock fashions by **SCHLAGE**

*Helpful information to assist you  
in the proper planning and selection of  
Schlage lock designs, functions and finishes  
for entranceways and interior doors.*

**To meet your needs . . . the following**

**32 pages contain a complete selection of builder's hardware**





# SCHLAGE

How do you visualize the home you are planning to build or remodel? It's a safe guess you'll want it to be beautiful, reflecting your own tastes and personality in a distinctive manner. You'll want all the modern features that provide safety, security and convenience in daily living...

First impressions are important...the architectural motif established at the entranceway generally expresses the style to be found throughout the entire building. Since doorways play such an important role, the selection and placement of the locks is of considerable significance.

Selection of the proper locks, latches and ornamental backgrounds (escutcheons) contributes much to lasting home satisfaction...giving you beauty that highlights architectural and decorative effects...




## "A" SERIES—JUST BORE TWO HOLES FOR QUICK INSTALLATION FOR DOORS 1 3/8" to 1 3/4"



NOVO DESIGN • SYMBOL: NOVO

MATERIAL: Wrought bronze or aluminum  
 KNOB: 2-1/8 inches in diameter  
 ROSE: 2-9/16 inches in diameter  
 PROJECTION: 2 inches  
 FINISH: Dull Bronze—Aluminum




### 20H-A10S-M KNOB LATCH

For passage and closet doors. Rotating either knob will retract latch bolt.

No.	Design	Broken Case	FULL CASE
20H-A10S-M	Ply or Novo	\$3.75	\$3.55
20H-A10S-M	Ply or Novo 1 Side Chrome	3.95	3.75
20H-A10S-M	Tulip	4.55	4.30
20H-A10S-M	Tulip 1 Side Chrome	4.70	4.45

Brass—Bronze—Aluminum Same Price.  
 Specify finish and design when ordering.




### 20H-A40S-M PRIVACY LOCK

Push button in inside knob with emergency key from outside. For bath and bedroom doors. Automatic "popoff" on latch bolt and inside button when locked.


No.	Design	Broken Case	FULL CASE
20H-A40S-M	Ply or Novo	\$4.40	\$4.20
20H-A40S-M	Ply or Novo 1 Side Chrome	4.60	4.35
20H-A40S-M	Tulip	5.20	4.95
20H-A40S-M	Tulip 1 Side Chrome	5.35	5.10

Brass—Bronze—Aluminum Same Price.  
 Specify finish and design when ordering.



TULIP DESIGN • SYMBOL: TULIP

MATERIAL: Wrought brass  
 KNOB: 2 inches in diameter  
 ROSE: 2-9/16 inches in diameter  
 PROJECTION: 2-3/8 inches  
 FINISH: Polish Brass



### 22H-A30D-M EXIT LOCK

For patio and porch doors. Also doors to basement. Push button locking—cannot be opened from outside. Has dead locking feature.


No.	Design	Broken Case	FULL CASE
20H-A30D-M	Ply or Novo	\$4.85	\$4.60
20H-A30D-M	Tulip	5.65	5.35

Brass—Bronze—Aluminum Same Price.  
 Specify finish and design when ordering.



PLYMOUTH DESIGN • SYMBOL: PLY

MATERIAL: Wrought brass  
 KNOB: 2-1/8 inches in diameter  
 ROSE: 2-9/16 inches in diameter  
 PROJECTION: 2 inches  
 FINISH: Dull Bronze—Polish Brass




### 20H-A51PD-M OUTSIDE LOCK

Pintumbler lock for maximum security. Turn button in inside knob—locks outside knob.—Latch deadlocks automatically.

No.	Design	Broken Case	FULL CASE
20H-A51PD-M	Ply or Novo	\$ 9.25	\$8.80
20H-A51PD-M	Ply or Novo 1 Side Chrome	9.40	8.95
20H-A51PD-M	Tulip	10.00	9.55
20H-A51PD-M	Tulip 1 Side Chrome	10.20	9.75

Brass—Bronze—Aluminum Same Price.



Size	A Series	D Series
5"	\$0.65	\$0.75
7"	.95	1.25
10"	1.58	1.90
18"	5.40	5.95

20H-199-M  
 WHEN ORDERING  
 SPECIFY LENGTH  
 AND LOCK SERIES



### DUMMY KNOBS No. 20H-170-M

Ply design in Pol. Brass  
 Novo design in Bronze  
**\$1.55 Each**  
 Tulip design in Pol. Brass  
**\$1.95 Each**

All Locks Are Packed 20 To A Case • Extra 5% Discount On Seven Case Order

Key locks can be keyed alike in any group, no charge.

ALL SCHLAGE LOCKS SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE



# Schlage Entrance Handle Locks

(COMPLETELY REVERSIBLE)

## 'E' LOCKS

Fits cut out, 1-3/8" x 4-1/4",  
formed by boring three 1-3/8"  
holes.  
ADJUSTABLE...for 1-3/4"-  
2-1/4" doors.  
EXPOSED TRIM...Solid brass

### ENTRANCE HANDLES 20H-5510-M

Design	Outside Finish	Price Each
Waverly	Pol. Brass	\$32.30
Plymouth	Pol. Brass	28.95

Handles Sets packed 5 per  
carton - Extra 5% Discount  
for full carton.



INSIDE TRIM

All inside trim polish brass  
plymouth design.



Plymouth


Waverly

We can supply "C" and "D" series locks for all  
types of commercial buildings. Send your plans and  
specifications for our low "contract bid".

# 'D' LOCK DESIGNS

For Doors 1-3/8" to 2" in thickness


## SCHLAGE HEAVY DUTY Cylindrical Locks



TULIP DESIGN

Knob: 2-3/32 inches in diameter  
Rose: 2-9/16 inches in diameter  
Projection: 2-3/4 inches  
Material: Wrought Brass  
Finish: Polish Brass

No. 20H-D51P-M Tulip \$22.30  
No. 20H-D170-M Dummy Knob 6.85



PANTHEON

Knob: 3 inches in diameter  
Rose: 8 inches in diameter  
Projection: 2 1/2 inches  
Material: Cast brass  
Finish: Polish Brass  
(Minimum 5" Backset)

No. 20H-4519-M Pan x Ply \$45.15  
No. 20H-4709-M (Dummy Knob) 29.35  
Inside Knob and Rose Plymouth Design

Note: We can key alike all Schlage locks.  
No charge.

## 'B' LOCKS



20H-B260-M DEADLOCK Pin tum-  
bler. Deadbolt. Operation - dead-  
bolt from outside by key, inside by  
thumb tum. Reversible. Polish brass  
or aluminum.

20H-B260-M ....1 cyl. .... \$7.50

20H-B262-M DEADLOCK Same as  
above but with two cylinders. Polish  
brass or aluminum

20H-B262-M ....2 cyl. .... \$10.65

# ORNAMENTAL ESCUTCHEONS

ELEVEN DECORATIVE DESIGNS TO FIT ALL WINDSOR, SCHLAGE AND YALE KEY LOCKS


RIVERA  
20H-801-M



SHOU  
20H-812-M



REGENT  
20H-803-M




IMPERIAL  
20H-804-M



BARRINGTON  
20H-805-M



SAVOY  
20H-806-M



SATURN  
20H-807-M



MANHATTAN  
20H-808-M



CONTINENTAL  
20H-809-M



VERMONT  
20H-810-M



STAR  
20H-811-M



ALL ESCUTCHEONS FURNISHED IN POLISHED BRASS ONLY

No.	Size	Price Each	No.	Size	Price Each
20H-801-M	5-1/2" Dia.	\$1.80	20H-806-M	8"x3-3/8"	\$2.15
20H-812-M	8" Dia.	3.35	20H-807-M	6" Dia.	6.00
20H-803-M	3-11/16" Sq.	1.80	20H-808-M	8"x4-3/8"	3.65
20H-804-M	5-1/2" Sq.	3.65	20H-809-M	11"x8"	4.65
20H-805-M	7-3/8" Sq.	5.00	20H-810-M	12" long.	1.58
			20H-811-M	9"x7-1/4"	1.75

When Ordering Specify Brand of Lock Being Used

NOTE: Escutcheons No. 20H-808-M and No. 20H-809-M available  
with color backgrounds write for information and prices.

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






## • "400" LINE IN TWO DESIGNS •

In either of Kwikset's elegantly molded shapes — the Bel Air design or the Standard design — you can be assured of a perfect blend of artistic, metallurgical and engineering skills. Both are designed for rapid, uniform installation... both are guaranteed against defects in material or workmanship... and both are available in a complete range of functions and finishes. Crafted for permanence and durability, Kwikset "400" Line locksets meet the highest standards wherever quality locksets are desired.

### BEL AIR



42H-2001-M

Polish Brass


Broken Case	Full Case	Five Case
\$2.13 Ea.	\$2.02 Ea.	\$1.92 Ea.

Chrome 1 Side

\$2.27 Ea.	\$2.16 Ea.	\$2.05 Ea.
------------	------------	------------

### PASSAGE SET

For all interior doors where simple latches are all that is desired.



42H-2000-M

Polish Brass


Broken Case	Full Case	Five Case
\$2.00 Ea.	\$1.90 Ea.	\$1.80 Ea.

Chrome 1 Side

\$2.13 Ea.	\$2.02 Ea.	\$1.92 Ea.
------------	------------	------------

### KEY LOCK

Five pin tumbler Key-N-Knob set for all exterior doors. Button in knob or key locks securely. Free keying alike.




42H-4001-M

Polish Brass

Broken Case	Full Case	Five Case
\$4.30 Ea.	\$4.56 Ea.	\$4.33 Ea.

42H4050-M  
5" Backset Latch  
\$0.70 Ea.




42H-4000-M

Polish Brass

Broken Case	Full Case	Five Case
\$4.67 Ea.	\$4.44 Ea.	\$4.22 Ea.

### PRIVACY LOCK

For bedroom or bathroom doors. Button in knob for locking — outer knob features emergency entry hole.




42H-3001-M

Polish Brass

Broken Case	Full Case	Five Case
\$2.53 Ea.	\$2.40 Ea.	\$2.28 Ea.

Chrome 1 Side

\$2.67 Ea.	\$2.54 Ea.	\$2.41 Ea.
------------	------------	------------



42H-3000-M

Polish Brass


Broken Case	Full Case	Five Case
\$2.40 Ea.	\$2.28 Ea.	\$2.17 Ea.

Chrome 1 Side

\$2.53 Ea.	\$2.40 Ea.	\$2.28 Ea.
------------	------------	------------

### EXIT LOCK SET


For outside doors where keylock is not desirable. Can be locked from inside only.



42H-1001-M

Polish Brass

Broken Case	Full Case	Five Case
\$2.53 Ea.	\$2.40 Ea.	\$2.28 Ea.



42H-1000-M

Polish Brass

Broken Case	Full Case	Five Case
\$2.40 Ea.	\$2.28 Ea.	\$2.17 Ea.

### FREE SERVICE

**BIDDING:** within 24 hours of the receipt of your plan or itemized list, Morgan-Wightman will furnish you with a total sum bid of your finished hardware needs. Bidding from plan will be done by itemizing each opening, and packing accordingly.

**PACKING:** A house or job of finished hardware, packed to your specifications in one individual carton.

### CONTRACT BIDDING AND PACKING

Bel Air Dummy knob No. 42H-4881-M, not shown.

Polish Brass .80 Ea.

### DUMMY KNOBS

Standard Dummy knob No. 42H-4880-M, not shown.

Polish Brass .73 Ea.

All Kwikset Locks packed 30 sets per carton. On five carton orders you may mix types — but no single carton can be mixed.

ALL ITEMS ON THIS PAGE ARE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

### ENTRANCE HANDLE LOCK SET

The new modern entrance handle set by Kwikset. A new modern idea in handle sets to blend perfectly with the modern home. This set is available with Standard design or Bel Air design interior knobs. Available in polished brass only.



Bel Air




Standard



No.	Interior Knob	Price
42H-470-M	Standard Design	\$10.65 ea.
42H-471-M	Bel Air Design	10.80 ea.


### MODERN ROSETTES



### BRASS FINISH

Type	No.	Size	Price
A	42H-3810-M	7-1/4" x 9"	\$1.77 ea.
B	42H-3155-M	5-3/8" sq.	1.70 ea.
C	42H-3150-M	5-1/2" dia.	1.25 ea.
D	42H-1333-M	3-3/4" dia.	.57 ea.
E	42H-495-M	12-1/8" long	1.50 ea.
F	42H-1283-M	5" dia.	2.35 ea.
G	42H-1281-M	7-7/8" dia.	3.20 ea.
H	42H-1280-M	7" dia.	2.70 ea.

### MODERNIZATION KIT



Front Trim Latch Plate Back Trim Strike Plate

The simple way of converting old style mortis locks to modern tubular locks. You can now fill the need with the easy-to-install Kwikset Modernization Kit. The kit consists of two trim plates, latch and strike plate. Recommended for use with 42H4001 key lock.

42H-1215-M Polished Brass \$2.84 ea.

Materials Wholesale from **MORGAN - WIGHTMAN**




# YALE "5280" LOCKSETS

"BRANDY WINE" A MODEL FOR EVERY NEED

No. 68H-5237-M  
NEW CYLINDRICAL  
ENTRANCE LOCKSET  
At Tubular Lock Prices  
For Entrance Doors  
of Either Hand


Pushing button in inside knob locks outside knob. Turning inside knob or turning key in outside knob releases locked outside knob. Outside knob may be retained in locked position by pressing turn button in and rotating clockwise to horizontal position.



Polish Brass		
Broken Case	Full Case	Seven Cases
\$5.63	\$5.28	\$5.06


Chrome One Side		
\$5.81	\$5.45	\$5.23

For Distinctive Escutcheons.  
Refer To Page 151



No. 68H-5282-M  
PATIO LOCKSET

For patio, sundeck and basement doors. Pushing button in inside knob locks outside knob. When locked cannot be opened from outside. Turning inside knob or closing door releases push-button locking.





Polish Brass		
Broken Case	Full Case	Seven Cases
\$2.53	\$2.38	\$2.28

5280 SERIES DUMMY KNOBS  
No. 53H-5235-M POL. BRASS  
80¢ Each



No. 68H-5283-M  
PASSAGE LATCH

For Closet, Vestibule and Connecting Doors of Either Hand - Reversible. A plain latch, operated by knob from either side.




Polish Brass		
Broken Case	Full Case	Seven Cases
\$2.13	\$2.00	\$1.92
\$2.27	Chrome One Side	\$2.04
	\$2.13	

All 5280 Yale Locks packed 20 sets per case. On seven case orders you may mix types - but no single carton can be mixed.

68H-5284-M  
Bedroom Lockset  
68H-5285-M  
Bathroom Lockset


Where privacy locking is desired. Latchbolt operated by knob on both sides. Outside knob locked by rotating turnbutton clockwise in inside knob. Turnbutton released by turning inside knob counter-clockwise or by manually returning turnbutton to vertical position.



Polish Brass		
Broken Case	Full Case	Seven Cases
\$2.53	\$2.38	\$2.28
\$2.67	Chrome One Side	\$2.40
	\$2.50	

## LITCHFIELD DESIGN

No. 68H-5237L-M



68H-5237L-M  
ENTRANCE LOCKSET  
Polish Brass

Polish Brass		
One Case	Seven Cases	
\$4.60	\$4.40	
Chrome One Side		
\$4.76	\$4.57	

68H-5282L-M  
PATIO LOCKSET  
Polish Brass

Polish Brass		
One Case	Seven Cases	
\$2.25	\$2.16	
Chrome One Side		
\$2.38	\$2.28	

Litchfield design locksets are packed 20 sets per case. Cases cannot be broke for single lock orders. On seven case orders you may mix types.

68H-5283L-M  
PASSAGE LATCH  
Polish Brass


Polish Brass		
One Case	Seven Cases	
\$1.88	\$1.80	
Chrome One Side		
\$2.00	\$1.92	

68H-5285L-M  
BATHROOM LOCKSET  
68H-5284L-M  
BEDROOM LOCKSET  
Polish Brass

Polish Brass		
One Case	Seven Cases	
\$2.25	\$2.16	
Chrome One Side		
\$2.38	\$2.28	

Litchfield design locksets are shipped from Memphis, Tenn. Warehouse. One case orders shipped F.O.B. Warehouse, seven case orders are shipped prepaid.

No. 68H-5283L-M




PASSAGE LATCH

For interior doors where locking is not required. Latch bolt operated by knob on both sides.

## SPECIFICATIONS Yale Locks (5280 Series)

The NEW YALE 5280 SERIES INTERIOR LOCKSETS are designed for low cost residential requirements and rapid installation (no mortising required for latch front). Readily reversible, this lock fits 1-3/8" to 1-3/4" doors of either hand opening in or out. Standard backset 2-3/8", latch throw 3/8". Full lip strikes are provided. Recommended Stile Bore: 2-1/8". Edge Bore: 7/8". (Will also fit 2" stile bore, 15/16" edge bore.)

### CYLINDER NIGHT LATCH



Five Pin-Tumbler  
Cylinder  
Type  
Zamak Cyl. Iron Bolt

68H-3600-M	1 1/4 lbs.
\$2.07 ea.	\$23.60 doz.

### FREE SERVICE

CONTRACT BIDDING & PACKING Bidding: Within 24 hours of the receipt of your plan or itemized list, Morgan-Wightman will furnish you with a total sum bid of your finished hardware needs. Bidding from plan will be done by itemizing each opening, and packing accordingly.

Packing: A house or job of finished hardware, packed to your specifications in one individual carton.


## FOR 5280 SERIES LOCKS

### INSTALLATION AIDS



68H-9200-M Boring Jig	\$5.95
2-1/8" Boring Bit	\$3.10
Hand Bit Power Bit	\$3.85

### BACKSET LINKS



No.	Size	Price
68H-3810-M	5"	\$0.75
68H-3820-M	7"	1.85
68H-3830-M	10"	2.45
68H-3840-M	18"	7.70

Face Mortiser	\$1.20
Strike Locator	\$0.35

ALL YALE LOCKS SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**




# Windsor 500 SERIES LOCKSET

## EXCLUSIVE WITH MORGAN-WIGHTMAN

TULIPS KNOBS AT LOWER COST THAN OLD STYLE ROUND KNOBS

### SCHLAGE ENTRANCE LOCKSET

By using the Schlage Wafer Key Lock on front and rear doors and Windsor inside sets, you have the prestige of Schlage Locksets on both front and rear doors without paying prestige prices.



No. 20H-A51W-M

Broken Case	Polish Brass Full Case	150 Locks
\$5.68	\$5.33	\$5.11
	Inside Chrome	
\$5.86	\$5.50	\$5.28
	5" Backset .63¢ Ea.	
Above keylocks packed 20 sets per carton		

### BATHROOM & BEDROOM LOCKSET

No. 20H-F40-M




Turn button locking, with emergency release.

Broken Case	Polish Brass Full Case	150 Locks
\$2.22	\$2.08	\$2.00
	Inside Chrome	
\$2.34	\$2.19	\$2.10

### PATIO OR PORCH LOCKSET

Turn button locking, cannot be opened from outside.

No. 20H-F31-M




Broken Case	Polish Brass Full Case	150 Locks
\$2.22	\$2.08	\$2.00

**LOW COST LOCK SET**  
Highest quality in the low price bracket. . . All WINDSOR No. 500 series latchsets and locksets are made of brass, steel. Outside parts are solid brass and polished to a jewel-like lustre, sealed with a clear baked enamel for beauty and rugged durability. This series is known for its high quality and quick, easy, self-aligning installation. This lockset does not require a skilled carpenter's installation.

Windsor Latchset, bathroom and patio locks packed 30 sets per carton.

On 150 lockset orders you may mix types, but cartons cannot be broken.



ESCUTCHEONS  
REFER TO PAGE 151

### INSTALLATION AIDS TO SAVE TIME



Clamps on quickly and holds tight. Assures exact right-angle holes for perfect lock fit. Cuts installation time to a minimum.

JIG \$5.95

### BORING BIT

2 1/2" Boring Bit  
Hand Bit, Power Bit  
\$3.10 \$3.85


FACE MORTISER  
\$1.20 Ea.

STRIKE LOCATOR  
35¢

### ENTRANCE LOCKSET

For residence and apartment entrance doors, and all general exterior doors. Turn button locking, key from outside, spring latch, Pin Tumbler lock. Free keying alike.


No. 23H-560-M



Broken Case	Polish Brass Two Cases	150 Locks
\$3.80	\$3.55	\$3.41
	Inside Chrome	
\$3.92	\$3.68	\$3.53
Above keylocks packed 12 sets per carton.		
5" Backset, 60¢ Ea.		

### LATCHSET

No. 20H-F10-M



Passage, closet and lockers requiring no locking.


Broken Case	Polish Brass Full Case	150 Locks
\$1.80	\$1.69	\$1.62
	Inside Chrome	
\$1.92	\$1.80	\$1.73

### DUMMY KNOB

No. 20H-170-M

For doors where only a pull is required.

POLISH BRASS  
\$.71 Ea.



### FREE SERVICE

#### CONTRACT BIDDING AND PACKING

**BIDDING:** within 24 hours of the receipt of your plan or itemized list, Morgan-Wightman will furnish you with a total sum bid of your finished hardware needs. Bidding from plan will be done by itemizing each opening, and packing accordingly.

**PACKING:** A house or job of finished hardware, packed to your specifications in one individual carton.


ALL WINDSOR LOCKS SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN-WIGHTMAN**



# Lockwood

## RESIDENTIAL CYLINDRICAL LOCKSETS




### THUNDERBIRD DESIGN

Knob, 1-7/8" diameter. Rose, 2-1/2" diameter.  
Projection, 2-1/8".

#### SPECIFICATIONS LOCKWOOD "R" SERIES

The "R" series heavy gauge, cold rolled steel locks install in 2 1/8" diameter hole in door stile. Latch requires 7/8" diameter hole in door edge, latch face is 2 1/4" x 1". "R" series locksets fit 1 3/8" to 1 1/2" thick doors.



No. 46H-130-M

### EXTERIOR LOCKSET


By knob either side except when outside knob is locked by turnbutton, then by key outside. Key holds bolt retracted. Inside knob always free.

Broken Case	Polished Brass Full Case	Five Cases
\$5.10	\$4.85	\$4.60
\$5.25	1 Side Chrome \$5.00	\$4.75

### PASSAGE LOCKSET

By Knob either side at all times.

Broken Case	Polished Brass Full Case	Five Cases
\$2.05	\$1.95	\$1.85
\$2.15	1 Side Chrome \$2.05	\$1.95




No. 46H-110-M

### DUMMY KNOBS

For Doors where only a pull is required.

No. 46H-10-M  
Polished Brass  
\$.85 Ea.




No. 46H-120-M

### BATH AND BEDROOM LOCKSET

By Knob either side, except when outside knob is locked by push button. Turning inside knob or closing door automatically releases outside knob. Emergency key unlocks outside knob.

Broken Case	Polished Brass Full Case	Five Cases
\$2.45	\$2.30	\$2.20
\$2.55	1 Side Chrome \$2.40	\$2.30



No. 46H-123-M

### PATIO LOCKSET

By knob either side, except when outside knob is locked by turnbutton in inside knob.

Broken Case	Polished Brass Full Case	Five Cases
\$2.45	\$2.30	\$2.20
\$2.55	1 Side Chrome \$2.40	\$2.30

## DEPENDABLE ENTRANCE DOOR LOCKS

### No. 46H-2848-M ENTRANCE DOOR HANDLE SET

Outside handle, cylinder rose, cylinder face, inside knob and face of lock are polished brass. Overall size—16-1/8" x 2-1/4". Cylinder collar—4" x 2-1/8".



**\$13.40**

POLISHED BRASS

### No. 46H-2838-M ENTRANCE DOOR HANDLE SET

Outside handle, cylinder rose and face of cylinder are cast brass, black hammered iron finish. Inside knob and face of lock are polished brass. Overall size—15-5/8" x 2-5/8". Cylinder collar—2 1/2" x 2 1/2".




**\$13.40**

BLACK HAMMERED IRON

### No. 46H-4848-M CYLINDER STORE DOOR HANDLE SET... Escutcheons, handles and face of lock are polished brass. Cast iron, black wrinkle lacquer case. Cast bronze cylinder. Cast bronze bolts—1/2" throw. Phosphor bronze hubs. Knob hub for 5/16" spindle. Turn knob for 3/16". Strike—wrought bronze, 1-5/16" lip to center. Escutcheons—14-1/2" x 3". Pin tumbler cylinder. Operation—latch bolt and thumb piece from either side. Dead bolt by key from either side at all times. Reversible. Two keys.

Case—5 1/2" x 3 3/4" x 3/4"  
Backset—2 1/2"  
Changes—unlimited  
Front—7-11/16" x 1" flat



**\$20.15**

POLISHED  
BRASS

**\$22.35**

DULL  
CHROME

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Von Duprin

## EXIT PANIC DEVICES

BUY THE VERY BEST -  
THE LIFE YOU SAVE MAY BE YOUR OWN.



### RIM TYPE BRONZE PANIC DEVICES



FOR ACCIDENT  
HAZARD

#### DIMENSIONS

Floating axles ..... 1/2" diameter  
Crossbar tubing ..... 1" O.D.  
Crossbar height from bottom of door  
..... 37"  
Crossbar projection .... Neutral-4 1/2"  
Depressed-4"  
Lock stile case ..... 8 1/4" x 2 3/4"  
Hinge stile case ..... 6" x 1 1/4"  
Top and bottom latch cases .... 4" x 2"  
Vertical rods ..... 1/2" O.D. tubing



Single door  
jamb detail


#### No. 65H-8827-M

Vertical rod device for use on inactive leaf of double doors without mullions. Automatic slide holds top and bottom bolt retracted during door travel. Contains dogging feature for push-pull operation. Stock devices for doors up to 7'0" high. In ordering specify door size if greater than 7'0".

A heavy, serviceable exit device with bronze internal parts and forged bronze outside trim. For doors not less than 1 1/4" thick with stiles not less than 4". Dogging feature in lock case. When cross bar is dogged, door is push-pull.

Supplied in either sprayed bronze painted finish or natural dull bronze. Exterior trim all sets natural dull bronze. All sets completely reversible for right or left hand doors.

Available in stock-size, knocked-down for doors up to 3'6" wide.



#### TWO RIM DEVICES WITH REMOVABLE MULLION FOR DOUBLES DOORS

No. 65H-1254-E MULLION - For single door performance in double, door openings. Extruded aluminum body is removable. Non-ferrous top and bottom fittings. Attachment screws are concealed. All prime coated - Maroon Bronze. Standard height 8'0". Wt. 17 lbs. .... \$25.15

#### ECOMONY DEVICES 65H-2700-M

Malleable iron vertical rod device in sprayed bronze finish. For inexpensive installations on doors where no entrance from exterior is necessary. Special retractor holds top & bottom bolts withdrawn during door travel.

No. 65H-2700-M Wt. 14 # \$23.30

When ordering devices for double doors without mullions, ask for No. 65H-1609-M Rim Strike.

65H-1609-M Sprayed \$1.75

65H-1609-M Dull Bronze \$2.70



65H-2700-M

#### ALL MODELS BELOW ARE SOLID BRONZE



65H-88TP-M  
Key locks  
thumbpiece



65H-88NL-M  
Key retracts  
latch bolt



65H-88EO-M  
Exit  
only



65H-88DT-M  
Pull when  
Dogged



65H-8827-M  
Exit  
only

#### SPRAYED DULL BRONZE DULL BRONZE

65H-88TP-M	\$42.75	65H-88NL-M	\$39.75	65H-88EO-M	\$32.05	65H-88DT-M	\$36.80	65H-8827-M	\$51.62
Wt. 13 lbs.	46.10	Wt. 13 lbs.	43.10	Wt. 11 lbs.	35.37	Wt. 12 lbs.	40.14	Wt. 15 lbs.	54.95



#### Latch-Track Threshold

Use with Von Duprin devices for bottom latching and complete weather resistance.

14H-750-M Alum. \$1.11 Ft. 14H-751 Brass \$4.20 Ft.

#### Volume Discount

Less 5% on 6 or more Devices  
Less 10% on 12 or more Devices


"24 Hour" Shipment all Devices

ALL PANIC DEVICES ARE SHIPPED F.O.B. ST. LOUIS OR CHICAGO

Materials Wholesale from **MORGAN - WIGHTMAN**



# • FINISH HARDWARE FOR COMMERCIAL BUILDINGS •



A. 25H-20-M Door Pull Cast Brass or Aluminum, 5" C to C, Base 1-5/8" Rd. Proj. 1-7/8"; overall length 6-5/8". Wt. 1/2 lb.

Aluminum \$2.10 Ea.  
Brass \$2.50 Ea.

B. Modern Door Pull available in Brass or Aluminum two lengths 6" or 8"; 3/8" x 1-1/4" Base, 2" projection. Wt. 1 lb.  
25H-32-M 6" \$2.35 Alum. \$3.15 Brass  
25H-34-M 8" 2.70 Alum. 3.55 Brass

C. 25H-171-M Half Round Pull available in Brass or Alum. 6" C to C, 7/16" Base, 1-9/16" Proj. 3" back set, overall length 6 3/4". Wt. 1/2 lb.

Aluminum \$4.95 ea.  
Brass \$6.40 ea.

D. 25H-2210-M Heavy Door Pull Brass or Aluminum Finish, 7" C To C, 2-1/4" x 2-7/8" Base, 2-3/4" proj. 9-1/4" overall length. Wt. 2-1/2 lbs.

Aluminum \$8.50 ea.  
Brass \$16.00 ea.

E. 25H-1545-M Flush Bolt. For use on metal doors and frames. 1-1/4" x 6-3/4" Bolt face, 1/2" Sq. Bolt, 11/16" throw. Wt. 1 1/2 lbs.

Aluminum \$2.60 ea.  
Brass \$3.00 ea.

F. 36H-262-M Flush Bolt 6" x 3/4" with 1/2" Bolt. Polished Brass \$3.33 Ea.

G. Push Plate 16 Ga. Available in three finishes

55H-4000-M	Brass	Alum.	Chrome
3" x 12"	\$1.35	\$0.91	\$1.45
3 1/2" x 15"	1.70	1.10	1.88
4" x 16"	1.88	1.21	2.06


H. Pull plates extruded aluminum and brass, plates are 3/16" thick.

53H-4300-M	Brass	Alum.
3" x 12"	\$7.80	\$5.45
3 1/2" x 15"	8.50	6.45
4" x 16"	9.90	7.80

I. Push Plate extruded aluminum and brass plates are 3/16" thick.

53H-2300-M	Brass	Alum.
3" x 12"	\$4.35	\$2.90
3 1/2" x 15"	5.30	3.60
4" x 16"	6.80	4.50

## ALUMILITE PUSH AND PULL BARS



No. 25H-2211-M . . . Square tubing 3/4" O.D., projects 1 1/4". Overall projection with pull, 2-7/8". Spacing on pull 8" C.C. Ends are cast aluminum 2" x 2". All bars 36" long to accommodate doors up to 42" wide.

Single Bars	Four Bar Sets	Pull Unit
\$4.35 Ea.	\$20.45	\$12.50

Four bar set shown above.  
Pull unit is two bars and pull.

## KICK PLATES





KICK PLATES. Available in aluminum or polished brass to match push and pull bars. Come with counter-sunk holes and slightly beveled edges. Made from 16-gauge sheet.

No. 55H-4400-M			No. 55H-4400-M		
Sizes	Alum-ilite	Pol. Brass	Sizes	Alum-ilite	Pol. Brass
8x28	\$2.30	\$5.05	10x30	\$2.95	\$6.60
8x30	2.50	5.35	10x34	3.45	7.35
8x34	2.80	5.95	12x34	3.95	8.85
10x28	2.80	6.25			

NOTE: Figure plates 2" less than door size. Stainless steel and bronze also available.

Write For prices On Sizes Not Listed

## DOOR CLOSERS AND CORNER BRACKETS



Yale No. 68H-9000-M Series Compact Model—Attractive appearance. 36% less bulk. Fully controlled closing.

Yale No. 68H-7000-M Series Standard model for doors of either hand without changing spring.

How to Select Door Closers  
7000 or 9000 Series

Size	Type Door	Maximum Size
2	Interior	2/8 x 7/0 x 1-3/4"
3	Exterior	2/6 x 7/0 x 1-3/4"
4	Exterior	3/0 x 7/6 x 2-1/4"

Prices

Numbers	Size	1 to 5	6 or More
68H-7200-M or 68H-9200-M	2	\$15.60	\$14.65 Ea.
68H-7300-M or 68H-9300-M	3	19.00	17.80 Ea.
68H-7400-M or 68H-9400-M	4	22.75	21.30 Ea.

- Universal-Non Handed
- Main Swing and Latching Speed Control
- Hydraulic Mechanism enclosed in Main Arm
- Adjustable Spring Tension For All Installations

A door closer made to adapt to the power requirements of size 2, 3 or 4 standard type closers, by merely changing position of a tension adjustment screw. Reverses for use on either right or left hand doors. Gives you the same two speed closing control of standard closers; allowing precise adjustment of main swing and latching speeds.

Number	1 to 5	6 or more
68H-33-M	\$19.00	\$17.80

Corner brackets for out swinging doors. The bracket permits door to open 150 degrees with standard length arm — MALLABLE IRON.

Fits Yale 7000 Series  
68H-2520-M \$2.50  
68H-2530-M 2.85  
68H-2540-M 3.60

Fits Yale 9000 Series  
68H-4520-M \$2.50  
68H-4530-M 2.85  
68H-4540-M 3.60

Fits 68H-33-M  
68H-503-M \$2.85

All Models Available  
In Brown or Aluminum  
Lacquer — Specify

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






# SLIDING DOOR HARDWARE

## NO. 61H-6300-M HANGERS

for 1 3/8" BY-PASSING WARDROBE DOORS ON  
NO. 61H-6060-M TRACK



Designed for quick and easy installation on by-passing wardrobe doors. Only one inch headroom required. Slotted mounting holes make it easy to plumb door with jamb. Smooth and quiet action.

No. 61H-6300-M

### • PRICES •


\$1.60 Per Pair  
\$1.53 Per Pair In Doz. Lots  
\$1.47 Per Pair In 4 Doz. Lots  
Weight 8 oz.

### SPECIFICATIONS

For doors 1 3/8" thick weighing up to 60 lbs. Made of steel, cadmium plated. Rollers are nylon, self-lubricating and very quiet. Use No. 61H-6060-M Track

## NO. 61H-6060-M ALUMINUM TRACK


Double track of extruded aluminum with apron to conceal hangers. Etched and anodized to give a beautiful, silvery appearance. Apron may be painted to match woodwork. For 1-3/8" by-passing doors. To install, simply cut track to fit opening and screw to header. No special header construction is needed.



No. 61H-6060-M Standard Package			PRICES		
Size	Package	Wt.	Broken Pkg.	Full Pkg.	2 Doz. Lots
48"	12	36 lbs.	\$3.52 ea.	\$3.35 ea.	\$3.22 ea.
60"	12	43 lbs.	4.42	4.20	4.04
72"	12	52 lbs.	4.71	5.04	4.85
96"	3	19 lbs.	7.35	6.99	6.73
120"	3	23 lbs.	9.17	8.72	8.40

## NO. 61H-6200-M HANGERS

for 3/4" BY-PASSING WARDROBE DOORS ON  
NO. 61H-6020-M TRACK



These hangers are similar to No. 61H-6300-M Hangers except that they are for 3/4" doors. They offer the same simplicity of installation and ease of adjustment.

No. 61H-6200-M

### • PRICES •


\$1.60 Per Pair  
\$1.53 Per Pair In Doz. Lots  
\$1.47 Per Pair In 4 Doz. Lots  
Weight 8 oz.

### SPECIFICATIONS


For doors 3/4" thick weighing up to 60 lbs. Made of steel, cadmium plated. Rollers are nylon, self-lubricating and very quiet. Use No. 61H-6020-M Track.

## NO. 61H-6020-M ALUMINUM TRACK

This track is the same as No. 61H-6060-M, except it is made for 3/4" doors.



No. 61H-6020-M Standard Package			PRICES		
Size	Package	Wt.	Broken Pkg.	Full Pkg.	2 Doz. Lots
48"	12	27 lbs.	\$2.75 ea.	\$2.62 ea.	\$2.52 ea.
60"	12	34 lbs.	3.45	3.28	3.16
72"	12	40 lbs.	4.15	3.94	3.80
96"	3	15 lbs.	5.69	5.41	5.21
120"	3	19 lbs.	7.10	6.75	6.50



## NEW SLIDING DOOR PULL

- 3 sizes for all door sizes
- Surface mounted—no mortise
- Attached from inside door
- Polished brass finish
- Easier door opening with firm finger grip
- Quick in installation


These beautiful new Door Pulls are installed quickly and easily. Drill two holes through door from inside and attach pull to outside surface of door. As simple as most cabinet pull installations. They provide easier and fuller finger grip. Extruded aluminum, etched and anodized to a soft lustre. Size length; 1 1/2", 2 1/2" and 3 1/2"; width 1 1/4"; projection 7/8".

No.	Size.	Doz. Wt.	Each Price	One Dozen	Two Dozen
61H-863-M	1 1/2" long	1 lb.	\$.64	\$7.29	\$7.02
61H-865-M	2 1/2" long	1 1/2 lbs.	.73	8.38	8.07
61H-867-M	3 1/2" long	2 lbs.	.83	9.48	9.13



## WALL POCKET DOOR HARDWARE

- Installation is simple
- Doors glide smoothly and quietly




No. 750

750 Hangers are made of steel, cadmium plated. Adjustable twin nylon rollers, 1" in diameter with oilite bearings.

Hangers and Guide			Prices		
No.	Pkg.	Wt.	1-11	12-23	24 or More
61H-750-M	12	11 lbs.	\$2.40	\$2.28	\$2.20
61H-879-M	12	1 lb.	.28	.27	.26

Track is extruded aluminum designed to make it easy to hang or remove door after hangers are attached. For doors up to 100 lbs.

No. 61H-700-E TRACK			Prices		
Size	Pkg.	Wts.	1-11	12-23	24 more
60"	12	22 lbs.	\$2.07	\$2.00	\$1.90
72"	12	26 lbs.	2.48	2.40	2.28



ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE



Materials Wholesale from **MORGAN - WIGHTMAN**



# • GRANT SLIDING DOOR HARDWARE •

The Grant 6000 Series is a broad line designed for service where economy and simple installation are important. It is recommended for all applications, including closets, cabinets, storage walls, and partitions. Installation is simple and quick with step-by-step pictorial instructions included in each hardware package. Track is attached to header. Holes are located on door, using template provided with instructions. Carriers are attached. Door is raised and carriers mounted to track. Floor guide is installed and adjustments made (if necessary). Hardware sets with track are packed in tubes. Small tube containing parts is nested at one end of large tube containing track. Hardware sets for fascia track are packed in boxes. Individual parts are packed in boxes.

## ALUMINUM FASCIA TRACK FOR TWO BY PASSING 1-3/8 DOORS





This is highest quality aluminum fascia adjustable set at the lowest price possible. Vertical adjustment is done without removal of carrier screws. This is done by sliding the toothed members of the two-piece carrier to desired position and fastening lock nut. Supplied with No. 6350 carrier, No. 115 floor guide, and No. 1019 pull.

No.	Size	Weight Per. Set	Broken Ctn.	Full Ctn.	24 Sets Full Ctn.
32H-6664-M	4 Ft.	5 lbs.	\$4.33	\$4.12	\$3.97
32H-6665-M	5 Ft.	6 lbs.	4.91	4.67	4.50
32H-6666-M	6 Ft.	7 lbs.	5.50	5.22	5.03

All Sets Packed 6 Per Full Carton

## "BUDGET" PRICE ALUMINUM FASCIA TRACK FOR TWO BY PASSING 1-3/8 DOORS



The lowest priced aluminum fascia set available features the jump-proof track. For doors 1-3/8" thick and for 4, 5 and 6 foot openings. Allowing a 1/4" vertical adjustment of doors. Supplied with No. 6320 carrier, No. 115 floor guide and No. 1019 pull.

No.	Size	Weight Per. Set	Broken Ctn.	Full Ctn.	24 Sets Full Ctn.
32H-6364-M	4 Ft.	5 lbs.	\$3.88	\$3.69	\$3.55
32H-6365-M	5 Ft.	6 lbs.	4.44	4.23	4.07
32H-6366-M	6 Ft.	7 lbs.	5.01	4.77	4.59

All Sets packed 6 per Full Carton



## "LOW COST" STEEL TRACK FOR TWO BY PASSING 3/4" OR 1-3/8 DOORS

Directed specifically at low and moderate cost developments. Track serves as architectural trim, no fascia required. Mounted flush with opening, track is painted to match room colors. Absolute minimum of headroom.

Price for 3/4" and 1-3/8" Doors

No.	Size	Weight Per. Set	Broken Ctn.	Full Ctn.	24 Sets Full Ctn.
32H-6324-M	4 Ft.	4 1/2 lbs.	\$2.73	\$2.59	\$2.50
32H-6325-M	5 Ft.	5 lbs.	3.01	2.86	2.76
32H-6326-M	6 Ft.	6 lbs.	3.28	3.12	3.00
32H-6328-M	8 Ft.	8 1/2 lbs.	3.67	3.67	3.54

4'5'6" packed 12 per carton-8' packed 6 per carton




## STEEL SETS FOR 1-3/8 SINGLE SLIDE AND BI-PARTING DOORS


A single slide set where head room is at a minimum. The track is made of 1040 electro zinc plated cold rolled steel. Mounted flush with opening, track is painted to match room colors.

No.	Size	Weight Per. Set	Broken Ctn.	Full Ctn.	24 Sets Full Ctn.
32H-6114-M	4 Ft.	3 lbs.	\$1.73	\$1.59	\$1.65
32H-6115-M	5 Ft.	3 1/2 lbs.	1.87	1.78	1.72
32H-6116-M	6 Ft.	4 lbs.	2.03	1.93	1.86
32H-6118-M	8 Ft.	5 lbs.	2.31	2.20	2.12


4'5'6" packed 12 per carton-8' packed 6 per carton




## PARTS INCLUDED IN ABOVE SETS




No. 6350 Two-wheel Adjustable Side Mount Carrier (small offset). Mount, housing and arm. .078 inch expts.\* Wheels: nylon (Zytel 101). Studs: expcrs.\*




No. 6320 One-wheel Adjustable Side Mount Carrier (small offset). Apron: .078 inch expts.\* Wheel: nylon (Zytel 101). Stud: expcrs.\*




No. 6370 Top Mount Non-adjustable Carrier. Housing: expcrs.\* Wheel: nylon (DuPont FM10001). Stud: cold rolled steel.



No. 115 Floor Guide: For bypassing installations. Can be adjusted for 3/4" doors or 1 1/8" doors. Base: expcrs.\* Guides: molded nylon.



No. 113 Floor Guide: For single door installations. Can be used with grooved doors or as a channel. Material: molded nylon.



No. 1019 Finger Pulls: Included in sets Nos. 6010, 6020, 6030, and 6070. Accessory in other sets. Material: brass, polished and lacquered.

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# STANLEY


## BI-FOLD HARDWARE



Stanley Bi-Fold Hardware for use with 3/4" to 1-3/8" thick louvered or paneled doors. Requiring only 20 minutes installation time. Capitalize on the plus features of Bi-Fold Doors; smooth, quiet, trouble-free operations.

### STANLEY FEATURES


- Door mounting, adjusting and removing a simple one man operation — performed in seconds.
- Doors will operate smoothly if out of alignment. Suspended guide pivot holds doors in track — even if out of square as much as one inch.
- Doors quickly aligned in closed or open position with simple one-nut, one-wrench adjustment system.
- For odd size openings it is only necessary to cut aluminum guide track.
- Minimum clearance between door and jamb.




TRACK



TOP DOOR PIVOT




BOTTOM DOOR SOCKET




TOP TRACK SOCKET




BOTTOM JAMB PIVOT



SUSPENDED GUIDE




SNUGGER AND STOP




DOOR ALIGNER

Check finished opening dimensions and trim door panels to allow clearances shown.



CLEARANCE FOR DOOR PANELS  
FOUR AND TWO PANEL INSTALLATIONS

panel thickness	A	B	C
3/4"	1/4"	1/16"	1/8"
1-1/8"	7/16"	1/8"	5/16"
1-3/8"	9/16"	3/16"	7/16"



NOTE: Allow additional clearance for carpeting.  
door height  
four or two panel

### Bi-Fold Hardware

Includes extruded aluminum guide track, pivot bracket, pivot socket, stop, door aligner, door knob and hinges


No.	For Opening	Standard Package	Price Per Set
60H2930-M	3'0"	10 sets - 12 lbs.	\$3.03
60H2940-M	4'0"	10 sets - 25 lbs.	5.11
60H2950-M	5'0"	10 sets - 29 lbs.	5.50
60H2960-M	6'0"	10 sets - 32 lbs.	5.88

"VOLUME DISCOUNT" —  
10% on Orders for Standard Packages



### DOOR LOCK FOR SLIDING DOORS

This new, tubular type lock is for use on passage doors where privacy is desired. It has a standard 2-3/8" backset and is installed simply by boring two holes and mortising edge plate. Door is locked from the inside by turning locking button. Emergency button on the outside of door permits unlocking with screw driver or coin. Lock will engage strike even with some misalignment. Fits 1-3/8" to 1-3/4" door. Finished in polished brass or combination polished brass and polished chrome.



61H1036-M

Pol. Brass  
\$5.08 Ea.

Brass & Chrome  
\$5.72 Ea.




### HAR-VEY SLIDING DOOR HARDWARE

The Lowest Cost Hardware Available

HAR-VEY One set will accommodate both 3/4" and 1-3/8" doors. Economy-minded builders appreciate the low cost and quick installation of this versatile modern hardware. Doors stay securely in line, absolutely can not jump the track. Best of all, it costs less than any comparable door hardware... and the set is complete — includes everything you need for a complete installation.

- Electro-Galvanized Steel Track
- 2" Round Door Pulls
- New Nylon Floor Guides



For Doors Up To  
70 Lbs.

### STEEL TRACK 606 SERIES

No.	Door Spec.	Track Length	Weight Per Set	Stand. Pack.	Price Per Set
69H-6064-M	Two - 2'0"	47"	3 1/2 lbs.	24	\$2.02
69H-6065-M	Two - 2'6"	59"	3 3/4 lbs.	24	2.20
69H-6066-E	Two - 3'0"	71"	4 1/2 lbs.	24	2.43
69H-6068-E	Two - 4'0"	95"	6 lbs.	24	2.81

NOTE — For 3 or 4 Door Opening — Order extra set of hardware  
No. 69H-700-M \$1.05 Set

"VOLUME DISCOUNT" — 10% on orders for Standard Packages.

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • SLIDING DOOR HARDWARE ACCESSORIES •

## FLUSH PULLS

No. 13H-286-M

Rectangular flush pull — quick mortise type, 3-1/16" x 1-3/8", Depth 3/8". Solid brass with mirror finish.

Can be used as sash lift.

Specify finish desired when ordering.

Polish Brass  
16¢ Ea. \$1.82 Doz.

Polish Chrome  
20¢ Ea. \$2.36 Doz.

No. 13H-286-M


No. 13H-292-M

A large, round 2" pull — matches door knobs in general appearance. Designed for fast installation. Depth 7/16", solid brass.

Polish Brass  
22¢ Ea. \$2.51 Doz.

No. 13H-292-M

## SLIDING DOOR LOCK



Now sliding closet doors can be locked and contents kept safe from pilferage. Lock is designed on a new principle. One half turn of key raises tongue to locked position or returns it to unlocked position. Cylinder is geared to tongue and action is positive. Simple to install — bore one hole. Fits 3/4" to 1-3/4" doors. Weight 1/2 lb.

No. 61H-1058-M

\$3.16 Ea.

\$36.15 Doz.

## EDGE PULLS

are used on wall pocket installations. Their function is to provide a means of retracting the door from the wall pocket when the door is completely open.

No. 13H-315-M

Size 4"x5/8"x1". Balanced leverage. Finger-Lok grip. Made of Zamak, highly polished finish. 1 dozen per box with screws.

Specify finish desired when ordering.

Polish Brass  
46¢ Ea. \$5.26 Doz.

Polish Chrome  
40¢ Ea. \$4.60 Doz.

No. 13H-315-M

No. 61H-881-M

15/16"x2-7/16" Face. Sterling — All brass with screws. Depth of well is 5/8". 1 dozen per box.

Polish Brass  
46¢ Ea. \$5.22 Doz.

No. 61H-881-M

## COMBINATION PULLS AND LOCKS FOR SLIDING POCKET DOORS

### EASILY INSTALLED


a simple notch cut in the door ... slide one-piece factory assembled unit into place ... tighten two screws.

Adjustable for 1-3/8" to 1-3/4" doors — reversible.


No. 53H-1000-M For passage way doors  
Polish Brass \$1.50  
Polish Brass & Chrome 1.65

No. 53H-1010-M or bath or bedroom turn button lock with emergency release on outside.

All Polish Brass \$2.58  
Polish Brass & Chrome 2.74



No. 53H-1010-M




No. 53H-1000-M

## GUIDE STRIPS FOR BY-PASSING DOORS

These Guide Strips save installation time by eliminating need for grooving bottom of the door. Easily screwed to back of door. Not visible from outside. Made of steel, cadmium plated. Door Guides for use with Guide Strips are supplied with all Sterling hangers.

No. 11H-876-M — THREE SIZES


24"	30"	36"
36¢ Ea.	37¢ Ea.	38¢ Ea.
\$4.05 Doz.	\$4.21 Doz.	\$4.37 Doz.
Wt. 8 oz.	Wt. 8 oz.	Wt. 9 oz.



Packed 24 Per Carton

## POCKET DOOR PULL

This new 3-in-1 Pocket Door Pull serves as both edge pull and flush pulls. Requires one simple cutout in door. Prevents pinched fingers by keeping door edge always accessible when door is in pocket. For 1-3/8" to 1-3/4" doors.



No. 61H-883-M

Polish Brass 97¢ Ea.  
Chrome \$1.08 Ea.

\$11.00 Doz.  
12.40 Doz.

Pull Recessed  
For Firm Grip

## FINGER PULL

Polished Brass  
or  
Nickel



A low price pull to fit every sliding door. This pull installs very quickly. All that is needed is a 3/4" hole. 1" finger pulls, fit 3/4" hole, 7/16" depth. Solid brass. 1 gross per box, brass or nickel finish.


No. 13H-288-M

Polish Brass or Nickel  
28¢ Dozen \$3.24 Gross

## DOOR CUSHIONS


For By-Passing Sliding Doors

The new No. 61H-855-M Door Cushions absorb shock when doors are slammed. They limit the sliding action of the doors so fingers can't get pinched in flush pulls. Flush pulls are always accessible. All by-passing doors should be equipped with No. 61H-855-M Door Cushions for smooth, quiet operation.




Made of steel, cadmium plated, with resilient rubber cushions

No.	Pr.	Dz.	Pr.
61H-855-M	.48¢		\$5.47



## DOOR STOP

FOR BY-PASSING DOORS



Makes doors easier to operate. Limits sliding action so fingers can't get pinched.

PULL ALWAYS ACCESSIBLE



No. 61H-880-M .19¢ Ea. \$2.19 Dz.

ALL ITEMS THIS PAGE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • SASH HARDWARE for EVERY WINDOW •


SPECIFICATIONS  
CAST BRASS, IRON & ALUM.  
SIZE 1-1/8" x 4"  
PROJ. 1-1/16"

## SASH LIFT

SPECIFICATIONS  
Steel & Cast Brass  
Size 1-1/8" x 4"  
Proj. 1-1/16"




No.	Type	Finish
57H-3101-M	Alum.	Natural
57H-3102-M	Iron	Pol. Brass
57H-3103-M	Brass	Pol. Brass
57H-3104-M	Brass	Pol. Chrome



No.	Type	Finish
51H-5200-M	Steel	Pol. Brass
51H-5200-M	Steel	Pol. Chrome
51H-5205-M	Brass	Pol. Brass
51H-5205-M	Brass	Pol. Chrome


## SASH LOCKS



CAST BRASS  
& ALUM.

SPECIFICATIONS  
Base 1" x 2-5/8" Strike 5/8" x 2-5/8"  
Type Finish


No.	Type	Finish
57H-3050-M	Alum.	Natural
57H-3051-M	Alum.	Pol. Brass
57H-3052-M	Brass	Pol. Brass
57H-3053-M	Brass	Pol. Chrome



STEEL & CAST  
BRASS

SPECIFICATIONS  
Base 1-3/8" x 2-1/4"  
Strike 5/8" x 2-1/4"

No.	Type	Finish
51H-5100-M	Steel	Pol. Brass
51H-5100-M	Steel	Pol. Chrome
51H-5105-M	Brass	Pol. Brass
51H-5105-M	Brass	Pol. Chrome



STAMPED  
STEEL


SPECIFICATIONS

Base 1" x 2 1/2" Strike 3/4" x 2 1/2"

No.	Type	Finish
13H-244-M	Steel	Brass

ALL ORDERS PROCESSED BY  
EFFICIENT AND MOST MODERN  
MEANS POSSIBLE

## HEAVY DUTY CASEMENT OPERATOR




NO. 61H-6100-M

A reversible type operator has horizontal worm-and-gear construction. Heavily constructed of cold rolled steel. Bronze gear, cold-rolled steel worm. Brass channel guide. For screened or non-screened wood casements.

No.	Type	Price
61H-6100-M	Without Cranks	\$2.43 Ea.
61H-6106-M	With 6" Crank	2.70 Ea.

When screen is in place operator is concealed.

## ORIGINAL WIN-DOR SNUGGERS




Made of cold-rolled steel, cadmium plated. Will positively and automatically close and lock - even warped doors and windows.

No.	Uses	Sizes
22H-4701-M	Cabinet Doors	2 3/4" x 3/4" x 23/32"
22H-4802-M	Doors & Windows	3-3/16" x 1" x 13/16"

No.	Wt. Per Dz.	Price Ea.	Price Per Doz.	6 Doz. Lots
22H-4701-M	2 lbs.	43¢	\$4.90	\$4.73
22H-4802-M	3 1/2 lbs.	64¢	7.35	7.07


## CASEMENT FASTENERS

CAST BRASS  
& IRON  
Base 2-1/16"  
x 1-1/16"  
Proj. 1-7/8"



No.	Type	Finish
57H-3203-M	Iron	Pol. Brass
57H-3231-M	Brass	Pol. Brass

ZAMAK METAL  
Base 1-5/8"  
x 7/8"  
Proj. 1-3/8"




No.	Type	Finish
29H-1755-M	Zamak	Dull Brass
29H-1755-M	Zamak	Nickel

NOTE: All types packed with rim strikes, if surface or mortise strikes are needed, mark your order accordingly.

## AWNING TYPE HARDWARE BY WHITCO

Whitco hardware stock numbers refer to the length. 66H-1224-M WHITCO means hardware 12" in length.



REVERSIBLE

Rust proofed sherardized finish with brass operating parts.

is a simple, self-contained unit that takes the place of both hinges and adjusters for swinging and controlling Sash, either singly, in pairs, or in multiples, and in wide openings without mullions. The only fitting needed is to make a small housing at the top and bottom or on each side, as the case may be; otherwise a screwdriver is the only tool needed. WHITCO makes such effective use of the principles of leverage and friction that the Sash is held firmly in any desired position at all times. WHITCO swings either IN or OUT-LEFT or RIGHT as desired. Full installation instructions included in each package. WHITCO comes in complete sets (sufficient to hang one Sash) with screws.

No.	Max. Sash Width	Wt. Per Ctn.	No. Per Carton	Price Per Set	Price Full Carton
66H-8016-M	16"	55 lbs.	50	\$1.10	\$1.05
66H-1224-M	24"	79 lbs.	25	1.35	1.28
66H-1428-M	28"	89 lbs.	25	1.56	1.49
66H-1836-M	36"	118 lbs.	25	2.34	2.23

Above for 1-3/8" Sash

### ADAPTABLE

to all casements, awning-type windows or transoms regardless of size or style.

### WIND-HOLDER

stops slamming from wind-pressure, yet always free-acting and sag-proof.

### REVERSIBLE ACTION

permits two-side window cleaning from inside of the room.


ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • SCREEN AND STORM DOOR HARDWARE •

## STORM KING With Shock Absorber.



Modern door control at extremely low price. Patented shock-absorber spring compresses when door is thrown open violently. Silver spray finish. Overall length — 16-1/2" x 1-1/4" tube. Reversible. Wt. 2 lbs.


No. 56H-1050-M

\$1.63 Ea.

No. 56H-1050-M

18.75 Doz.

## IDEAL DOOR CLOSER WITH THE 10 YEAR GUARANTEE




New type closers with protector chain — prevent door and closer damage from violent gust of wind. All exposed parts extra heavy bright cadmium finish. Checking action starts at 85 degrees. Wt. 2 lbs.

No. 35H-8000-M

\$1.75

\$19.93 Doz.

## DOOR CLOSER



A damage proof hydraulic closer, completely filled with liquid-not air. Special construction permits fast pull-to without damage to hydraulic unit or hinge. Made of durable, non-rusting aluminum. The hydraulic closer has no jarring effect, prolonging life of door. Installs in minutes with no complicated adjustment of any kind. It has silent cushioning, yet powerful enough to close doors of any weight or size. Unconditionally guaranteed for 2 years.

No. 62H-100-M

Wt. 2 lbs.

\$2.83 ea.

\$32.25 doz.

## SCREEN DOOR CHECKS

YALE, Domestic Model.

Brown Lacquer Finish.

May be applied either to right or left hand doors without changing spring. Spring tension is adjusted at factory and does not require changing. Equipped with regulating screw on side of cylinder and may be quickly adjusted to close door at any desired speed.

For use on light weight doors, such as screen, bathroom, stairways, balconies, pantries, etc. Complete with diagram for attaching. Wt. 4 lbs. 8 oz.


No. 68H-5700-M

\$7.85 Ea.


No. 68H-5700-M

Packed 6 in carton

7.45 Ea.



## STORM DOOR CHAINS With New Hold Up Spring Feature



For use on all combination doors or where it is desired to give protection to any door after being opened to 90° either by the wind or passing through it.

The Special Compression Spring in the chain forms an excellent shock absorber and compresses at 150 lbs.


The chain has a tensile strength of 350 lbs. Brackets, 2x1 1/2 ins. Wt 8 oz. Length over all 26" inches.

No. 35H-101-M

\$.40 Ea.

\$4.54 Doz.


## COIL DOOR SPRINGS




Tempered crucible steel wire. Double wire ends with hooks. 16-3/8" length. Cadmium Finish. Wt. 3 oz. 3/8" Diameter

No. 43H-4038-M \$ .10 Ea. \$1.06 Doz \$12.05 Gross

## COMBINATION HINGES




Full Surface




Half Surface




Full Mortise



TYPE A



TYPE A or B



TYPE B

TYPE "A" may be changed from full surface hinge or TYPE "B" From full mortise hinge to half surface hinge by removing pin and reversing one leaf.

Type	No.	Finish	Pair Wt.	Pair	Prices Doz.	6 Doz
A	67H-8660-M	Dull Brass	8 oz.	\$.39	\$4.50 Dz.	\$4.33 Dz.
A	67H-8660-M	Cadmium	8 oz.	.36	4.13 Dz.	4.00 Dz.
B	67H-8770-M	Dull Brass	8 oz.	.39	4.50 Dz.	4.33 Dz.
B	67H-8770-M	Cadmium	8 oz.	.36	4.13 Dz.	4.00 Dz.

## KWIKSET "BEL AIR"



Polish Brass

These handsome screen door latches have a conveniently-located locking button on the interior handle to provide dependable security. Depressing the handle and setting lock mechanism will hold latch bolt in open position for easier access. The latch set features Kwikset "400" line Bel Air knob.


No strike plate mortising required. Making installation quick, Wt. 10 lbs. per doz.

No. 42H-8341-M

\$2.00

\$23.00 Doz.

## KWIKSET "MODERN"



Polish Brass


This distinctively-styled screen and storm door latch can be speedily installed by boring a single hole for the latch and flush mounting the strike on the jamb. Operated by a gentle push from inside or an easy pull from the outside, this ruggedly-constructed latch has a finger-tip locking button on the interior rosette. Wt. 7 1/2 lbs. per doz.

No. 42H-1344-M

\$1.65

\$20.55 Doz.


## NEW! YALE



The new Yale storm and screen door lock set for wood doors from 3/4" to 1 1/8" thick. Simple installation, boring only one hole and no mortising. Available in brass or aluminum finishes. Weight 6 lbs. per dozen.

68H250-M \$1.75 Ea.

\$20.25 Doz.



"PUSH-PULL" 35H-1121-M

Very easily installed by boring a 1" hole — no mortising. Adjustable — because of new design latch will fit doors from 7/8" x 1-3/8" thick. Button locking device — has double spring tension to eliminate loosening. Smooth easy latching action — will operate perfectly with a door closer.

Finish	Wt.	Prices
Polish Solid Brass	10 oz.	\$1.50 Ea. \$17.00 Doz.
Dull Solid Aluminum.	16 oz.	.82 Ea. 9.40 Doz.

For Other  
Screen and  
Storm  
Hardware  
Refer to  
Page 164

ALL ITEMS ABOVE SHIPPED PREPAID — ON ORDERS TOTALING \$150.00 OR MORE


Materials Wholesale from **MORGAN - WIGHTMAN**



# • BUILDER'S HARDWARE •

## STANLEY 741 OR HAGER 1741 FULL MORTICE HINGES

Please specify your choice.



### No. 60H-741-M

Full mortice, loose pin butt hinges. The hinges are American made and include top quality construction and finish. Butts are of plated steel and are manufactured under a system including controlled inspection to assure you of quality hinges with perfectly meshing knuckles and close fitting pins. Stock hinges have button tips. These hinges available in round corner. In ordering round corner show RC after hinge number.

	Dull Brass & Prime Coat		Cadmium		Polished Nickel		Polished Chrome		Polished Brass	
Size	Pr.	100 Pr.	Pr.	100 Pr.	Pr.	100 Pr.	Pr.	100 Pr.	Pr.	100 Pr.
3 x 3	\$0.40	\$38.66	\$0.46	\$44.00	\$0.73	\$69.32	\$1.18	\$111.97	\$0.67	\$63.98
3½ x 3½	.41	39.32	.48	45.32	.74	70.65	1.19	113.31	.69	65.32
4 x 4	.58	55.32	.70	66.65	1.02	97.31	1.44	137.30	.94	89.31

VOLUME DISCOUNT: 5% in Quantities of 500 Pair of a Size and Finish.




### No. 33H-1150-M

Half surface butt hinge, loose pin, button tip. Steel plated. Jamb leaf only is morticed.


Size	Wt. Per 100 Pr.	Dull Brass
2½"	50 lbs.	\$1.12 Pr.
3"	90 lbs.	1.15 Pr.
3½"	155 lbs.	1.22 Pr.
4"	200 lbs.	1.75 Pr.

DULL BRASS \$ .76 Pr. \$72.23 100 Pr. Wt. 14 oz.



### CAST BRASS HOUSE NUMBERS

Gracefully designed to blend with all architectural styles. 4 inches high. 1½ lbs. per dz. No. 57H-2581-M \$0.14 ea.



### BASE STOP

Solid Brass, 2½" long, white rubber tip. Wt. 1¼ lbs. per doz. No. 57H-266-M


Polished Brass 38¢ Each \$4.37 Dozen Polished Chrome 53¢ Each \$6.00 Dozen



### LONG BASE STOP

Cast Iron metal, 4" long, white rubber tip. Wt. 1-1/3 lbs. per doz. No. 57H-2663-M

Dull Brass or Cadmium \$0.97 Dozen



### GLYNN JOHNSON DOOR HOLDER

Cast brass - polished brass finish. Length of lever 4¼" Wt. 6 oz.

No. 31H-44P-M \$2.25 Each \$25.20 Dozen



### BASE STOP

Zamak metal, 2½" long, white rubber tip. Wt. 12 oz. per doz.

No. 29H-446-M Dull Brass or Cadmium

8¢ Each 84¢ Dozen



### FLOOR STOP

Zamak, 1-1/8" high, white rubber tip. Wt. 1-1/4 lbs. per dozen.

No. 29H-125-M

Dull Brass or Cadmium

10¢ Each \$1.05 Dozen




### NEW FLEXIBLE DOOR STOP

The Spring-Eze flexible door stop does away with the disadvantages of the older rigid-type stop. Bulge design eliminates kinking of ordinary spring door stops. Tough, plastic tip gives long service.

No. 13H-42B-M Dull Brass

8¢ Each 94¢ Dozen



### STORM AND SCREEN ADJUSTERS

Set includes all of the above illustrated parts. Opens, closes and locks easily. Friction control by loosening or tightening nut. Arms remain on frame for easy change over. No interference with operation of double hung or casement sash. Cadmium plated steel parts. Bakelite washers. Rattle proof. Wt. 8 oz. per set.

No. 35H-26V-M

51¢ Set \$7.00 Doz. Sets



### HOOKS AND EYES CADMIUM FINISH

No. Size Each Doz. Gross  
70H-1500-M 1½" \$0.03 \$0.31 \$3.60  
70H-2000-M 2" .04 .36 4.10

### SURFACE BOLTS




Solid brass surface bolts 5/8" wide 1/2" rod. 4" and 6" length. Very latest in design - screws are concealed. Approx. Wt. 5 lbs. per dozen.

No. 53H-1204-M

Polished Brass

4" 92¢ Each 6" \$1.06 Each

Polished Chrome Dull Bronze  
4" \$1.00 Each 6" \$1.12 Each



## the McKINNEY NON-MORTICE HINGE

NO. 47H-2777-M


AVAILABLE IN THE POPULAR  
3½" SIZE IN DULL BRASS WITH

8  
QUALITY  
FEATURES

- Heavy 1/8" shoulder
- E-Z-Out Pin - removed with screwdriver
- Non-rising Pin - stays in place
- Heavy Gauge - made to safely carry a door. 1-3/8" thick
- Staggered screw holes - won't split door
- No special tools needed
- No Mortising
- Self-aligning - no measuring or chiseling


## ORNAMENTAL HINGES

57H-7300-M  
Steel Plated Brass or Nickel  
Heavy Spring Size 1-1/8" x 2"  
\$ .19 Pr. \$2.18 Dz.  
Wt. 2 oz.




## SPRING HINGES

57H-7400-M Screen  
Door spring hinges  
loose pin - covered.  
Black  
\$ .27 Pr. \$3.08 Dz. Pr.  
Dull Brass  
\$ .44 Pr. \$5.00 Dz. Pr.  
Wt. 9 oz.



## SCREEN HANGERS


Full screen hangers, cadmium finish. Heavy duty for screens or storm sash. Can be used flush or offset. No. 57H-356-M  
12¢ Pair \$1.30 Dozen Pair  
\$14.97 Gross Pair



## HAND RAIL BRACKETS

Hand Rail Bracket. Cast iron, brass finish. Wt. 6 oz.


No. 55H-550-M  
24¢ Ea. \$2.75 Doz.  
\$31.83 Gross



## COAT AND HAT HOOKS

Cast Aluminum. 3" project. Brass finish. Wt. 10 oz.

No. 57H-666-M  
.09¢ Ea. \$1.03 Doz.  
\$11.85 Gross



## MORTISE BOLTS SOLID BRASS

Wt. 10 oz.

Mortise bolts. Brass face, bolt, hub and turn piece. Finest quality.

No. 36H-4903-M

Pol. Brass \$2.48 Ea.

Pol. Chrome No. 36H-4926-M \$3.20 Ea.

NOTE - Available in dull bronze. Same price as Polished Brass.

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# SOSS INVISIBLE HINGES



## HOW TO SELECT THE PROPER HINGE FOR STANDARD CONDITIONS


### DIMENSIONS

Hinge No.	A	B	C	D	E	F	G	H	K	Price per pr.
59H-2040-M	1/2	23/64	1-23/64	1/8	2 3/8	1-1/4	3/16	23/32	3/4	\$2.13
59H-2080-M	5/8	29/64	1-45/64	5/32	2 3/4	1-11/32	9/32	29/32	1	2.57
59H-2120-M	3/4	17/32	2-1/32	3/16	3 3/4	2-1/16	3/8	1-5/64	1 1/8	5.21
59H-2160-M	1	23/32	2-23/32	1/4	4 5/8	2-19/32	15/32	1-7/16	1 3/8	7.17
59H-2180-M	1 1/8	7/8	3-1/8	5/16	4 5/8	2-7/16	13/32	1-19/32	1 3/4	7.88


### NOTE

Dimension "D" is maximum thickness.  
Dimension "K" is average thickness of door.  
**ALL HINGES DULL BRASS WITH SCREWS**

### DIMENSIONS OF SOSS INVISIBLE HINGES



## SOSS INVISIBLE CABINET HINGES



### DULL BRASS FINISH

For Wood of 1/2" - 5/8"  
**59H-1000-M**

### CABINET HINGE

For Light Cabinet Work

### SPECIFICATIONS

Length of plate - 1"  
Width of plate - 3/8"  
Depth of mortise - 15/32"  
Clearance when open - 9/32"  
Wt. 1 oz. \$1.35 Pair

For Wood of 3/4"

**59H-1030-M**

### CABINET HINGE

For Cabinets of all Types

### SPECIFICATIONS

Length of plate 1 1/2"  
Width of plate 1/2"  
Depth of mortise 19/32"  
Clearance when open 3/8"  
Wt. 4 oz. \$1.66 Pair

PACKED 24 PAIRS PER BOX

- 10% VOLUME DISCOUNT

IN FULL BOXES


## CABINET PIN HINGES FOR FLUSH DOORS

For simple economical cabinet construction. Ideal for most production methods. Available in same finishes as No. 60H-3330-M. One doz. per ctn. Weight 12 lbs.




**60H-3330-M**

Doors lay over and conceal all cabinet framing. Steel. One doz. per box, 6 doz. per ctn. Weight 12 lbs.



**60H-3340-M**  
No face frame required with this Hinge. This hinge attaches to Cabinet side or partition.



13H-556-M	Pr.	Doz.	6 Doz.	13H-557-M	Pr.	Doz.	6 Doz.
Chrome	\$0.38	\$4.37	\$4.21	Chrome	\$0.38	\$4.37	\$4.21
Pol. Brass	.36	4.05	3.90	Pol. Brass	.36	4.05	3.90
Prime Coat	.32	3.65	3.50	Prime Coat	.36	3.65	3.50

### HINGE HASP



**45H-5450-M** hinge hasp safety type-steel. Zinc plated, 4 1/2" size with screws.


25¢ Ea. \$2.85 Doz.

## RIXSON FLOOR HINGES - SINGLE AND DOUBLE ACTING




**Rixson Junior Double Acting**

For interior doors 1-3/8" to 1-3/4" thick. Will hold door open automatically at 90°. Checking action regulated by needle valve, reached through floor plate.




**Commercial Floor Hinge**

The finest floor hinges available for store entrances and commercial buildings.



**Stock Finish Polished Brass**



### SINGLE ACTING

No.	Door Size	Finish	Wt. Lbs.	Price
54H-2500-E	Under 2' 10"	Alum.	27	\$52.00

### DOUBLE ACTING


No.	Door Size	Finish	Wt. Lbs.	Price
54H-3000-E	Under 2' 10"	Alum.	43	56.50
54H-4000-E	Over 2' 10"	Alum.	63	70.10

Price includes cement boxes.

**54H-1000-M**  
Wt. 8 lbs., 4 oz. \$13.70  
Cement Box  
For setting in concrete floor.  
**54H-1050-M**  
Wt. 12 lbs., 4 oz. \$2.05

## LIGHT TEE HINGES

No. 45H-2300-M Light Tee Hinges for lockers and cabinet work with screws. Zinc plated.



**4 Inch Size** Wt. 4 oz.  
\$0.25 Per pair - \$2.90 Dz. pair  
**6 Inch Size** Wt. 6 oz.  
\$0.39 Per pair - \$4.50 Dz. pair

## LIGHT NARROW CABINET HINGES


**33H-1295-M**

Light narrow butt hinge. Loose pin, button tip. Sizes open 1 1/2" x 1-7/16" - 2" x 1-9/16" - 2 1/2" x 1-11/16" - 3" x 2" for use on cabinets. steel plated.




Size	Dull Brass Prime Coat Black-Pair	Pol. Brass Pair	Pol. Nickel Pair
2	.56	.78	1.13
2 1/2	.59	.82	1.17
3	.73	.95	1.30

## HINGES Spring - Double Action



Louvre door spring hinges available with or without 90 degree hold open.

**19H1614-M**  
Doors 3/4" to 1-1/8" Thick  
**19H1615-M**  
Doors 1-1/8" to 1-5/8" Thick  
With 90° Hold Open-  
Black Pol. Brass  
19H-1614-M \$4.14 \$5.40  
19H-1615-M 4.36 5.60




**DOUBLE ACTING JAMB HINGE**  
No. 19H-3029-M  
Door Thickness Hinge Wt. Pair  
3/4" to 1" 3" 2 lbs. 4 oz. \$5.48  
1 1/2" to 1 3/4" 4" 3 lbs. 4 oz. 6.50  
1 3/4" to 1 7/8" 6" 8 lbs. 9.45  
Packed 1 pair per box with screws.

No. 48H-1900-M  
Glass push Plate... Highly polished with beveled edges.  
Wt. 1 lb. 7 oz. Size 3" x 12". Package quantity - Two pieces with screws  
.62 Pr.  
\$7.06 Dz. Pr.

**19H-1500-M** Double acting floor hinge. The most ingenious and most durable spring - pivot of its type. Has efficient door alignment, adjustable tension and 90° hold open. Wt. 3 3/4 lbs.

Polished Brass & Chrome \$6.67  
Polished Brass \$5.30



**19H-4200-M** Double acting floor hinge. Substantially constructed for use where economy is necessary. 90 degree hold open. Wt. 3 lbs.

Polished Brass & Nickel \$3.58  
Polished Brass \$3.30


ALL ITEMS ON THIS PAGE ARE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**




# • CABINET HINGES AND CATCHES •

## NATIONAL HINGES




13H-5520-M HINGE

Doz. 2 lbs. Wt.  
Your best buy 3/8" off  
sets, semi-concealed type.  
Pr. Dz. Pr. 100 Pr.  
Chrome \$.27 \$3.08 \$24.70  
Brass .18 2.03 16.25  
Prime .17 1.94 15.60




13H-553-M HINGE

Wt. Per 100 pcs. 20 lbs.  
Made for 3/4" flush  
doors. Joint is 1 1/2"  
and has loose pin  
semi-concealed.  
Pr. Dz. Pr. 100 Pr.  
Chrome \$.28 \$3.24 \$26.00  
Brass .19 2.20 17.67




50H-3900-M HINGE

Wt. 3 lbs. dz.  
A handsome, semi-  
concealed type hinge  
that's popular. 3/8"  
offset. A Quality Hinge.  
Polish Chrome or Brass.  
Pr. Dz. Pr. 100 Pr.  
Chrome \$.36 \$4.15 \$32.80  
Brass \$.36 4.15 32.80



50H-3800-M HINGE


Wt. Per 100 Pcs. 18 lbs.  
Completely concealed  
except for attractive  
knuckle. 3/8" inset.  
Polish chrome.  
Pr. Dz. Pr. 100 Pr.  
Chrome \$.45 \$5.10 \$40.32




50H-2352-M



50H-2360-M



50H-2353-M



50H-2351-M

These silent, rubber roller catches are a sure-fire best seller. Sturdily built. Rust resistant finish. Positive acting.


NUMBER	Wt. 100 Pcs.	Ea.	Dz.	100 Pcs.
50H-2351-M	5 1/2 #	\$.17	\$1.89	\$14.98
50H-2352-M	6 1/2 #	.17	1.89	14.98
50H-2353-M	5 1/2 #	.17	1.89	14.98
50H-2360-M	6 #	.19	2.19	17.28

## BULLIT CATCHES



No. 45H-6033-M. Steel brass  
finish. Operates on steel  
tensile spring.  
3/8" dia. \$.30 doz. \$3.35 gross  
Wt. Per Gross 1 lb. 2 oz.

## NATIONAL CABINET CATCHES




50H-2041-M

Wt. Per 100 pcs.  
4 1/2 lbs.  
Snap grip feature. Furnished with 2 types of  
strikes. Elongated holes in catch unit provide  
easy adjustment. Cadmium plated.

No.	Ea.	Dz.	100 Pcs.
50H-2040-M	\$.15	\$1.67	\$13.45
50H-2041-M	.13	1.52	12.28

Wt. Per 100 pcs. 5 lbs.

## BALL LATCH



No. 57H-234-M

No. 57H-234-M is for doors.  
Made of solid brass con-  
struction with adjustable  
spring tension.

\$.75 ea.

\$8.75 Doz.

## 50H-2800-M "TUTCH LATCH"




Just touch the door - it opens automatically.  
Easily installed. Cadmium plated steel.  
Positive latching action. Even if door is  
slammed. Size, 3" L. x 1 1/8" W. x 3/4" H.

\$.45 ea. \$5.10 dz. \$40.95 per 100 pcs.

Wt. Per 100 Pcs. 18 1/2 lbs.

## STANLEY CONTINUOUS HINGES

Beautiful highly polished brass finish.  
Two sizes, 1-1/16"  
and 1 1/2" wide (fully open). .045" in thickness.



No.	Size	24" Weights	36" Weights
60H-1600-M	1-1/16"	8 oz. \$1.20	12 oz.
60H-1200-M	1 1/2"	10 oz. 1.35	12 oz.
Size	48" Weights	72" Weights	
60H-1600-M	1-1/16"	1.60 1 lb.	\$2.40 1 lb. 12 oz
60H-1200-M	1 1/2"	1.76 1 lb. 4 oz.	2.65 1 lb. 14 oz

## GARMENT BRACKET



K-Venience No. 41H-3010-M

Bracket will hold six garments - saves space.  
Size 5" and 10" - polish chrome finish. 1 to a  
box, 12 in a carton. With screws. Weight per  
carton - 12 lbs.

5"	10"
\$.64 Ea. \$.60 Ea.*	\$.80 Ea. \$.75 Ea.*


\*Full carton of 12.

## CABINET CATCHES




Wt. Per Doz. 2 oz.  
No. 50H-223-M Polyethylene Catch.  
Modern, streamlined design provides  
rigidity. Silent, smooth operation and  
certain alignment with tapered entry  
design. Wt. 4 lbs. per gross.

\$.08 ea. \$.97 Doz. \$7.80 per 100

Wt. Per  
Doz. 3 oz.

No. 13H-3800-M Roller Cabinet  
CATCH. Twin Hard rubber rollers assure  
smooth and positive, yet noiseless, ac-  
tion. Heavily nickel plated.


\$.07 ea. \$.63 doz. \$6.02 per 100

Wt. Per Dz.  
2 1/2 oz.

No. 13H-3700-M Friction Catch.  
Made of the finest grade spring steel,  
carefully heat treated to insure proper  
temper and heavily nickel plated.

\$.04 ea. \$.45 doz. \$4.22 per 100

## MAGNETIC CATCH




No. 13H-3000-M

Magnetic catch for every type door  
in the house. Permanent magnet  
with floating action. Simple to  
install. Wt. per doz. - 1-1/3 lbs.

Ea.	Dz.	100 Pcs.
\$.23	\$2.60	\$24.58

## MARVEL DOOR CATCH



GUARANTEED FOR THE  
LIFE OF THE CABINET

Simple and easy to install. Packed  
2 doz. in a box. Wt. Per Doz. 1-1/3 lbs

37H-1000-M Cadmium	.20 Ea.
	\$2.16 doz. \$24.58 gross


ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • CABINET KNOBS and PULLS •

## MIRROR KNOBS - POLISHED TO A MIRROR LIKE FINISH




CONCAVE KNOB



The growing popularity of concave design makes this line of knobs another attractive item. This practical concave design protects fingernails and prevents nail scratches on woodwork. A distinctive knob that blends perfectly with any kitchen decoration. Available in 1½", 2" and 2½" dia. Polished Brass or Polished Chrome.

No.	Size	Pol. Brass			Pol. Chrome		
		Ea.	Doz.	100 Pc.	Ea.	Doz.	100 Pc.
13H-418-M	1½" Dia.	.21	\$2.43	\$19.20	.16	\$1.82	\$14.40
13H-426-M	2" Dia.	.27	3.10	24.54	.22	2.50	19.74
13H-428-M	2½" Dia.	.33	3.78	29.88	.30	3.38	26.68

The Tulip knob gives you truly high style at low cost. It is first in the field with solid, cast zamak that is triple plated and unconditionally guaranteed yet with the same life and less than half the price of solid brass. Here, indeed, is the perfect, complimentary accessory to the highly popular tulip design lock sets. Available in Polished Brass or Polished Chrome.

No. 13H-4310-M  
TULIP KNOB


## MIRROR BACK PLATES - POLISHED TO A MIRROR LIKE FINISH

SQUARE BEVELED  
BACK PLATES

AVAILABLE IN ONE SIZE ONLY

13H-0430-M 2-3/8 x 2-3/8	
Polish Brass	Polish Chrome
.19 Ea. \$2.25 Doz. .16 Ea. \$1.82 Doz.	
\$17.05 per 100	\$14.40 per 100

ROUND BEVELED BACK PLATES



AVAILABLE IN THREE SIZES

No.	Size	Polish Brass			Polish Chrome		
		Ea.	Doz.	100 Pc.	Ea.	Doz.	100 Pc.
13H-0260-M	2½" Dia	.17	\$1.89	\$14.94	.14	\$1.55	\$12.26
13H-0310-M	3" Dia	.22	2.50	19.94	.18	2.03	16.00
13H-0360-M	3½" Dia	.27	3.10	24.54	.21	2.43	19.20

Knobs & Back Plates may be combined to make attractive set combinations that blend perfectly with any room decorations. When ordering knob & plate combinations it is advisable to order your Plate 1" larger than the diameter of the knob.

## DRAWER PULLS



No. 52H-4750-M DRAWER PULL  
Cast Zamak polished chrome, 3" center.  
.16 Ea. \$1.86 Doz. \$14.73 100 pc.



No. 13H-5300-M DRAWER PULL  
The graceful lines of this slender, streamlined pull makes it the most popular pull of all 3" centers. Pol. Brass  
.15 Ea. \$1.66 Doz. \$13.13 100 Pc.  
Pol. Chrome  
.12 Ea. \$1.32 Doz. \$10.46 100 Pc.



50H-2250-M CATCH  
Push button latch affords a positive catch for doors, from 3/4" to 1-1/8" thick. Polish chrome finish, reversible.  
Ea. Doz. Gr.  
.61 \$6.93 \$78.80






50H-2480-M  
Knob  
Polish Chrome  
Ea. Doz. 100 Pc.  
.19 \$2.19 \$17.28

DRAWER PULL No. 50H-2000-M  
Streamline chrome plated pull, use with matching latch 50H-2250-M 4½" long.  
.24 Ea. \$2.70 Doz. \$21.30 100 Pc.

MODERN DRAWER PULL No. 13H-5500-M  
Solid die cast Zamak. Standard 3" center holes permit the replacement of old pulls with this beautiful new pull. Available in all standard finishes.

Pol. Brass  
.34 Ea. \$3.85 Doz. \$30.40 100 Pc.  
Pol. Chrome  
.31 Ea. \$3.50 Doz. \$27.74 100 Pc.

DRAWER PULL No. 52H-4850-M  
Cast Zamak polished chrome  
3" center.  
.16 Ea. \$1.86 Dz. \$14.72 100 Pc.



## SOLID BRASS CABINET PULLS

Quality hardware adds charm and beauty to every type and style of room or cabinet work. Its ornamentation and utility lasts a lifetime and never wears in appearance or strength. The lustrous finishes are another reason why Quality Hardware is in demand today. These finishes are applied by a special painstaking process. They gleam with beauty and insure brilliance and permanence of the colors.

53H-1162-M  
Length overall 4"; center-to-center 3½".  
Polished Chrome, Dull Chrome, Dull Bronze, Polished Brass. Wt. 1¼ lbs. Doz.  
54¢ Ea. \$6.13 Doz. \$5.80 Doz\*

53H-1161-M  
Length overall 3½"; center-to-center 3".  
Polished Chrome, Dull Chrome, Dull Bronze, Polished Brass. Wt. 1¼ lbs. Doz.  
50¢ Ea. \$5.76 Doz. \$5.47 Doz\*

53H-2200-M  
Length overall 1½"; center-to-center 1½".  
Polished Chrome, Dull Chrome, Dull Bronze, Polished Brass. Wt. 2¼ lbs. Doz.  
51¢ Ea. \$5.87 Doz. \$5.57 Doz\*

53H-2300-M  
Length overall 3½"; center-to-center 2½".  
Polished Chrome, Dull Chrome, Dull Bronze, Polished Brass. Wt. 3¼ lbs. Doz.  
64¢ Ea. \$7.33 Doz. \$6.95 Doz.\*

53H-2400-M  
Length overall 4½"; center-to-center 3½".  
Polished Chrome, Dull Chrome, Dull Bronze, Polished Brass. Wt. 4 lbs. Doz.  
80¢ Ea. \$9.10 Doz. \$8.60 Doz\*

NOTE: \* This price applies on orders for 6 Doz. or more pulls. - types may be mixed to make 6 dozen.

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






# NATIONAL

# FORGED IRON CABINET HARDWARE

Forged Iron Hardware is bonderized and then finished in Traditional Dead Black or Old Copper. Bonderization provides unexcelled adhesion of the finish coat to the metal, avoiding chipping or scratching. Steel Pyramid Head Screws are furnished with all Forged Iron products.




Holes Are On 3-5/8 Center  
50H-2700-M Handle



Holes Are On 4" Center  
50H-2720-M Handle


\*50H-2700-M Dead Black  
\$.14 Ea. \$1.60 Dz.  
\*50H-2700-M Old Copper  
\$.15 Ea. \$1.75 Dz.  
\*50H-2720-M Priced The  
Same As 50H-2700-M

HL HINGE  
50H-3720-M  
Flush  
50H-3730-M  
3/8 Offset



\*50H-3720-M Dead Black  
\$.37 Ea. \$4.20 Dz. Pr.  
\*50H-3720-M Old Copper  
\$.43 Ea. \$4.90 Dz. Pr.  
\*50H-3730-M Dead Black  
\$.37 Ea. \$4.20 Dz. Pr.  
\*50H-3730-M Old Copper  
\$.43 Ea. \$4.90 Dz. Pr.  
33H-5002-M Dead Black  
7x6 1/4 x 7/8  
\$2.10 Ea. \$23.35 Dz. Pr.

\*50H-3660-M HINGE  
3/8" Inset



Dead Black  
\$.29 Pr. \$.430 Dz. Pr.  
Old Copper  
\$.33 Pr. \$.370 Dz. Pr.

Adapter For Converting  
'H' Hinges 50H-3630-M  
or 50H-3640-M to 'H-L'  
\*50H-3650-M Dead Black  
\$.07 Pr. \$.72 Dz. Pr.  
\*50H-3650-M Old Copper  
\$.07 Pr. \$.72 Dz. Pr.

50H-3700-M H HINGE  
Flush  
50H-3710-M H HINGE  
3/8 Offset



\*50H-3700-M Dead Black  
\$.31 Pr. \$.355 Dz. Pr.  
Old Copper  
\$.36 Pr. \$.415 Dz. Pr.  
\*50H-3710-M Dead Black  
\$.31 Pr. \$.355 Dz. Pr.  
Old Copper  
\$.36 Pr. \$.415 Dz. Pr.  
33H-5004-M Dead Black 7x2 1/2 x 7/8  
\$1.62 Pr. \$18.15 Dz. Pr.

1-1/8" Diameter Knob


\*50H-2730-M Dead Black  
\$.12 Ea. \$1.38 Dz.  
\*50H-2730-M Old Copper  
\$.13 Ea. \$1.53 Dz.

50H-3630-M H Hinge  
Flush  
50H-3640-M H Hinge  
3/8 Offset

\*50H-3630-M Dead Black  
\$.31 Pr. \$3.58 Dz. Pr.  
\*50H-3630-M Old Copper  
\$.36 Pr. \$4.08 Dz. Pr.  
\*50H-3640-M Dead Black  
\$.31 Pr. \$3.58 Dz. Pr.  
\*50H-3640-M Old Copper  
\$.36 Pr. \$4.08 Dz. Pr.



\*50H-3790 STRAP HINGE (3/8" Offset)



Dead Black  
\$.50 Pr. \$5.69 Dz. Pr.  
Old Copper  
\$.56 Pr. \$6.35 Dz. Pr.



50H-3740-M STRAP HINGE (Flush)  
50H-3750-M STRAP HINGE (3/8" Offset)  
3/8" Offset Only in 6 1/2" Length


\*50H-3740-M Dead Black 6 1/2"  
\$.50 Pr. \$5.69 Dz. Pr.  
\*50H-3740-M Old Copper 6 1/2"  
\$.56 Pr. \$6.35 Dz. Pr.  
\*50H-3750-M Dead Black 6 1/2"  
\$.50 Pr. \$5.69 Dz. Pr.  
\*50H-3750-M Old Copper 6 1/2"  
\$.56 Pr. \$6.35 Dz. Pr.  
33H-5020-M Dead Black 8 1/4"  
\$.70 Pr. \$7.90 Dz. Pr.  
33H-5022-M Dead Black 13 1/4"  
\$2.45 Pr. \$27.85 Dz. Pr.

CABINET  
LATCH  
50H-2710-M  
DEAD BLACK  
\$.60 Ea.  
\$.70 Dz.  
OLD COPPER  
\$.67 Ea.  
\$.75 Dz.



RIM LATCH SET

WITH DROP  
TYPE  
LOCKING  
FEATURE



RIM LATCH SET

No. 33H-5040-M  
Dead Black - 9 1/4" Length.  
\$1.40 Set

Reverse Bevel Latch Available.

ELECTRICAL SWITCH PLATES



Door Pull  
No. 33H-5045-M  
Dead Black  
9 1/4" Length.  
75¢ Ea.

'H' TYPE  
CABINET  
LATCH  
50H-2760-M  
DEAD BLACK  
\$.48 Ea.  
\$.55 Dz.  
OLD COPPER  
\$.54 Ea.  
\$.63 Dz.

Black  
Ant. Copper  
52H-9100-M  
\$.19 Ea. \$2.00 Dz.  
\$.23 Ea. \$2.40 Dz.  
1 lb. 8 oz.  
52H-9130-M  
Black  
Ant. Copper  
\$.19 Ea. \$2.00 Dz.  
\$.23 Ea. \$2.40 Dz.  
1 lb. 8 oz.  
52H-9110-M  
Black  
Ant. Copper  
\$.30 Ea. \$3.20 Dz.  
\$.38 Ea. \$4.00 Dz.  
2 lbs. 4 oz.

33H-5200-M HINGE STRAPS

No.	Length	End Width	Each	Dz.
33H-5200-M	9"	13/16"	\$.80	\$8.85
33H-5222-M	14"	1-3/8"	1.12	12.80
33H-5233-M	22"	1-3/4"	2.00	22.70

INSIDE LOCK SETS



Forged iron inside mortise  
lock set includes one tum-  
bler lock, pair of knobs  
and roses and 2 key plates.

Available in Dead Black Finish Only  
47H-2212-M \$5.30 Set

\* VOLUME DISCOUNT Less 10% On Orders For Full Cartons  
Of 100 Pieces Or Pairs Of Items Marked With \*

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from

MORGAN - WIGHTMAN



# • KNOLL-DRAKE MOULDED DRAWERS •

MADE FROM FAMOUS BAKELITE BRAND PLASTICS

## advantages

● Knoll-Drake molded drawers have these practical features: — ● one-piece, seamless, molded of hard phenolic resin — ● dimensionally stable, warpless and not affected by heat or humidity — ● easy to clean, just wash or wipe — ● rounded corners don't collect dust — ● burn-proof and stain-proof — ● exceptional strength and durability — ● permanently pigmented, no finishing required, won't peel or chip — ● perfect uniformity, no fitting or planing needed — ● automatic, built-in stop — ● non-jam slides are noiseless

## unlimited applications

Knoll-Drake molded phenolic drawers lend themselves to unlimited possibilities wherever economy, efficiency and easy maintenance are major considerations. Combining strength and handsome design, these drawers blend with every type of decor in public buildings or private homes. Knoll-Drake drawers are available in the three most widely used sizes. Optional partitions and a choice of spun chrome or brass pulls provide maximum adaptability to your plans.



NOTE:  
Two number 17P-2000-F drawers are equal in height to one number 17P-1000-F drawer. Two number 17P-3000-F drawers are equal in width to one number 17P-1000-F drawer or one number 17P-2000-F drawer.

Stock drawers have black fronts. Also available with Grey or White fronts — Write for prices.

All Drawers Are 18-3/16" Deep and Require 18 1/2" Clearance

STEEL DRAWER SLIDES with automatic built-in stop—black oxide finish.

No. 17P-1758-M 80¢ Pair

Code	No.	Height	Width	Per Carton	Wt. Per Carton	Broken Carton	Full Carton	3-Full Carton
A	17P-1000-F	7-3/16"	34-3/8"	4	60 lbs.	\$9.50	\$9.20	\$8.70
B	17P-2000-F	3-9/16"	34-3/8"	4	40 lbs.	7.25	7.00	6.65
C	17P-3000-F	4-5/16"	17-1/8"	6	37 lbs.	4.75	4.55	4.35

## Copper-mode cabinet hardware

### Knob No. 60H-4233-M

Pressure cast alloy—Brushed copper finish. Individually packed with screw. Ten per box. Wt. 1 lb.

\$0.45 Each \$4.10 Per Box

### Knob No. 60H-4234-M

Pressure cast alloy—Brushed copper finish. Individually packed with screw. Ten per box. Wt. 1 1/2 lbs.

\$0.50 Each \$4.75 Per Box

### Backplate No. 60H-4406-M

Wrought brass — Brushed copper finish — 2 1/4" size. Individually packed. Ten per box. Wt. 1/2 lb.

\$0.25 Each \$2.20 Per Box

### Pull No. 60H-4235-M

Pressure cast alloy — Brushed copper finish. 3" screwhole spacing. Length 4-1/8" overall. Individually packed with screws. Ten per box. Wt. 2 lbs.

\$0.55 Each \$5.35 Per Box

### Pull No. 60H-4231-M

Pressure cast alloy. Brushed copper x dull finish. 3" screwhole spacing. Length 4-3/8" overall. Individually packed with screws. Ten per box. Wt. 1 1/2 lbs.

\$0.65 Each \$6.00 Per Box

### Hinge No. 60H-1535-M


Steel Brushed Copper finish. Length of barrel 1-3/4", 3/8" in-set. One pair per pack with screws. Ten per box. Wt. 2 1/2 lbs.

\$0.50 Pair \$4.55 Per Box

DRAWERS SHIPPED F.O.B. ST. LOUIS OR CHICAGO, ILL.—HARDWARE PREPAID ON \$150.00 ORDERS

Materials Wholesale from **MORGAN - WIGHTMAN**






... 20 drawer sizes to meet every requirement

# Washington PLASTIC DRAWERS

**SIZED RIGHT...  
PRICED RIGHT...**

**For Every  
Building Need!**



## DURABLE

Unaffected by acids, alkalis and other substances usually found in the home. Made of rigid high-quality plastic; will not warp, stick or bind.

## EASY TO CLEAN

Smooth, no-sag surface and rounded corners make cleaning a pleasure. Requires only a wash cloth or sponge with soap and warm water. Abrasive cleaners are not necessary and not recommended.

## SMOOTH OPERATION


Bright, clean chrome-plated slides operate smoothly and quietly on care-free nylon bearings.

## ALL SIZES PACKED 3 TO A CARTON


ALL DRAWERS ARE 20½" FRONT TO BACK.



**ROUNDED  
CORNERS**




**EASY ACTION,  
NO STICKING  
OR BINDING**



**EASY-TO-CLEAN  
NO SNAGS**

Number	Minimum Cabinet Opening	Wt. Lbs.	Price	Number	Minimum Cabinet Opening	Wt. Lbs.	Price
30H-3310-F	3" x 10"	9	\$4.30	30H-3613-F	5½" x 13"	12	\$6.10
30H-3313-F	3" x 13"	10	4.80	30H-3616-F	5½" x 16"	13	6.85
30H-3316-F	3" x 16"	11	5.60	30H-3619-F	5½" x 19"	14	7.50
30H-3319-F	3" x 19"	11	6.10	30H-3622-F	5½" x 22"	15	8.15
30H-3322-F	3" x 22"	12	6.55	30H-3813-F	7" x 13"	14	7.05
30H-3325-F	3" x 25"	13	7.05	30H-3816-F	7" x 16"	15	7.85
30H-3413-F	4" x 13"	10	5.45	30H-3819-F	7" x 19"	16	8.45
30H-3416-F	4" x 16"	11	6.25	30H-3822-F	7" x 22"	19	9.25
30H-3419-F	4" x 19"	13	6.70	30H-3013-F	9" x 13"	15	7.85
30H-3422-F	4" x 22"	16	7.35	30H-3016-F	9" x 16"	16	8.65

**5% DISCOUNT ON FULL CARTON QUANTITIES**



ALL WASHINGTON DRAWERS SHIPPED F.O.B. OUR ST. LOUIS & CHICAGO WAREHOUSE

*Materials Wholesale from* **MORGAN - WIGHTMAN**



## • DRAWER SLIDES for CABINETS •

### ROLLING DRAWER SLIDE - NO. 32H-3330-M

Adjustability Range  
20" 5"

- ★ ADJUSTABLE
- ★ NYLON ROLLERS
- ★ ECONOMY PRICED
- ★ QUICK, SIMPLE INSTALLATION

67¢ PAIR



Made of heavy gauge Rust-Resistant Steel. 12 pair per ctn. Weight 20 lbs.


Recommended for Loads Up to 40 Lbs.

Slide is Reversible, there are no lefts or rights.

\$.75 Pair Less than Doz.

.71 Pair in 1 Doz. Lots

.67 Pair in 6 Dbz. Lots




Just Place This Member in Corner

CABINET PART  
SIDE CLEARANCE  
1/2"

CABINET PART  
DRAWER PART

FULL SIZE SECTION



Place This Member at Bottom Edge of Drawer



For adjustment between 20" to 24", bend this tab to desired length and secure to back of cabinet.

Note: If cabinet depth is greater than 24" secure this member to side of cabinet.

No. 32H-3340-M DRAWER STOP




Attaches to back of drawer. For use with Drawer Slide. Packaged 1 dozen per envelope.

7¢ Each ~ 70¢ Doz.  
\$7.68 Gross

## BALL BEARING EXTENSION DRAWER SLIDES

Provides Floating Extension for Heavy Drawers and positively eliminates sticking, jamming, sag or break down, even when drawers are heavily loaded and fully extended.

Ball bearing action. Full drawer extension.  
Requires 3/4" at either side of drawer




NO. 32H-3600-M

mounting: side  
application: drawers up to 50 lbs.  
center track: .062 electro zinc plated steel  
channel: .078 electro zinc plated steel  
balls: high carbon steel  
rollers: electro zinc plated steel  
stop: rubber

Size	14"	16"	18"	20"	22"	24"
Price Per Pr.	2.55	2.75	2.85	3.05	3.15	3.35
12 Pr. Price	2.45	2.60	2.75	2.90	3.05	3.20
Wt. Per Pr.	2 lb. 5 oz.	2 lb. 10 oz.	3 lb. 8 oz.	3 lb. 10 oz.	3 lb. 12 oz.	4 lb. 4 oz.

NO. 41H-1300-M

Ball bearing nylon wheel provides noiseless, smooth operation.  
Requires 1/2" at either side of drawer.




Mounting: Side  
Application: Drawers up to  
Wheels: Nylon ball bearing

Size	20"	22"	24"
Price Per Pr.	2.15	2.20	2.35
12 Pr. Price	2.05	2.10	2.20
Wt. Per Pr.	6 lb. 4 oz.	6 lb. 14 oz.	7 lb. 8 oz.

## "ECONO" DRAWER SLIDES

NO. 32H-3300-M



mounting: side  
application: drawers up to 50 lbs./pair  
track: .062 electro zinc plated steel  
channel: .062 electro zinc plated steel  
wheels: nylon roller

Size	16"	18"	20"	22"	24"
Price Per Pr.	1.85	1.95	2.05	2.15	2.20
12 Pr. Price	1.78	1.88	1.98	2.05	2.10
Wt. Per Pr.	2 lb. 4 oz.	2 lb. 6 oz.	2 lb. 12 oz.	3 lb.	3 lb. 4 oz.

## NEW! KNAPE & VOGT 41H-1100-M LIGHT WEIGHT DRAWER SLIDE

Heavy gauge zinc plated steel channels operate on 3/4" nylon rollers. Includes built in stops, and allows easy drawer removal.




Side Mounting  
Size 22" Can be cut to 20"  
Packed 20 Pr. Per Carton - Weight 40 lbs.

\$1.40 PR.  
1.30 PR.  
FULL  
CARTON

## LAZY SUSAN BEARINGS

One-unit construction with no loose parts. All "Lazy Susan" units, have 360° continuous external interlock without frictional contact between races. Will give a lifetime of sturdy service. No rivet to work loose.




Units 5/16" thick—adding  
Minimum of Height to Item  
on which Installed

No.	Sizes	Wt.	Ea.	Doz.
64H-3000-M	3"	1/4#	\$ .48	\$5.38
64H-6000-M	6"	3/4#	1.05	11.76
64H-1200-M	12"	1 3/4#	2.40	26.88

Write for quantity prices.

## SLIDING SHELF GUIDES

Sliding shelves bring "hidden items" right into view for easy selection. The No. 12H-1110-M Shelf Guide is moderately priced and very easy to install. Accommodates all shelves up to 3/4" thick. Available in 21" length only. Made of heavy gauge, rust resistant steel. Packed 24 pair per carton, weight 20 lbs.




45¢ Pair  
FULL CARTON  
42¢ Pair

ALL ITEMS THIS PAGE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**





# • METAL DRAWERS FOR WOOD CABINETS •

Washington


IN STOCK FOR QUICK SHIPMENT

Finished in Gleaming White Baked Enamel

Clean, sanitary metal drawers are the modern and economical way to store bread, flour and sugar. The lid secures to the inside of the cabinet and forms the permanent runners for the drawer. The rounded inside corners and gleaming white baked enamel finish make cleaning a pleasure. Match the rest of your cabinet with any similar type wood front.

Stock sizes fit most standard cabinets.

Make cabinet opening sizes same as shown in chart below.  
Drawers are slightly smaller for clearance.



Bring edge of lid out to face of cabinet for lipped doors.



Place lid 1/4" back from face of cabinet for flush doors.

Lid is secured in cabinet with four screws. Drawer hangs from and slides on built-in runners of lid.


No. 30H-1000-M

Type	A	B	C	D	E	F
Width In.	9 1/2	13 1/2	15 1/2	15 1/2	13 1/2	11 1/2
Height In.	7 1/2	7 1/2	7 1/2	10 1/2	10 1/2	7 1/2
Depth In.	18	18	18	18	18	18
Weight Per Carton	8 lbs.	8 lbs.	9 lbs.	11 lbs.	10 lbs.	8 lbs.
Price	\$4.96	\$5.50	\$5.95	\$6.55	\$6.20	\$5.25

ALL DRAWERS PACKED ONE TO A CARTON

## KITCHEN CABINET LOUVERS

Under Sink Ventilation. Chrome Finish



30H-1400-M

17" long, 3 1/2" high. For use on cabinet aprons. One doz. per box with screws, 6 doz. per ctn. Weight 27 lbs.

\$1.17 Each

1.05 Ea. 1 Doz. Lot

.98 Ea. 6 Doz. Lot

## FRUIT AND VEGETABLE STORAGE BINS

RUGGED STEEL CONSTRUCTION - EASY INSTALLATION

Fruits and vegetables receive maximum ventilation in these smartly styled storage bins. They are finished in white baked enamel, and can be easily installed in any kitchen, either old or new.


No. 30H-1040-M Single drawer unit. Runners attach to side of cabinet. Size: 7" high, 12 1/2" wide, 18" deep. Individually packed with slides.

Wt. 4 Lbs. \$4.30 ea.



No. 30H-1050-M Two drawer unit. Runners are welded to steel frame. Size: 16 1/2" high, 13" wide, 18" deep. Individually packed with steel channeled frame.

Wt. 12 Lbs. \$10.25 ea.




No. 30H-1060-M Three drawer unit. Runners are welded to frame. Size: 22" high, 13" wide, 18" deep. Individually packed with steel channeled frame.

Wt. 17 Lbs. \$13.65 ea.



## FLOUR SIFTER AND SUGAR DISPENSER



Flour Sifter No. 30H-125-M This convenient flour sifter fastens to the underside of shelf and slides out at a touch when flour is needed. Dust-proof lid. White baked enamel finish. 14 pound capacity. Size: 12" high, 11" wide, 9 1/2" front to rear. Packed six per carton. Wt. per carton 27 lbs.  
Sugar Dispenser No. 30H-130-M Same construction, size and capacity as Flour Sifter. A lever regulates the flow of sugar. White baked enamel finish. Packed 6 per carton. Wt. per carton 27 lbs.

No. 30H-125-M & 30H-130-M \$6.25 ea. \$5.90 full ctn.

## SWING AWAY GARBAGE CONTAINER

OPENS AND CLOSSES LIKE MAGIC

Open the kitchen cabinet door and up pops the container cover, giving access to a large 10 qt. removable pail. Close the door and the tight fitting cover drops down and the complete unit is out of the way under the sink.



MADE OF HEAVY GAUGE STEEL

FINISHED IN BAKED WHITE ENAMEL

SPECIFY - LEFT OR RIGHT HAND MODELS.

No. 12H-2002-M Wt. 8 lbs. \$6.55 ea. \$6.25 ea. 3 or more

ALL ITEMS THIS PAGE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE


Materials Wholesale from

MORGAN - WIGHTMAN



# • STORAGE IN MOTION BUILT-INS •

## Washington MIXER SHELF HARDWARE




This new mixer shelf hardware is designed specifically to swing a small appliance storage shelf up out of the cabinet and lock it securely at convenient height. Adjustable spring tension accommodates heavy appliances such as mixers, lighter items like radios, and typewriters. Minimum vertical dimension inside cabinet is 21½". The hardware is adjustable in shelf widths from 10" up to 36". Automatic locking integral part of hardware eliminates separate trigger mechanism and assembly releases with slight upward pressure.


- FACTORY ASSEMBLED FOR EASY INSTALLATION
  - POSITIVE ACTION, RIGID SUPPORT
  - COMPLETELY ADJUSTABLE FOR ANY WIDTH SHELF
- Packed One To A Carton  
30H-M15-M Wt. 8 lbs. \$8.15

## REVOLVING CORNER UNITS


Designed to add "life" into those normally unused corners of the kitchen cabinet. No more stooping or stretching, as these revolving shelves swing gracefully out of the cabinet for instant use. All shelves finished in sparkling white enamel. Complete installation sheets packed with each unit. Catch to hold units in closed position is packaged with each complete set.



30H-C16-M Lower corner revolving shelf. Two 17" radius shelves. One 10½" radius shelf. Pivot hinges and fittings included.




30H-C18-M Lower corner revolving shelves. Two 17" radius shelves. Pivot hinges and fittings included.




30H-CV16-M Upper corner revolving shelves. Three 10½" radius shelves. Pivot hinges and fittings included.

NOTE - Prices and weights below!


## PIVOT HARDWARE



Note: Hinge Plates should be installed directly over each other.




30H-C16H-M Ball Bearing Pivot For Corner Unit



30H-S12H-M Pivot Hardware For Straight Units



30H-C12H-M Pivot Hardware For Corner Unit



30H-S12-M Straight revolving shelves. Two 17" radius shelves. One 10½" radius shelf. Pivot hinges and fittings included.

Number	Weight	Price
30H-C16-M	25 lbs.	\$23.50 set
30H-C18-M	20 lbs.	20.40 set
30H-CV16-M	14 lbs.	16.00 set
30H-C16H-M	1 lb.	2.06 pr.
30H-S12H-M	11 oz.	1.45 pr.
30H-C12H-M	11 oz.	1.45 pr.
30H-S12-M	16 lbs.	17.10 set


## PAN RACK



Holds 10 Pots By The Handles. Slides Out For Selection. Width 5¼" Height 2½" Length 18"

30H-5110-M Wt. 2 lbs. \$1.90 Ea.

## CUP RACK



Holds 12 Cups. Slides Into View When Needed. Width 6" Height 1½" Length 11"

30H-5052-M Wt. 1 lb. \$.76 Ea.

## "LAZY SUSAN" REVOLVING SHELVES


Revolving shelf hardware to bring "dead" kitchen cabinet storage space back to life. Smooth-operating, ball bearing pivot hardware with sturdy metal shelves finished in gleaming white baked enamel - combine to give a functional and appealing kitchen. Shelves have built-in brackets for easy fastening to chrome plated post, and they may be adjusted up and down without removal from cabinet.

Set No.	Shelves Only	Wt.	Price Ea.
30H-RV20-M			
• 2-18" diameter shelves	30H-S20-M 18" Shelf	6#	\$3.75
• 1-set R-14-H pivot hardware	30H-S21-M 20¼" Shelf	7#	4.40
• 1-P-19 27½" Chrome Plated Post	30H-S22-M 24" Shelf	7#	4.95
	30H-S23-M 28" Shelf	12#	6.40
Weight 14 lbs.			\$10.25 ea.

Set No.	Shelves Only	Wt.	Price Ea.
30H-RV21-M			
• 2-20¼" diameter shelves	30H-R14H-M Pivot Hardware	Weight 8 lbs.	\$1.65 Ea.
• 1-set R-14-H pivot hardware	30H-P19-M Chrome Plated Post	Weight 3 lbs.	\$1.60 Ea.
• 1-P-19 27½" Chrome Plated Post			
Weight 17 lbs.			\$11.40 ea.

Set No.	Shelves Only	Wt.	Price Ea.
30H-RV22-M			
• 2-24" diameter shelves			
• 1-set R-14-H pivot hardware			
• 1-P-19 27½" Chrome Plated Post			
Weight 19 lbs.			\$12.65 ea.


Set No.	Shelves Only	Wt.	Price Ea.
30H-RV23-M			
• 2-28" diameter shelves			
• 1-set R-14-H pivot hardware			
• 1-P-19 27½" Chrome Plated Post			
Weight 23 lbs.			\$15.20 ea.



R-14-H PIVOT HARDWARE



P-19 POST



ALL ITEMS ABOVE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**






# ADJUSTMENT SHOWCASE

## STANDARDS and BRACKETS

CENTER TO CENTER OF KEY HOLES, 1-5/8" PATENTED  
STANDARDS AND BRACKETS ARE KNOWN TO THE INDUSTRY FOR  
SUPERIORITY IN CONSTRUCTION, FINISH AND ORIGINAL FEATURES




No. 41H-5200-M  
BRACKET  
1/2" wide 1-5/8" adjustment  
Bright Nickel Finish  
Prices Per Bracket  
Size 8" 12"  
Broken Carton 38¢ 43¢  
Full Carton 34¢ 38¢

Packed 25 Per Carton

Improved locking bolt and nut insure ease of installation and instant adjustment. Bolts and nuts are fastened to Bracket and cannot be lost. Flattened bolt cannot turn in bracket. Original locking spur on back prevents Bracket from creeping up and being dislodged. Brackets threaded for shelf rests. Wt. 10 1/2 lbs. per ctn. Size 12".

For Sizes over 12" we recommend our 41H-1800-M Brackets with 40H-8000 Standard.

### ADJUSTABLE SHELF STANDARDS and SUPPORTS for Surface Mounting



13/16 Inches Wide  
1/2-Inch Adjustment  
Saves time and labor.  
Strength tested to 700 pounds.

Supports fit tight and secure.

Easily installed without grooving the wood.

Shelves instantly adjustable every half inch.

The modern Support for adjustable shelving in place of wood ratchets or boring holes for metal shelf pins.

### STANDARD

The No. 41H-2330-M Standard is numbered to simplify adjustment and insure perfect alignment of the shelves. Screw holes every six inches on centers. Wt. 17 lbs. per 100 ft.

Stock Lengths 4 Ft. - 6 Ft. - 12 Ft.

.07¢ Per Ft. \$5.90 Per 100 Ft.

\$55.85 Per 1000 Ft.


Minimum Shipment No. 41H-2330-M and No. 41H-8000-M and No. 41H-5100-M Standards \$3.00

### SLOTTED SHOWCASE STANDARD AND BRACKETS

#### MODERN DESIGN - 1" ADJUSTMENT

No. 41H-8000-M STANDARD

5/8" wide - 7/16" high



No. 41H-1800-M

Boltless Brackets

Cold rolled steel to fit No. 41H-8000-M Standard

Sizes in inches: 4, 6, 8, 10, 12, 14, 16, 20  
Packed 10 in a box. 100 in a carton.

Satin Anochrome Finish.

Back plate gives added strength and insures that the bracket blade projects straight out from the Standard.

No. 41H-8000-M  
STANDARD

STOCK LENGTHS

48" - 72"

18¢ Per Ft.

\$16.40 Per 100 Ft.

Packed 10 Pieces  
Per Package

No. 41H-1800-M  
BRACKETS

Sizes Prices Wt.

6" 33¢-29¢\* 4 oz.

8" 36¢-32¢\* 6 oz.

10" 44¢-39¢\* 8 oz.

12" 50¢-44¢\* 10 oz.

14" 54¢-48¢\* 12 oz.

16" 60¢-53¢\* 14 oz.

\*10 Per Package

Wt. 28 lbs. Per 100 Ft.

WRITE FOR THE COMPLETE KNAPE  
AND VOGT 72 PAGE CATALOG AND  
PRICE LIST.

### 41H-5100-M STANDARD

3/4" wide - 3/8" high

1-5/8" adjustment

STOCK LENGTHS

48" - 72"

19¢ Per Ft.


\$17.60 Per 100 Ft.

\$167.00 Per 1000 Ft.

Packed 10 Pieces

In A Package

Wt. 26 1/2 lbs. Per 100 Ft.



### STATIONARY SHELF BRACKET

Steel, nickel plated finish. Sizes: 6" and 10". Packed 24 in a carton with screws. Size 6" Wt: 22 lbs. per ctn.

6" 41H-2046-M

22¢ Ea.

10" 41H-2041-M

27¢ Ea.

\$2.50 Dz.

\$3.15 Dz.



### SUPPORT

Fits No. 41H-2330-M Standard, steel, nickel plated, 1" long x 13/16" wide. Packed 100 per carton. Wt. 3 1/2 lbs. per 100.

No. 41H-2370-M

23¢ Doz.

\$1.80 Per 100

\$17.30 Per 1000



### SUPPORT


Fits No. 41H-2330-M Standard, steel, nickel plated, 7/8" long x 5/8" wide. Packed 100 per carton - Wt. 2 1/4 lbs. per 100

No. 41H-2390-M

18¢ Doz.

\$1.45 Per 100

\$13.95 Per 1000



### SUPPORT

Zinc Plated Steel with 1/4" Pin. Packed 100 per carton. Wt., 2 lbs. per 100.

No. 41H-3460-M

25¢ Doz.

\$2.25 Per 100

\$21.00 Per 1000

ALL ITEMS THIS PAGE SHIPPED PREPAID-ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • CLOSET AND KITCHEN FIXTURES •

## K-Venience No. 41H-1000-M CLOTHING CARRIER



Cast brass handle. The clothing carrier slides in and out of the closet on ball bearing rollers. Easily fastens under closet shelf. A slight pull of the handle brings the whole wardrobe out into the light of the room for easy selection.

Four Sizes - To Fit All Closets

	Polished Nickel Plated Finish Only	1 to 5	6 or More
12" Size	2 Lbs. To Fit Closets 12" to 16" deep	\$1.95	\$1.80
16" Size	2½ Lbs. To Fit Closets 16" to 20" deep	2.15	2.05
20" Size	3 Lbs. To Fit Closets 20" to 24" deep	2.35	2.20
24" Size	5½ Lbs. To Fit Closets 24" to 30" deep	5.10	4.85

## K-Venience No. 41H-2000-M EXTENSION ROD



The extensions feature makes the rod adjustable to the full width of any closet. The improved end fastenings can be attached to the wall or over the hook rail, simplifying installation. Recommended as the most economical and practical installation in small, narrow confined closets where our clothing carriers cannot be


used to advantage. Bright nickel finish. Substantially made - will not sag under the weight of heavy clothing. Four sizes to fit all closets. Center support bracket packed with each 72" and 96" rod. Individually Boxed - Six Boxes to Full Carton - with screws.

Size	Carton Weight	Adjustable from	Broken Carton	Full Carton
30"	11 Lbs.	Adjustable from 30" to 48"	\$1.20 ea.	\$1.15 ea.
48"	21 Lbs.	Adjustable from 48" to 78"	1.65 ea.	1.60 ea.
72"	29 Lbs.	Adjustable from 72" to 96"	2.70 ea.	2.55 ea.
96"	40 Lbs.	Adjustable from 96" to 120"	3.85 ea.	3.65 ea.

Extra Center Support Brackets - No. 41H-29201-M ..... 20¢ each

**VOLUME 5% DISCOUNT** - No. 41H-2000-M closet rods, when you order 48 or more. Sizes may be mixed.

## K-Venience No. 41H-7910-M SLIDING CUP RACK




Also used as Pull Out Belt Display Rack in Stores.

Increase your cabinet space - holds 12 cups. Size 11" closed, 18" extended. 5" wide - bright chrome-plated finish. 1 to a box, 12 in a carton with screws. Carton wt. 8 lbs. Full carton of 12\*

No. 41H-7910-M

\* \$.90 each - \$.80 each

## K-Venience No. 41H-7980-M TOWEL RACK



(TOP MOUNTING)



Carrier finished polished nickel; bars and exposed parts; polished chrome.

The truly modern way to hang up towels - in the bathroom or kitchen. Slides out at a touch, then back out of sight and out of the way. Towels and garments slip conveniently over the free ends of four parallel bars. Length 20". Width 5¼". Packed individually with screws.

Weight per package, 3¼ lbs.

No.	1 to 5	6 or More
41H-7980-M	\$2.90 each	\$2.75 each

## K-Venience No. 41H-7930-M TOWEL RACK

(SIDE MOUNTING)




Exposed towel bars chromium plated.

Package Lot, One Weight per Package, 3 lbs.

1 to 5	\$2.40 each
6 or more	\$2.30 each


Fastens to wall of kitchen or bathroom cabinets. Three horizontal bars. Pulls out easily for selection of towels. Length 20". Width 5¼". Packed with screws.

## K-VENIENCE No. 41H-1195-M SHELF AND ROD SUPPORT BRACKET



Supports closet shelves and clothes hanger rods at the same time. Shelves up to 12" can be screwed to the brackets; any wood or metal rod up to 1-3/8" diameter slips easily into the special holders. Size 10" high 11" wide. Packed 10 to a shipping carton.

No.	Each	Full Carton
41H-1195-M	\$.75	\$.70 ea.




## STEEL POLE SOCKETS NO. 27H-6735-M

For wood closet poles. Will receive up to 1½" diameter pole.

15¢ pair	\$1.55 dozen pair	\$17.50 gross pair
----------	-------------------	--------------------

# CLOSET TROLLEY®

THE BEST THING FOR CLOSETS - SINCE CLOTHES



with amazing "Rolla-Trak" action

THE MODERN CLOSET ROD THAT'S REPLACING ALL OTHERS!

ADDS 20% MORE SPACE TO CLOSETS

HIGHLY POLISHED NICKLE FINISH

Available in 4 expandable sizes to fit every size closet. Attaches to any closet shelf in minutes ... and it can't sag no matter how much weight you put upon it.

No.	Size Adjustment	Rollers Included	Carton Pack	Carton Wt.	Broken Carton	Full Carton
71H-1830-M	18" to 30"	10	2 Doz.	20 lbs.	\$1.45 ea.	\$1.35 ea.
71H-3048-M	30" to 48"	15	2 Doz.	27 lbs.	2.50 ea.	2.35 ea.
71H-4872-E	48" to 72"	20	2 Doz.	45 lbs.	3.20 ea.	3.05 ea.
71H-7296-E	72" to 96"	25	1 Doz.	28 lbs.	3.90 ea.	3.70 ea.
71H-3000-M	Extra Rollers	—	24 Doz.	8 lbs.	.10 ea.	12.50 gr.

ALL ITEMS THIS PAGE SHIPPED PREPAID-ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# • SLIDING DOOR SHEAVES AND TRACK •




No. 41H-4020-M

Ball Bearing Sheaves

Case  $1\frac{1}{4}'' \times \frac{5}{8}''$ . Flange,  $2\frac{1}{4}'' \times \frac{5}{8}''$ 

\$ .17 Each - \$14.95 Per 100

Packed 100 In A Box Wt.  $7\frac{1}{2}$  lbs. per 100


No. 41H-4270-M

Ball Bearing Sheave

Frame  $2-15/16'' \times 7/16''$ Wheel  $2-15/16''$  in Diameter

\$ .32 Each \$28.70 Per 100

Packed 50 In A Box

Wt.  $12\frac{1}{2}$  lbs. per 100

No. 41H-4552-E

Wrought Steel Track


Wt. 13 lbs. per 100 ft.

Plain finish  $5/8''$  wide,  $5'$  high,  $1/2''$  nails furnished. Stock lengths 6 and 12 ft. All sheaves fit this track.

\$ .06 Per Ft. - \$4.75 Per 100 Ft.


- \$45.60 Per 1000 Ft.

## UPPER T GUIDE



No. 41H-9532-E

Used to separate or act as top guide for sliding doors operating on steel track 41H-4552-E Or Fibre Track 41H-2401-M. Supplied in Cadmium finish,  $5/8''$  wide x  $5/8''$  high. Stock lengths 6' & 12'. Wt. 22 lbs. Per 100 ft.



\$ .14 Ft. - \$12.75 Per 100 Ft.

## FIBER TRACK AND SHOE

FOR SLIDING DOORS  
DRAWERS AND SASH

Corrosion and rust proof track and shoe combining the advantages of low cost, long life, quiet operation, quality appearance and ease of installation. Allows removal of doors without tools. Supplied in 4, and 6' lengths but can be cut to exact dimensions on job.

No. 41H-2407-M Fibre Glides

 $1-3/8''$  Long  $3/8''$  Wide



Packed 50 In A Box

Less than 50

50 Or More

\$ .11 ea

\$ .09 ea.



End view

No. 41H-2401-M Fibre Track

 $1/8'' \times 1/2'' \times 4$ , or 6'

Less Than

100 Ft.

\$ .09 ft.


Over

100 Ft.

\$7.65 c Ft.

Over

500 Ft.



End view

No. 41H-2401-M FIBRE TRACK

with

No. 41H-2407-M FIBRE GLIDES \$7.25 per 100 Ft.

## PLASTIC TRACK GUIDES


FOR SLIDING GLASS AND WOOD DOORS  
FOR  $1/4''$  BY-PASSING DOORS  
SILENT OPERATION

END VIEW No. 41H-2412-M

Low Cost

Gray Extruded Plastic  
Top Guide Stock Lengths  
4', & 6'.

\$ .14 Ft. \$12.70 Per 100 Ft.




No. 41H-2414-M

An Ideal Economy

Track For Small Sliding Doors.  
Gray Extruded Plastic With Fibre  
Insert. Fastens with Brads or  
Nails. Stock Lengths 4' & 6'.

\$ .26 Ft.

\$23.00 Per 100 Ft.



## PULL FOR $1/4''$ PLATE GLASS DOORS

$1/4''$  Opening -  $4-7/16''$   
Long With Friction Grip...

No. 41H-2410-M  
Packed 12 In A Box  
\$ .17 ea.

\$1.80 Doz.



## ROLL-EZY BALLBEARING TRACK FOR SLIDING ALL-GLASS DOORS

K-V LATEST IMPROVED TRACK — NEW FRICTIONLESS BALL BEARING OPERATION

### NEW! PACKAGED ASSEMBLY




### ONLY 3 SIZES TO STOCK

48" — 60" — 72"  
Wt. 8 lbs. Wt. 10 lbs. Wt. 12 lbs.


### NO WASTE — NO CUTTING.

Each package contains a complete set of hardware for 1 pair of doors. Precut for doors to over lap  $1''$ . Ready to install zinc plated finish.

\$1.65 per ft. \$1.55 per ft. (12 package) \$1.45 per ft. (48 package) One Package contains the following for two doors.

2 Pieces No. 995  
Shoe for Glass Doors1 Piece No. 993  
Upper Channel Guide2 Pieces No. 997  
Ball Bearing Carrier1 Piece No. 999  
Lower Track

No. 41H-9926-M



1" wide Full size  
No. 41H-9926-M  
Section showing  
Roll-ezy track used  
with all glass doors.

1 Piece No. 993  
Upper Channel Guide

ALL ITEMS THIS PAGE SHIPPED PREPAID — ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**



# Roll-eez


Trade Mark

The World's Finest Roller Bearings  
for Wooden Drawers

## SPECIFICATIONS



Roll-eez consist of durable plastic rollers mounted on steel pins and frames. They are shipped factory-lubricated. Special  $\frac{3}{4}$  x 15 c. c. nails are furnished for installation.

### FOUR TYPES FOR EVERY INSTALLATION



Provide Greatly Improved Drawer Performance on Home and Office Furniture, Store Fixtures, Built-ins, etc. . . . Save Time, Labor and Expensive Materials . . . Give You a New Profitable Sales Feature at Practically No Extra Cost.

### Here's How Roll-eez Work



### ROLL-EEZ PRICES BULK PACKED

No.	Each	Per 100	Per 1000
39H-5500-M	8¢	\$5.81	\$55.00
39H-8250-M	12¢	8.98	82.50
39H-6880-M	10¢	7.38	68.80
39H-6881-M	10¢	7.38	68.80

### ROLL-EEZ TYPE "A" Sets


39H-4275-M  
36¢ Set \$4.00 Doz. \$42.75 Gross  
Includes 3 Type 39H-5500-M and 1 Type 39H-8250-M

Wt. 1 lbs. 8 oz. Per. Dz.


Write for complete literature, with installation ideas.

## Lazy Susan Hardware For Plywood Shelves


With these kits, plywood shelves can be tailored to fit any space. Packaged in kits including strong aluminum shelf supports and precision machined pivot bearings. For use with  $\frac{3}{4}$ " pipe or rigid conduit center shaft.



## Thru The Wall Mail Boxes



16H-1019-M



16H-1009-M

No.	Finish	Wt.	1 to 5	6 or more
16H-1009-M	Polish Brass	7 1/2 lbs.	\$6.70	\$6.35
16H-1019-M	Polish Brass	ea.	7.50	7.20
16H-1009-M	Satin Alum.	6 1/2 lbs.	5.05	4.80
16H-1019-M	Satin Alum.	ea.	5.05	4.80

## Door Knocker



Polish Brass Door Grille and Knocker  
No Mortising - Drills 3 Holes  
With one way mirror  
13H-6050-M  
\$3.65


DUTCH DOOR QUADRANT



Polished Cast Brass 4-5/8" x 4" Right or Left Hand

63H-8000-M  
\$6.35 Ea.

# Roltite ADHESIVE FOR EVERY NEED



## UTILITY BLACK MASTIC

For bonding a wide variety of rigid materials such as wallboard, wood, metal, concrete, plastic brick, glass and plastics to themselves and to each other and flexible materials such as linoleum, rubber, felt and canvas to rigid surfaces only...

29P-100-J

	Number Per Ctn.	Weight Per Ctn.	Broken Ctn. Price Ea.	Full Ctn. Price Ea.
Quarts	12	35 lbs.	\$0.92	\$0.77
Gallon	4	44 lbs.	2.84	2.67
3 1/2 Gal.	1	37 lbs.	--	8.90

## UTILITY ADHESIVE

For bonding decorative laminates, aluminum, steel, copper, wallboard, plywood panels, wood veneer, masonry, carpet, floor tile, cove base, rubber, leather, canvas, and other porous and non-porous surfaces to each other or to themselves.

29P-200-J

	Number Per Ctn.	Weight Per Ctn.	Broken Ctn. Price Ea.	Full Ctn. Price Ea.
Qt.	12	27#	\$1.50	\$1.35
Gal.	4	33#	4.80	4.32

## ROLITE SOLVENT 29P-300-J

	Number Per Ctn.	Weight Per Ctn.	Broken Ctn. Price Ea.	Full Ctn. Price Ea.
Pint	24	30#	\$0.57	\$0.53
Qt.	12	28#	.93	.88

## NEW WATER BASE CONTACT CEMENT

A practically odorless, non-flammable, highly water resistant contact cement with exceptionally high bond strength. Gives you twice as much coverage from each gallon. Use for installation of decorative laminates, plywood panels, wood veneers, wallboard, etc. Can be easily applied with a wide paint brush in a heavy uniform film. Soapy water will clean your paint brush or roller or remove excess cement before it dries. Solvent will remove cement after it has dried. Saves you time, money and energy.

29P-400-J

	Number Per Ctn.	Weight Per Ctn.	Broken Ctn. Price Ea.	Full Ctn. Price Ea.
Qt.	12	32#	\$2.00	\$1.81
Gal.	4	41#	7.53	6.80

HARDWARE ITEMS THIS PAGE SHIPPED PREPAID - ON ORDERS TOTALING \$150.00 OR MORE ADHESIVE F.O.B. ST. LOUIS

Materials Wholesale from **MORGAN - WIGHTMAN**




# RIXSON

## AUTOMATIC DOOR OPERATOR

The Rixson Automatic is more than just a spring operated door closer with an automatic opener. It is an electrically actuated door operator. The opening and closing speeds are adjustable and under constant control of hydraulic power. The operator is completely concealed in the rigid floor—no arms or other hardware are visible. Being center hung, it carries the full weight of the door. A concealed top pivot keeps the door in alignment.

- Mats actuated by even small child
- Door holds open until 4 seconds after person steps off safety mat
- If person steps on safety mat, actuating mat will not open door
- In emergency doors can be manually forced for exit
- When power is off doors may be operated manually

### No. 54H-2600-MD SINGLE DOOR OPERATOR



A complete unit operating a single door. Especially suitable for OUT doors on installations where the IN door is manually operated. Includes one complete hydraulic floor unit, 1/4 H.P. 115 V. 60 cycle A.C. motor and pump reservoir, control box assembly, hydraulic hose, flexible conduit, three-wire plastic insulated cable, actuating and safety mats, threshold, mat trim moulding, Rixson special hydro pump fluid and "in" and "out" decals.


54H-2600-MD

Weight 310 lbs.

\$695.00 Ea.

### No. 54H-2601-MD DOUBLE DOOR OPERATOR

For pairs of doors that operate simultaneously. This installation is often specified for handling heavy one way traffic. A slight saving is affected over two 2600 units because this unit has only one motor with double pump and one control box. Includes two complete hydraulic floor unit, 1/2 H.P. 115 V. 60 cycle A. C. Motor with two pump reservoirs, control box assembly, hydraulic hose, flexible conduit, three-wire plastic insulated cable, two actuating and safety mats, threshold, mat trim and moulding, Rixson special hydro pump fluid and "in" and "out" decals.



54H-2601-MD


Weight 600 lbs.

\$1152.00 Ea.

### No. 54H-2602-MD DOUBLE DOOR OPERATOR

For pairs of doors that operate independently. This model is used to operate two doors where there is one "in" and one "out" door. Unit consists of two 2600 units.

Includes two complete hydraulic floor units, two 1/4 H.P. 115 V. 60 cycle A.C. pump reservoirs, two control box assemblies, hydraulic hose, flexible conduit, three-wire plastic insulated cable, two actuating and safety mats, two thresholds, mat trim moulding, Rixson special hydro pump fluid and "in" and "out" decals.




Weight 630 lbs.

\$1443.00 Ea.



Here Are The Components That Make Rixson Automatic Door Opener The Simplest, Safest, Most Trouble Free



Actuating Mat Offering An Invitation To "Walk Through Sir" Trim

Rixson Threshold And Matching Mat

Safety Mat That Politely Waits With An "After You Sir"

If Motor And Controls Are More than 8' From Floor Unit Add \$4.05 Per Lineal Foot Over 8'

Rails Available For All Units Shown Above—Send Detail Of Installation For Price

ALL RIXSON DOOR OPERATORS SHIPPED F.O.B. CHICAGO FACTORY

Materials Wholesale from **MORGAN - WIGHTMAN**



# • ALUMINUM THRESHOLDS •

## "LABOR SAVER" THRESHOLD

- ELIMINATE UNDERDOOR HOOK-STRIP AND INSTALLATION LABOR
- NO GROOVES TO TRAP DIRT
- REVERSIBLE FOR IN OR OUT-SWINGING DOORS
- LIFETIME VINYL PLASTIC WEATHERSTRIP SECURED IN TOP SURFACE
- EASY TO SWEEP OVER
- DRAFT PROOF

### No. 14H-160-I HIGH RUG

Sizes 3-1/2" x 1-1/16"

Price Per Threshold

Size	1-11	12-47	48 or More
36"	\$1.83	\$1.77	\$1.68
72"	3.66	2.54	3.36



### No. 14H-120-I STANDARD HEIGHT

Sizes 3-1/4" x 5/8"

Price Per Threshold

Size	1-11	12-47	48 or More
32"	\$1.28	\$1.23	\$1.17
36"	1.45	1.40	1.33

## "STANDARD" VINYL THRESHOLD



Budget priced self-sealing vinyl threshold. Rapidly installed, no hooks or clips needed on bottom of door. Automatically adjusts to swelling or warping of door.

### No. 14H-140-I STANDARD HEIGHT

Size - 3-1/4" x 5/8"

Price Per Threshold

Size	1-11	12-47	48 or More
32"	\$1.79	\$1.73	\$1.64
36"	1.79	1.73	1.64

### No. 14H-180-I HIGH RUG

Size 3-1/2" x 1-1/16"

Price Per Threshold

Size	1-11	12-47	48 or More
36"	\$1.79	\$1.73	\$1.64
72"	4.26	4.11	3.90

## "DELUX" VINYL THRESHOLD



A deluxe heavy weight threshold at a low price. Self sealing hugs floor and door. Cuts installation time in half. Automatically adjusts to swelling or warping of door.

### No. 14H-300-I STANDARD HEIGHT

Size 3-1/2" x 7/8"

Price Per Threshold

Size	1-11	12-47	48 or More
32"	\$1.79	\$1.73	\$1.64
36"	2.00	1.93	1.83

### No. 14H-200-I HIGH RUG

Size 4" x 1-1/8"

Price Per Threshold

Size	1-11	12-47	48 or More
36"	\$2.64	\$2.55	\$2.42
72"	5.28	5.10	4.84

## 3-1/2" SINGLE LIP INTERLOCKING THRESHOLD



5/8" high, 3 1/2" wide drilled and equipped with aluminum hook-strip. 32" and 36" lengths available, all screws and nails included.

### No. 14H-130-I

Price Per Threshold

Size	1-11	12-47	48 or More
32"	\$1.42	\$1.37	\$1.30
36"	1.62	1.56	1.48

## 3-1/2" DOUBLE INTERLOCKING THRESHOLD



7/8" high, 3 1/2" wide drilled and equipped with aluminum hook strip. 36" and 72" lengths available. All screws and nails included.

### No. 14H-135-I

Price Per Threshold

Size	1-11	12-47	48 or More
36"	\$1.83	\$1.77	\$1.68
72"	3.66	3.53	3.35

## 4" ALUMINUM SADDLE THRESHOLD



1/2" high 4" wide drilled and supplied with screws, 36" and 72" lengths available.

### No. 14H-208-I

Price Per Threshold

Size	1-11	12-47	48 or More
36"	\$2.04	\$1.97	\$1.87
72"	4.09	3.95	3.74

## 1-1/4" BRONZE AND ALUMINUM WEATHERSTRIP

Special 17 foot packages with nails - enough for one 3-0 x 7-0 Door

### No. 14H-B27-I BRONZE

Single Package ..... \$1.11 Ea.

12 Or More Packages 1.07 Ea.

### No. 14H-A30-I ALUMINUM

Single Package ..... \$0.67 Ea.

12 Or More Packages.. .64 Ea.

Carton Weight: Bronze 11 lbs.


Aluminum 5 lbs.



## HARDWOOD THRESHOLDS

3-5/8" wide x 3'7" long; wt. 1 lb.  
Inside Thresholds

No. 27M-5007-I  
\$.55¢ Ea.



Outside Thresholds

No. 27M-5107-I  
\$.55¢ Ea.



## HARDWOOD AND VINYL THRESHOLDS

STANDARD HEIGHT

3-1/2" x 3/4"

No. 14H-340-I

Price Per Threshold

Size	1-11	12-47	48 or More
33"	\$1.19	\$1.15	\$1.09
37"	1.28	1.23	1.17


### HIGH RUG

3-1/2" x 1-1/16"

No. 14H-116-I

Price Per Threshold

Size	1-11	12-47	48 or More
33"	\$1.55	\$1.49	\$1.42
37"	1.66	1.60	1.52



## 100 FOOT PACKAGE COMPLETE WITH NAILS

Rigid spring bronze and tempered aluminum with edges hemmed to prevent splitting. Holes punched for easy installation.

No.	Type	Wts.	100 Ft.	1000 Ft.
14H-B14-I	Bronze	5 lbs.	\$5.24	\$50.55
14H-A14-I	Alum.	3 lbs.	2.84	27.40

ALL ITEMS ON THIS PAGE SHIPPED PREPAID ON ORDERS TOTALING \$150.00 OR MORE

Materials Wholesale from **MORGAN - WIGHTMAN**





# • SHIPPING INFORMATION •

## FREIGHT PREPAID ON ALL ORDERS

For your convenience we will prepay freight on all orders, however, freight on items we generally ship collect (Note bottom of each page in catalog) must be included with payment of order. If freight is not included with prepaid orders, shipment will be shipped collect. If you have a charge account we will add freight charges to invoice.

Figure distance from Chicago, Ill. or St. Louis, Mo., unless otherwise specified on page on which item is listed. We ship at our option from either St. Louis or Chicago stocks - But you pay freight from point nearest to you. The importance of the above is to enable you to benefit by lowest possible freight charges, while receiving the fastest shipment from available stocks. See opposite page for freight cost information.

## PARCEL POST ZONE MAPS



**REMEMBER ...** A single package may not exceed 40 lbs. in the local, first, and second zones ... and 20 lbs. in the third to eight zones. It cannot measure over 72" in girth and length combined for mailing to a first class post office. However, packages to second, third and fourth class post offices, or those delivered by any rural or star route carrier, may weigh up to 70 lbs. and have a combined girth and length up to 100". **IF IN DOUBT, CHECK WITH YOUR LOCAL POST OFFICE FOR ANY SIZE OR WEIGHT RESTRICTIONS AND YOUR PROPER ZONE.**

## GUIDE TO PARCEL POST CHARGES

Charges are determined by packed weight and zone	First Pound	Each Additional Pound
Local Zone .....	\$ .18	\$.02
Zones 1 and 2: up to 150 miles .....	.23	.04
Zone 3: 151 to 300 miles .....	.23	.06
Zone 4: 301 to 600 miles .....	.24	.07
Zone 5: 601 to 1000 miles .....	.26	.10
Zone 6: 1001 to 1400 miles .....	.28	.12
Zone 7: 1401 to 1800 miles .....	.30	.16
Zone 8: over 1800 miles .....	.32	.19

(Note: The Post Office figures any part of a pound as the next full pound.)

## PARCEL POST C.O.D.

COD shipments require an additional fee. Your remittance with order will save all COD charges.

Indemnity	C.O.D. FEE Non-Registered
\$ 0.01 to \$ 5.00 .....	30 cents
\$ 5.01 to \$10.00 .....	40 cents
\$10.01 to \$25.00 .....	60 cents
\$25.01 to \$50.00 .....	70 cents
\$50.01 to \$100.00 .....	80 cents
\$100.01 to \$150.00 .....	90 cents
\$150.01 to \$200.00 .....	\$1.00

## SPECIAL DELIVERY FEES

To get most rapid Special Handling and ALSO immediate Special Delivery at the office of address, add:

	Fee
Up to 2 pounds .....	\$.45
Over 2 pounds to 10 pounds .....	.55
Over 10 pounds .....	.70

## SPECIAL HANDLING FEES

To get the most rapid handling and transportation possible (like first class mail) add:

	Fee
Up to 2 pounds .....	\$.25
Over 2 pounds to 10 pounds .....	.35
Over 10 pounds .....	.50

The fees above do not include Special Delivery.

## AIR PARCEL POST

On parcels weighing less than 8 ounces, the Air Parcel Post rate is 6¢ for each oz. or fraction. Air Parcel Post may be sent registered, insured, COD and special delivery at the regular rail rates for added fees.

Shipping Weight	Zones 1, 2 and 3	Zone 4	Zone 5	Zone 6	Zone 7	Zone 8
*9 oz. to 1 lb. ....	\$.60	\$.65	\$.70	\$.75	\$.75	\$.80
*1 lb. 1 oz. to 2 lbs. ....	1.08	1.15	1.26	1.39	1.47	1.60
*2 lbs. 1 oz. to 3 lbs. ....	1.56	1.65	1.82	2.03	2.19	2.40
*3 lbs. 1 oz. to 4 lbs. ....	2.04	2.15	2.38	2.67	2.91	3.20
*4 lbs. 1 oz. to 5 lbs. ....	2.52	2.65	2.94	3.31	3.63	4.00
*5 lbs. 1 oz. to 6 lbs. ....	3.00	3.15	3.50	3.95	4.35	4.80
*6 lbs. 1 oz. to 7 lbs. ....	3.48	3.65	4.06	4.59	5.07	5.60
*7 lbs. 1 oz. to 8 lbs. ....	3.96	4.15	4.62	5.23	5.79	6.40
*8 lbs. 1 oz. to 9 lbs. ....	4.44	4.65	5.18	5.87	6.51	7.20
*9 lbs. 1 oz. to 10 lbs. ....	4.92	5.15	5.74	6.51	7.23	8.00
10 lbs. 1 oz. to 11 lbs. ....	5.40	5.65	6.30	7.15	7.95	8.80
11 lbs. 1 oz. to 12 lbs. ....	5.88	6.15	6.86	7.79	8.67	9.60
For each additional pound, add	48¢	50¢	56¢	64¢	72¢	80¢

\*Parcels weighing less than 10 pounds, but exceeding 84 inches in length and girth combined, require postage at the 10 pound rate.

## INSURED MAIL FEES


Amount of Insurance	Fee
Not exceeding \$10.00 .....	\$.10
\$10.01 to \$50.00 .....	.20
\$50.01 to \$100.00 .....	.30
\$100.01 to \$200.00 .....	.40

## ESTIMATED EXPRESS CHARGES

Express Charges are determined by the weight of shipment and distance of Destination Office from Originating Office. The following chart will enable you to estimate charges.

SHIPPING WEIGHT	100 MILES	200 MILES	300 MILES	400 MILES	500 MILES	750 MILES	1000 MILES	1500 MILES	2000 MILES	SHIPPING WEIGHT	100 MILES	200 MILES	300 MILES	400 MILES	500 MILES	750 MILES	1000 MILES	1500 MILES	2000 MILES
5 LBS.	\$2.22	\$2.22	\$2.22	\$2.22	\$2.22	\$2.22	\$2.39	\$2.83	\$2.91	40 LBS.	\$2.99	\$3.45	\$3.89	\$4.32	\$5.19	\$5.91	\$6.68	\$7.94	\$8.64
10 LBS.	2.22	2.22	2.39	2.51	2.58	2.73	2.89	3.55	3.73	50 LBS.	3.27	3.83	4.39	4.95	6.46	7.50	8.57	9.40	10.26
15 LBS.	2.22	2.47	2.65	2.81	2.91	3.13	3.36	4.29	4.53	75 LBS.	3.96	4.78	5.64	6.46	8.92	10.08	11.26	13.06	14.34
20 LBS.	2.44	2.68	2.90	3.11	3.24	3.54	3.85	5.03	5.37	100 LBS.	4.65	5.76	6.88	7.99	10.15	11.70	13.42	15.42	17.42
30 LBS.	2.73	3.06	3.39	3.71	3.89	4.32	4.78	6.49	6.99										

**NOW** to serve you more efficiently...  
— FREE Overnight Delivery —  
That's right! FREE OVERNITE DELIVERY in trailer loads direct to your job site or warehouse within a 500 mile radius of St. Louis. Direct to you via our own large fleet of trailer trucks. This same service also applies to less than trailer loads or split loads. However, terms of delivery at the bottom of each page of this catalog will pertain to your shipment.



2 New Services by

**MORGAN-WIGHTMAN**

Call  
"Collect"

To place an order of \$150.00 or more, feel free to call us Collect! Just ask your operator for Morgan-Wightman, St. Louis, Mo. Harrison 8-9700 or Chicago, Illinois MANSfield 6-8767, we'll pay the charges! Please call between our regular working hours of 8:00 A.M. thru 5:00 P.M. Central Standard Time.



# ESTIMATED TRANSPORTATION CHARGES

## • HOW TO USE THIS CHART •

First find weight on each item you order. Then note last letter in our number (example 12R-105-"S"). This denotes the freight class or "Key" in chart below. Using mileage from our nearest shipping point to you estimate your freight. Total all items and add amount to order. For your convenience, may we suggest you mark the mileage column indicating the distance from your city to our nearest shipping point, for quick future reference.

Exception - Note minimum Freight Charges At Bottom Of Chart.

MILES FROM YOUR CITY TO ST. LOUIS, CHICAGO OR FACTORY SHIPPING POINT.

Key	100	200	300	400	500	600	700	800	900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000
● RATES PER HUNDRED POUNDS ●																				
A	3.74	5.28	5.58	6.64	7.62	8.24	8.74	8.86	9.40	9.81	10.21	10.48	11.02	11.71	13.13	14.24	14.60	15.35	15.56	17.62
B	3.30	4.65	4.91	5.84	6.69	7.24	7.67	7.78	8.25	8.60	8.97	9.20	9.67	10.27	11.49	12.46	12.77	13.43	13.62	15.41
C	2.86	4.01	4.24	5.03	5.77	6.23	6.61	6.69	7.10	7.42	7.70	7.91	8.31	8.84	9.85	10.68	10.95	11.52	11.68	13.22
D	2.41	3.38	3.56	4.23	4.84	5.23	5.54	5.62	5.95	6.22	6.46	6.63	6.97	7.39	8.20	8.90	9.12	9.60	9.72	11.01
E	2.15	2.99	3.15	3.75	4.28	4.63	4.90	4.96	5.26	5.49	5.71	5.86	6.15	6.53	7.22	7.83	8.03	8.44	8.56	9.69
F	1.97	2.74	2.89	3.42	3.91	4.22	4.47	4.53	4.80	5.00	5.22	5.34	5.62	5.95	6.56	7.12	7.30	7.68	7.78	8.81
G	1.90	2.62	2.76	3.27	3.73	4.04	4.27	4.29	4.59	4.78	4.99	5.11	5.38	5.69	6.28	6.80	6.97	7.37	7.44	8.47
H	1.87	2.56	2.70	3.20	3.63	3.92	4.16	4.20	4.46	4.64	4.83	4.96	5.22	5.52	6.07	6.58	6.75	7.10	7.19	8.15
I	1.75	2.38	2.51	2.96	3.36	3.59	3.83	3.89	4.11	4.28	4.46	4.56	4.80	5.08	5.58	6.05	6.21	6.52	6.62	7.49
J	1.61	2.17	2.30	2.73	3.09	3.34	3.54	3.55	3.77	3.92	4.09	4.18	4.40	4.65	5.08	5.51	5.66	5.95	6.03	6.83
K	1.60	2.11	2.21	2.64	2.99	3.22	3.41	3.47	3.60	3.75	3.91	4.01	4.22	4.46	4.92	5.34	5.48	5.76	5.84	6.61
L	1.50	2.09	2.15	2.54	2.89	3.09	3.32	3.34	3.45	3.60	3.76	3.84	4.05	4.28	4.72	5.13	5.26	5.53	5.60	6.34
M	1.49	1.97	2.10	2.51	2.86	3.02	3.21	3.23	3.42	3.56	3.71	3.80	3.99	4.24	4.59	4.99	5.11	5.38	5.45	6.17
N	1.40	1.87	1.96	2.31	2.64	2.86	2.99	3.01	3.19	3.33	3.46	3.54	3.72	3.93	4.26	4.63	4.76	4.99	5.06	5.72
O	1.39	1.75	1.82	2.17	2.45	2.64	2.77	2.80	2.96	3.09	3.20	3.29	3.45	3.65	3.94	4.27	4.38	4.61	4.67	5.28
P	1.38	1.70	1.75	2.09	2.32	2.52	2.66	2.67	2.82	2.92	3.05	3.11	3.26	3.45	3.70	4.01	4.10	4.31	4.37	4.91
Q	1.37	1.62	1.73	1.97	2.29	2.43	2.56	2.58	2.73	2.83	2.96	3.02	3.17	3.36	3.61	3.92	4.01	4.22	4.28	4.84
R	1.32	1.53	1.62	1.86	2.17	2.31	2.44	2.48	2.56	2.65	2.75	2.83	2.96	3.14	3.34	3.61	3.70	3.89	3.95	4.46
S	1.30	1.50	1.60	1.83	2.10	2.29	2.43	2.46	2.51	2.61	2.71	2.78	2.91	3.09	3.29	3.56	3.65	3.84	3.90	4.41
Min.	3.15	3.41	3.68	3.94	4.20	4.46	4.73	5.41	5.65	5.84	6.03	6.15	6.37	6.46	6.56	7.12	7.30	7.68	7.78	8.81
NOTE: Amounts in line above denotes minimum freight charges in each of the following cities: St. Louis, Chicago or Factory Shipping Point.																				

NOTE: Amounts in line above denotes minimum freight charge - in other words the minimum amount the carrier will accept for hauling a shipment a prescribed number of miles, regardless of the weight. Example: If you are located approximately 500 miles from our shipping point and the items you purchased were in freight class "S" the chart shows \$2.10 per 100 lbs, however the minimum freight charge for 500 miles is \$4.20. As a result if your shipment weighs less than 200 lbs. you must pay \$4.20.

Remember when ever our number ends in "D" . . . Shipment will be made direct from factory stock as indicated at the bottom of each page, (example 12R-4300-SD).

## INDEX

A	Walls . . . . . 18	Flour Sifters . . . . . 172	Mixer Shelf Hardware . . . 173	Shower Stalls . . . . . 106, 107
Air Conditioners . . . . . 104	Caat & Hat Hooks . . . . . 164	Foundation Vents . . . . . 119	Mixer Unit . . . . . 57	Shutters . . . . . 9, 32
Aluminum Doors . . . . . 42, 43	Colonial Entrances . . . . . 28	Frames . . . . . 3, 36	Mortar Boxes . . . . . 53	Siding: Aluminum . . . . . 38
Aluminum Ladders . . . . . 52	Columns: Basement . . . . . 123	Friction Catches . . . . . 166	Mouldings . . . . . 3, 11, 36	Sink:
Aluminum Siding . . . . . 38	Porch . . . . . 29, 143-145	Furnaces . . . . . 137-140		Bawls . . . . . 94, 100, 101
Aluminum Windows:	Combination:			Rims . . . . . 101
Awning . . . . . 47	Doors . . . . . 50			Strainers-Sink . . . . . 100
Basement . . . . . 49	Windows . . . . . 51			Taps . . . . . 98, 101
Combination . . . . . 51	Cupolas . . . . . 148			Sky Domes-Plastic . . . . . 33
Double Hung . . . . . 44				Sliding Doors:
Jalousies . . . . . 48, 51				Frames . . . . . 3, 23
Sliding . . . . . 46				Fronts . . . . . 18, 20-22
Apartment Kitchen . . . . . 117				Glass . . . . . 42, 43
Appliances - Electric:				Hardware . . . . . 158-161, 176
Built-in-Oven . . . . . 109-114				Locks . . . . . 160, 161
Dehumidifier . . . . . 105				Sliding Windows . . . . . 13, 14, 46
Dish Washer . . . . . 108				Splash Plates . . . . . 56, 61
Garbage Disposal . . . . . 106				Spring Hinges . . . . . 164, 165
Mixer . . . . . 57				Stairways-Folding . . . . . 30
Range . . . . . 109-111, 113-115				Stairwork . . . . . 31, 122
Refrigerator . . . . . 116, 117				Staplers . . . . . 53
Water Heater . . . . . 106				Steel Folding Doors . . . . . 20
Appliances-Gas:				Steel Staircase . . . . . 122
Built-in-Ovens . . . . . 109, 110				Steel Windows . . . . . 47, 49
Incinerator . . . . . 105				Stempladders . . . . . 52
Range . . . . . 109, 110, 117				Storm Sash-Wood . . . . . 16
Water Heater . . . . . 107				Stud Driver . . . . . 53
Area Walls . . . . . 123				Sugar Dispensers . . . . . 172
Awnings - Metal . . . . . 146, 147				
Window . . . . . 15, 47				
B				T
Bar Doors . . . . . 8				Tee Hinges . . . . . 165
Barbecue Pits . . . . . 133, 134, 135				Telephone Cabinets . . . . . 26
Basement Columns . . . . . 123				Tension Screens . . . . . 16
Basement Doors . . . . . 124				Thermopane . . . . . 41
Basement Window Units . . . . . 30, 49				Thresholds . . . . . 156, 179
Bathroom:				Tileboard . . . . . 36
Cabinets . . . . . 87-91				Tools-Electric . . . . . 66-69
Fixtures . . . . . 92, 93				Hand . . . . . 53
Heaters . . . . . 58, 59, 63				Towel Racks . . . . . 173, 175
Lavanities . . . . . 95				Transformers . . . . . 55
Bevel Siding Corners . . . . . 38				Trim . . . . . 3
Blinds . . . . . 9, 32				Treads-Stair . . . . . 31
Bolts-Door . . . . . 164				Tub Enclosures . . . . . 94
Brackets:				V
Building . . . . . 54				Valances - Iron . . . . . 145
Hand Rail . . . . . 164				Vanity Units . . . . . 95
Iron . . . . . 144-145				Ventilators . . . . . 119-121
Sawhorse . . . . . 54				Ventilating Fans . . . . . 56-64, 136
Shelf . . . . . 174				W
Breakfast Nook . . . . . 99				Wall Safes . . . . . 118
Bridging - Steel . . . . . 122				Water Heaters . . . . . 106, 107
C				Water Proofing . . . . . 182
Cabinet Hardware . . . . . 165-177				Water Systems . . . . . 102, 103
Cabinets:				Weather Strip . . . . . 179
Corner . . . . . 26				Weather Vanes . . . . . 141
Kitchen . . . . . 96, 97				Wheel Barrows . . . . . 119
Medicine . . . . . 87-91				Window Glass . . . . . 35
Canopies . . . . . 146, 147				Window Hardware . . . . . 162
Car Ports . . . . . 130				Windows:
Car Port Awnings . . . . . 147				Aluminum . . . . . 44-51
Cedar Closet Lining . . . . . 36				Awning . . . . . 15, 47
Cement-Tile . . . . . 36, 37, 40, 181				Basement . . . . . 30, 49
Chimes . . . . . 55, 62				Casement . . . . . 15
China Cabinets . . . . . 26				Commercial Projected . . . . . 49
Chute: Clothes . . . . . 118				Double-Hung . . . . . 10, 12, 44
Clocks . . . . . 63				Octagon . . . . . 17
Closets:				Sliding . . . . . 13, 14, 46
Fronts . . . . . 18, 20-22				Steel . . . . . 47, 49
Lining . . . . . 36				Wood . . . . . 10-15, 17
Rods . . . . . 175				Wood Fencing . . . . . 39
				Z
				Z-Brick . . . . . 37



# Bondex WATERPROOFING PRODUCTS

## FOR EVERY WATERPROOFING PROBLEM

### CEMENT PAINT



The original patented water proof cement paint for use on Porous Masonry protects beautifies, bonds with the surface, and seals out dampness. White

No. 35P-100-Q  
Gross Wt. White Colors

5 lb. Bag 5.3 lbs. \$1.10 ea. \$1.24 ea.  
25 lb. Pail 28 lbs. 5.00 ea. 5.60 ea.  
50 lb. Bag 50.6 lbs. 7.00 ea. 7.82 ea.

Colors available in standard and heavy duty.

Capri Blue Sunset Yellow  
Bermuda Yellow Dawn Grey  
Flamingo Pink Ivy Green  
Ming Green Wheat Yellow


### HEAVY DUTY CEMENT PAINT

The ultimate in masonry protection, aggregate type coater that re-surfaces and stops water penetration through even the roughest porous masonry. White

No. 35P-200-Q  
Size Gross Wt. White Colors

10 lb. Can 4.46 lbs. \$1.98 ea. \$2.12 ea.  
50 lb. Bag 50.6 lbs. 5.80 ea. 6.18 ea.

### CONCRETE PATCH



No. 35P-400-Q

Size Gross Wt. Price  
Regular Kit 7 lbs. \$1.59 ea.  
Large Kit 13.6 lbs. 2.55 ea.  
40 lb. bag cement 40.5 lbs. 3.36 ea.  
1 Gal. liquid 9.7 lbs. 2.64 ea.

Scientifically combines silicone, latex and cement into a fool proof, easy to use, all purpose patcher for all types of concrete, stucco, brick, stone and other masonry. It hardens quickly, and cures within hours to a water proof surface more durable and permanent than concrete! All that's necessary is to remove loose dirt and scale from the area to be patched, mix as directed, and apply with a trowel or putty knife. No chipping, widening of cracks, etching, or priming necessary. For use above or below grade, on dry or damp surfaces! "REGULAR KIT" contains 5 lbs. Special cement and 1 pint mixing liquid. "LARGE KIT" contains 10 lbs. Special cement and 1 quart mixing liquid.

### QUICK PLUG

A fast setting patching material specially formulated to correct unusual and difficult leakage problems. It will stop the flow of water leaking through breaks in masonry wall surfaces under pressure. Quick plug has many applications such as: anchoring bolts, hooks and machinery to masonry surfaces, cement wash tubs to cement. Also for anchoring home washers and dryers to cement floors.

No. 35P-300-Q

Size Gross Wt. Price  
1½ lb. Can 1.6 lbs. \$0.53 ea.  
3 lb. Can 3.3 lbs. 1.03 ea.  
12 lb. Can 13.3 lbs. 3.28 ea.



### SILICONE WATERPROOFING

Clear water repellent for exterior above grade masonry such as: brick, concrete, building block, stucco, mortar, stone and asbestos shingles and siding. A single flooding coat applied as directed assures complete water repellency. Coats the walls of the pores in masonry but does not block them, thus allowing the wall to breathe. Will not alter the original color or texture of the masonry surface. Protects against efflorescence.

No. 35P-500-O

Size Wt. Price  
1 Gal. Can 9 lbs. \$3.14 ea.  
5 Gal. Can 38 lbs. 14.65 ea.




## SUMP PUMPS & PORTABLE PUMPS

### SUBMERSIBLE SUMP PUMP


Continuous operation in or under water cannot harm its hermetically sealed motor, fully enclosed switch, corrosion-resistant bronze pump housing, permanently lubricated bearings and durable brass strainer which screens out destructive matter. Entire unit is completely submersible and immune from damage due to power failure. Easiest of all to clean.

No.	Weight	Outlet	Motor	Price	
				1-2	3 or More
36P-S520-F	33 lbs.	1½ lps.	1/3 H.P.	\$57.50	\$55.30
Total Head		5 ft.	10 ft.	15 ft.	20 ft.
Gallons-per-hour		3100	2900	2500	1800



### SUMP PUMP

Capacities up to 3100 gallons per hour and heads up to 20 feet are possible with these efficient pumps. Combining reliable, continuous performance with unrivalled economy these cellar drainers—along with the new Barnes submersible and rugged commercial sump pumps—give you a complete choice for home, farm and industry.



Model  
36P-S21-F


Model  
36P-S22-F

Reliable 1/3 HP motors are heavy duty type. 1750-RPM, 115-volt, 60 cycle, single phase. Moisture and corrosion resistant. Automatic switch mechanism, both floatless and float-operated control, is fully enclosed. Easy water level adjustment. One-piece drive shaft is vibration-free. Formed to fit directly to motor and transmits motor torque only. No adaptor couplings or keys required. Positive drive connection to impeller.

No.	Wts.	Type	Price	
			1-2	3 or More
36P-S21-F	30#	Iron with Copper Float	\$32.45	\$31.20
36P-S22-F	30#	All Brass	\$6.50	\$4.30
CAPACITY TABLE				
Total head		5 ft.	10 ft.	15 ft.
Gals.-Per-Hr.		3100	2900	2500
				1800

### PORTABLE PUMPS

Barnes Light Weights are built with cast aluminum bodies to reduce weight, achieve maximum portability and handling ease. Exclusive patented self-priming principle assures quick, dependable priming with as little as 1/3 normal water level in pump body! Light Weight Pumps are especially useful for underground maintenance work on utility jobs, telephone lines, sewers, cables, manholes and all jobs where portability and handling ease is vital!



No.	Capacity	Suction & Discharge	Engine	H.P.	Size		Wt.	Price
					H.	W. L.		
36P-4MA-F	5,000 GPH	1½"	Briggs & Stratton 6B-FB	1.6	16½	11 16	55	\$113.30
36P-6MA-F	7,200 GPH	2"	Briggs & Stratton 8B-FB	2.	16½	11 16	60	129.00

BONDEX PRODUCTS SHIPPED F.O.B. ST. LOUIS - FREIGHT PAID ON 300 LB. ORDERS - PUMPS F.O.B. ST. LOUIS

Materials Wholesale from

MORGAN - WIGHTMAN



# X-PANDA SHELVES

... install in minutes! Completely pre-fabricated — nothing to cut, nothing to fit


- FITS ALL CLOSETS
- SAVES TIME
- NEVER NEEDS PAINT
- ADJUSTS TO ANY LENGTH
- COST COMPARED TO WOOD
- STRONG — 30 LBS. PER FT.

Here's the complete answer to all your shelving problems: X-Panda Shelf! Perfect for clothes closets, wardrobe closets, linen closets, and all types of wall shelves. Check the features and you'll see how you can cut labor costs 85% and improve the quality of your shelving jobs. All sizes have 13" length adjustment for easy installation ... average installation time is only 10 minutes!


AVAILABLE IN TWO THICKNESSES  
1 INCH AND 9/16 INCH THICK!



X-Panda Shelf Set installed in linen closet.




X-Panda Clothes Closet Shelf and Pole Set installed in clothes closet.



Available in 2 depths of equal quality to match closet specifications. 12" model costs approximately 15% less than 14" models. 14" shelf costs about as much as quality wood shelving. 12" ideal for low-cost home and commercial construction. Specify depth when ordering.

Linen shelves available only in 14" depth.

## X-PANDA CLOTHES CLOSET SHELF AND POLE SET



28T-1000-M


SIZE	ADJUSTMENT	DEPTH	PRICE EACH
24"	23½ to 36½	14"	\$4.10
36"	35½ to 48½	14"	4.85
48"	47½ to 60½	14"	5.80
60"*	59½ to 72½	14"	7.03
72"*	71½ to 84½	14"	8.00

Clothes closet shelves packed 1 per carton. 14" depth shelf weight 2½ lbs. per ft.

\*Includes center support for shelf and pole.

For closets longer than 84½" use multiple shelves with bracket.

## X-PANDA SHELF SET FOR LINEN CLOSETS



28T-3000-M

SIZE	ADJUSTMENT	DEPTH	WEIGHT PACKED 5 PER CTN.	PRICE PER SET OF 5
18"	17½ to 30½	14"	24 lbs.	\$10.15
30"	29½ to 42½	14"	30 lbs.	12.50

**All X-PANDA Shelves Finished in a Baked-on Enamel Linen. This is Lithographed onto the Steel Shelf.**

## X-PANDA SHELF SET FOR STORAGE



28T-2000-M

SIZE	ADJUSTMENT	DEPTH	PRICE EACH	DEPTH	PRICE EACH
24"	23½ to 36½	14"	\$3.00	12"	\$2.77
36"	35½ to 48½	14"	3.67	12"	3.39
48"	47½ to 60½	14"	4.38	12"	4.00
60"*	59½ to 72½	14"	5.32	12"	4.90
72"*	71½ to 84½	14"	5.97	12"	5.47

Clothes closet shelves packed 1 per carton. 14" depth shelf weight 2 lbs. per ft. 12" depth shelf weight 1½ lbs. per ft.

\*Includes center shelf support.


## SHELF AND POLE SUPPORT BRACKETS



28T-1002-M  
14 INCH

Support bracket for fastening X-PANDA SHELF units in multiples.


\$1.05 EACH



28T-1005-M  
14 INCH

Support bracket for fastening X-PANDA SHELF and pole units in multiples.

\$1.07 EACH



28T-1008-M  
12 or 14 INCH

Center support for shelf and pole. Hardware necessary for installation is supplied.

.50 EACH

(Specify for which depth shelf)

**VOLUME DISCOUNT:** Less 5% on \$200.00 order of X-Panda shelves with shipment F.O.B. Peoria, Ill. with \$2.00 per cwt. Freight allowance

X-PANDA SHELVES SHIPPED F.O.B. OUR ST. LOUIS OR CHICAGO WAREHOUSE

Materials Wholesale from **MORGAN - WIGHTMAN**





*The Windsor line...*

birch cabinets from

MORGAN-WIGHTMAN

FOR FULL DETAILS AND PRICES TURN TO PAGE 22